

# 令和3年度 事業年報

## ①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	1	0.83%	6	4.96%	54	44.63%	10	8.26%	42	34.71%	8	6.61%
	女	112	0		6	5.36%	54	48.21%	6	5.36%	37	33.04%	9	8.04%
	計	233	1	0.43%	12	5.15%	108	46.35%	16	6.87%	79	33.91%	17	7.30%
40 ～ 74	男	912	0		337	36.95%	254	27.85%	46	5.04%	272	29.82%	337	36.95%
	女	727	1	0.14%	231	31.77%	255	35.08%	43	5.91%	194	26.69%	231	31.77%
	計	1639	1	0.06%	568	34.66%	509	31.06%	89	5.43%	466	28.43%	568	34.66%
75 ～	男	31	0		22	70.97%	5	16.13%	0		4	12.90%	22	70.97%
	女	23	0		18	78.26%	3	13.04%	1	4.35%	1	4.35%	18	78.26%
	計	54	0		40	74.07%	8	14.81%	1	1.85%	5	9.26%	40	74.07%
合計		1926	2	0.10%	620	32.19%	625	32.45%	106	5.50%	550	28.56%	625	32.45%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	121	6	4.96%	75	61.98%	40	33.06%
	女	112	19	16.96%	77	68.75%	16	14.29%
	計	233	25	10.73%	152	65.24%	56	24.03%
40 ～ 74	男	912	21	2.30%	573	62.83%	318	34.87%
	女	727	99	13.62%	491	67.54%	137	18.84%
	計	1639	120	7.32%	1064	64.92%	455	27.76%
75 ～	男	31	3	9.68%	23	74.19%	5	16.13%
	女	23	2	8.70%	14	60.87%	7	30.43%
	計	54	5	9.26%	37	68.52%	12	22.22%
合計		1926	150	7.79%	1253	65.06%	523	27.15%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	92	76.03%	14	11.57%	9	7.44%	0		2	1.65%	4	3.31%
	女	112	93	83.04%	5	4.46%	13	11.61%	0		1	0.89%	0	
	計	233	185	79.40%	19	8.15%	22	9.44%	0		3	1.29%	4	1.72%
40 ～ 74	男	912	440	48.25%	136	14.91%	105	11.51%	0		35	3.84%	196	21.49%
	女	727	440	60.52%	76	10.45%	89	12.24%	0		15	2.06%	107	14.72%
	計	1639	880	53.69%	212	12.93%	194	11.84%	0		50	3.05%	303	18.49%
75 ～	男	31	7	22.58%	3	9.68%	5	16.13%	0		0		16	51.61%
	女	23	6	26.09%	2	8.70%	2	8.70%	0		1	4.35%	12	52.17%
	計	54	13	24.07%	5	9.26%	7	12.96%	0		1	1.85%	28	51.85%
合計		1926	1078	55.97%	236	12.25%	223	11.58%	0		54	2.80%	335	17.39%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	120	99.17%	0	0	1	0.83%	0	0	0	0	0	0
	女	112	112	100.00%	0	0	0	0	0	0	0	0	0	0
	計	233	232	99.57%	0	0	1	0.43%	0	0	0	0	0	0
40 ～ 74	男	909	825	90.76%	0	0	84	9.24%	0	0	0	0	0	0
	女	727	701	96.42%	0	0	26	3.58%	0	0	0	0	0	0
	計	1636	1526	93.28%	0	0	110	6.72%	0	0	0	0	0	0
75 ～	男	30	15	50.00%	0	0	15	50.00%	0	0	0	0	0	0
	女	21	13	61.90%	0	0	8	38.10%	0	0	0	0	0	0
	計	51	28	54.90%	0	0	23	45.10%	0	0	0	0	0	0
合計		1920	1786	93.02%	0	0	134	6.98%	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	62	51.24%	16	13.22%	20	16.53%	0	0	23	19.01%	0	0
	女	112	81	72.32%	14	12.50%	11	9.82%	0	0	6	5.36%	0	0
	計	233	143	61.37%	30	12.88%	31	13.30%	0	0	29	12.45%	0	0
40 ～ 74	男	912	397	43.53%	151	16.56%	168	18.42%	0	0	194	21.27%	2	0.22%
	女	727	522	71.80%	85	11.69%	77	10.59%	0	0	42	5.78%	1	0.14%
	計	1639	919	56.07%	236	14.40%	245	14.95%	0	0	236	14.40%	3	0.18%
75 ～	男	31	15	48.39%	4	12.90%	8	25.81%	0	0	4	12.90%	0	0
	女	23	15	65.22%	3	13.04%	3	13.04%	0	0	2	8.70%	0	0
	計	54	30	55.56%	7	12.96%	11	20.37%	0	0	6	11.11%	0	0
合計		1926	1092	56.70%	273	14.17%	287	14.90%	0	0	271	14.07%	3	0.16%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	25	20.66%	35	28.93%	39	32.23%	11	9.09%	8	6.61%	3	2.48%
	女	112	47	41.96%	27	24.11%	28	25.00%	3	2.68%	6	5.36%	1	0.89%
	計	233	72	30.90%	62	26.61%	67	28.76%	14	6.01%	14	6.01%	4	1.72%
40 ～ 74	男	912	172	18.86%	191	20.94%	330	36.18%	86	9.43%	20	2.19%	113	12.39%
	女	727	121	16.64%	136	18.71%	279	38.38%	65	8.94%	27	3.71%	99	13.62%
	計	1639	293	17.88%	327	19.95%	609	37.16%	151	9.21%	47	2.87%	212	12.93%
75 ～	男	31	5	16.13%	3	9.68%	13	41.94%	1	3.23%	0	0	9	29.03%
	女	23	3	13.04%	1	4.35%	8	34.78%	0	0	0	0	11	47.83%
	計	54	8	14.81%	4	7.41%	21	38.89%	1	1.85%	0	0	20	37.04%
合計		1926	373	19.37%	393	20.40%	697	36.19%	166	8.62%	61	3.17%	236	12.25%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	63	52.07%	41	33.88%	13	10.74%	0		1	0.83%	3	2.48%
	女	112	81	72.32%	27	24.11%	4	3.57%	0		0		0	
	計	233	144	61.80%	68	29.18%	17	7.30%	0		1	0.43%	3	1.29%
40 ～ 74	男	912	203	22.26%	371	40.68%	239	26.21%	0		29	3.18%	70	7.68%
	女	727	250	34.39%	280	38.51%	169	23.25%	0		6	0.83%	22	3.03%
	計	1639	453	27.64%	651	39.72%	408	24.89%	0		35	2.14%	92	5.61%
75 ～	男	31	2	6.45%	16	51.61%	9	29.03%	0		0		4	12.90%
	女	23	4	17.39%	7	30.43%	7	30.43%	0		0		5	21.74%
	計	54	6	11.11%	23	42.59%	16	29.63%	0		0		9	16.67%
合計		1926	603	31.31%	742	38.53%	441	22.90%	0		36	1.87%	104	5.40%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	103	85.12%	15	12.40%	1	0.83%	0		2	1.65%	0	
	女	112	78	69.64%	28	25.00%	6	5.36%	0		0		0	
	計	233	181	77.68%	43	18.45%	7	3.00%	0		2	0.86%	0	
40 ～ 74	男	912	666	73.03%	142	15.57%	87	9.54%	0		17	1.86%	0	
	女	727	476	65.47%	150	20.63%	97	13.34%	0		4	0.55%	0	
	計	1639	1142	69.68%	292	17.82%	184	11.23%	0		21	1.28%	0	
75 ～	男	31	19	61.29%	5	16.13%	4	12.90%	0		3	9.68%	0	
	女	23	16	69.57%	2	8.70%	4	17.39%	0		1	4.35%	0	
	計	54	35	64.81%	7	12.96%	8	14.81%	0		4	7.41%	0	
合計		1926	1358	70.51%	342	17.76%	199	10.33%	0		27	1.40%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	96	79.34%	14	11.57%	5	4.13%	6	4.96%	0		0	
	女	112	112	100.00%	0		0		0		0		0	
	計	233	208	89.27%	14	6.01%	5	2.15%	6	2.58%	0		0	
40 ～ 74	男	912	665	72.92%	122	13.38%	38	4.17%	25	2.74%	0		62	6.80%
	女	727	713	98.07%	5	0.69%	6	0.83%	1	0.14%	0		2	0.28%
	計	1639	1378	84.08%	127	7.75%	44	2.68%	26	1.59%	0		64	3.90%
75 ～	男	31	26	83.87%	3	9.68%	2	6.45%	0		0		0	
	女	23	21	91.30%	0		2	8.70%	0		0		0	
	計	54	47	87.04%	3	5.56%	4	7.41%	0		0		0	
合計		1926	1633	84.79%	144	7.48%	53	2.75%	32	1.66%	0		64	3.32%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	100	82.64%	21	17.36%	0		0		0		0	
	女	112	79	70.54%	16	14.29%	8	7.14%	6	5.36%	2	1.79%	1	0.89%
	計	233	179	76.82%	37	15.88%	8	3.43%	6	2.58%	2	0.86%	1	0.43%
40 ～ 74	男	912	682	74.78%	175	19.19%	15	1.64%	7	0.77%	32	3.51%	1	0.11%
	女	727	504	69.33%	134	18.43%	42	5.78%	24	3.30%	4	0.55%	19	2.61%
	計	1639	1186	72.36%	309	18.85%	57	3.48%	31	1.89%	36	2.20%	20	1.22%
75 ～	男	31	25	80.65%	2	6.45%	4	12.90%	0		0		0	
	女	23	22	95.65%	0		0		1	4.35%	0		0	
	計	54	47	87.04%	2	3.70%	4	7.41%	1	1.85%	0		0	
合計		1926	1412	73.31%	348	18.07%	69	3.58%	38	1.97%	38	1.97%	21	1.09%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	106	87.60%	13	10.74%	0		0		2	1.65%	0	
	女	112	94	83.93%	11	9.82%	1	0.89%	0		5	4.46%	1	0.89%
	計	233	200	85.84%	24	10.30%	1	0.43%	0		7	3.00%	1	0.43%
40 ～ 74	男	912	783	85.86%	79	8.66%	23	2.52%	0		26	2.85%	1	0.11%
	女	727	612	84.18%	68	9.35%	11	1.51%	0		36	4.95%	0	
	計	1639	1395	85.11%	147	8.97%	34	2.07%	0		62	3.78%	1	0.06%
75 ～	男	31	25	80.65%	3	9.68%	2	6.45%	0		1	3.23%	0	
	女	23	19	82.61%	2	8.70%	1	4.35%	0		0		1	4.35%
	計	54	44	81.48%	5	9.26%	3	5.56%	0		1	1.85%	1	1.85%
合計		1926	1639	85.10%	176	9.14%	38	1.97%	0		70	3.63%	3	0.16%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	8	8	100.00%	0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	13	13	100.00%	0		0		0		0		0	
40 ～ 74	男	30	30	100.00%	0		0		0		0		0	
	女	12	12	100.00%	0		0		0		0		0	
	計	42	42	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		55	55	100.00%	0		0		0		0		0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	26	26	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	26	26	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	246	239	97.15%	0	0	0	0	0	7	2.85%	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	246	239	97.15%	0	0	0	0	0	7	2.85%	0	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
合計		275	268	97.45%	0	0	0	0	0	7	2.55%	0	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	118	112	94.92%	0	0	0	0	0	5	4.24%	1	0.85%	
	女	109	101	92.66%	0	0	0	0	7	6.42%	1	0.92%		
	計	227	213	93.83%	0	0	0	0	12	5.29%	2	0.88%		
40 ～ 74	男	898	852	94.88%	0	0	0	0	41	4.57%	5	0.56%		
	女	708	694	98.02%	0	0	0	0	13	1.84%	1	0.14%		
	計	1606	1546	96.26%	0	0	0	0	54	3.36%	6	0.37%		
75 ～	男	31	30	96.77%	0	0	0	0	1	3.23%	0	0		
	女	22	19	86.36%	0	0	0	0	3	13.64%	0	0		
	計	53	49	92.45%	0	0	0	0	4	7.55%	0	0		
合計		1886	1808	95.86%	0	0	0	0	70	3.71%	8	0.42%		

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	100	82.64%	15	12.40%	6	4.96%	0	0	0	0	0	0
	女	112	95	84.82%	6	5.36%	10	8.93%	0	0	0	0	1	0.89%
	計	233	195	83.69%	21	9.01%	16	6.87%	0	0	0	0	1	0.43%
40 ～ 74	男	912	704	77.19%	90	9.87%	78	8.55%	2	0.22%	19	2.08%	19	2.08%
	女	727	576	79.23%	70	9.63%	69	9.49%	1	0.14%	5	0.69%	6	0.83%
	計	1639	1280	78.10%	160	9.76%	147	8.97%	3	0.18%	24	1.46%	25	1.53%
75 ～	男	31	15	48.39%	6	19.35%	5	16.13%	0	0	2	6.45%	3	9.68%
	女	23	12	52.17%	2	8.70%	8	34.78%	0	0	0	0	1	4.35%
	計	54	27	50.00%	8	14.81%	13	24.07%	0	0	2	3.70%	4	7.41%
合計		1926	1502	77.99%	189	9.81%	176	9.14%	3	0.16%	26	1.35%	30	1.56%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	112	92.56%	0		1	0.83%	0		8	6.61%	0	
	女	112	107	95.54%	0		1	0.89%	0		2	1.79%	2	1.79%
	計	233	219	93.99%	0		2	0.86%	0		10	4.29%	2	0.86%
40 ～ 74	男	905	662	73.15%	19	2.10%	35	3.87%	0		131	14.48%	58	6.41%
	女	727	540	74.28%	19	2.61%	34	4.68%	0		91	12.52%	43	5.91%
	計	1632	1202	73.65%	38	2.33%	69	4.23%	0		222	13.60%	101	6.19%
75 ～	男	31	10	32.26%	3	9.68%	6	19.35%	0		6	19.35%	6	19.35%
	女	22	1	4.55%	1	4.55%	8	36.36%	1	4.55%	2	9.09%	9	40.91%
	計	53	11	20.75%	4	7.55%	14	26.42%	1	1.89%	8	15.09%	15	28.30%
合計		1918	1432	74.66%	42	2.19%	85	4.43%	1	0.05%	240	12.51%	118	6.15%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	120	109	90.83%	0		4	3.33%	0		7	5.83%	0	
	女	111	104	93.69%	0		4	3.60%	0		1	0.90%	2	1.80%
	計	231	213	92.21%	0		8	3.46%	0		8	3.46%	2	0.87%
40 ～ 74	男	900	773	85.89%	0		31	3.44%	0		39	4.33%	57	6.33%
	女	725	636	87.72%	0		27	3.72%	0		19	2.62%	43	5.93%
	計	1625	1409	86.71%	0		58	3.57%	0		58	3.57%	100	6.15%
75 ～	男	31	23	74.19%	0		2	6.45%	0		0		6	19.35%
	女	22	13	59.09%	0		0		0		0		9	40.91%
	計	53	36	67.92%	0		2	3.77%	0		0		15	28.30%
合計		1909	1658	86.85%	0		68	3.56%	0		66	3.46%	117	6.13%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	115	95.04%	0	0	6	4.96%	0	0	0	0	0	0
	女	108	96	88.89%	0	0	12	11.11%	0	0	0	0	0	0
	計	229	211	92.14%	0	0	18	7.86%	0	0	0	0	0	0
40 ～ 74	男	912	762	83.55%	0	0	142	15.57%	0	0	6	0.66%	2	0.22%
	女	723	608	84.09%	0	0	109	15.08%	0	0	4	0.55%	2	0.28%
	計	1635	1370	83.79%	0	0	251	15.35%	0	0	10	0.61%	4	0.24%
75 ～	男	31	16	51.61%	0	0	12	38.71%	0	0	1	3.23%	2	6.45%
	女	23	10	43.48%	0	0	13	56.52%	0	0	0	0	0	0
	計	54	26	48.15%	0	0	25	46.30%	0	0	1	1.85%	2	3.70%
合計		1918	1607	83.79%	0	0	294	15.33%	0	0	11	0.57%	6	0.31%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	74	67	90.54%	0	0	6	8.11%	0	0	1	1.35%	0	0
	女	76	58	76.32%	0	0	15	19.74%	0	0	2	2.63%	1	1.32%
	計	150	125	83.33%	0	0	21	14.00%	0	0	3	2.00%	1	0.67%
40 ～ 74	男	503	404	80.32%	0	0	88	17.50%	0	0	9	1.79%	2	0.40%
	女	395	281	71.14%	0	0	112	28.35%	0	0	0	0	2	0.51%
	計	898	685	76.28%	0	0	200	22.27%	0	0	9	1.00%	4	0.45%
75 ～	男	11	7	63.64%	0	0	3	27.27%	0	0	1	9.09%	0	0
	女	4	3	75.00%	0	0	1	25.00%	0	0	0	0	0	0
	計	15	10	66.67%	0	0	4	26.67%	0	0	1	6.67%	0	0
合計		1063	820	77.14%	0	0	225	21.17%	0	0	13	1.22%	5	0.47%

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	41	18	43.90%	9	21.95%	12	29.27%	1	2.44%	1	2.44%	0	0
	女	28	11	39.29%	14	50.00%	3	10.71%	0	0	0	0	0	0
	計	69	29	42.03%	23	33.33%	15	21.74%	1	1.45%	1	1.45%	0	0
40 ～ 74	男	369	68	18.43%	101	27.37%	179	48.51%	12	3.25%	7	1.90%	2	0.54%
	女	240	35	14.58%	92	38.33%	103	42.92%	3	1.25%	3	1.25%	4	1.67%
	計	609	103	16.91%	193	31.69%	282	46.31%	15	2.46%	10	1.64%	6	0.99%
75 ～	男	18	4	22.22%	0	0	12	66.67%	0	0	2	11.11%	0	0
	女	14	0	0	2	14.29%	11	78.57%	1	7.14%	0	0	0	0
	計	32	4	12.50%	2	6.25%	23	71.88%	1	3.13%	2	6.25%	0	0
合計		710	136	19.15%	218	30.70%	320	45.07%	17	2.39%	13	1.83%	6	0.85%

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	32	26.45%	4	3.31%	83	68.60%	0	0	2	1.65%	0	0
	女	112	36	32.14%	7	6.25%	66	58.93%	0	0	3	2.68%	0	0
	計	233	68	29.18%	11	4.72%	149	63.95%	0	0	5	2.15%	0	0
40 ～ 74	男	910	90	9.89%	5	0.55%	784	86.15%	0	0	30	3.30%	1	0.11%
	女	726	142	19.56%	5	0.69%	557	76.72%	0	0	18	2.48%	4	0.55%
	計	1636	232	14.18%	10	0.61%	1341	81.97%	0	0	48	2.93%	5	0.31%
75 ～	男	31	2	6.45%	0	0	27	87.10%	0	0	2	6.45%	0	0
	女	23	1	4.35%	0	0	21	91.30%	0	0	1	4.35%	0	0
	計	54	3	5.56%	0	0	48	88.89%	0	0	3	5.56%	0	0
合計		1923	303	15.76%	21	1.09%	1538	79.98%	0	0	56	2.91%	5	0.26%

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	32	30	93.75%	0		0		0		2	6.25%	0	
	計	32	30	93.75%	0		0		0		2	6.25%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	208	198	95.19%	0		2	0.96%	0		8	3.85%	0	
	計	208	198	95.19%	0		2	0.96%	0		8	3.85%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		242	230	95.04%	0		2	0.83%	0		10	4.13%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	56	34	60.71%	8	14.29%	10	17.86%	0		4	7.14%	0	
	計	56	34	60.71%	8	14.29%	10	17.86%	0		4	7.14%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	226	146	64.60%	37	16.37%	32	14.16%	0		11	4.87%	0	
	計	226	146	64.60%	37	16.37%	32	14.16%	0		11	4.87%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		283	181	63.96%	45	15.90%	42	14.84%	0		15	5.30%	0	



## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	48	46	95.83%	0		1	2.08%	0		0		1	2.08%
	計	48	46	95.83%	0		1	2.08%	0		0		1	2.08%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	290	271	93.45%	3	1.03%	3	1.03%	0		2	0.69%	11	3.79%
	計	290	271	93.45%	3	1.03%	3	1.03%	0		2	0.69%	11	3.79%
75 ～	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		340	319	93.82%	3	0.88%	4	1.18%	0		2	0.59%	12	3.53%

## ②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	27	3.52%	56	7.31%	303	39.56%	25	3.26%	314	40.99%	41	5.35%
	女	767	34	4.43%	71	9.26%	337	43.94%	56	7.30%	234	30.51%	35	4.56%
	計	1533	61	3.98%	127	8.28%	640	41.75%	81	5.28%	548	35.75%	76	4.96%
40 ～ 74	男	3434	22	0.64%	917	26.70%	1144	33.31%	218	6.35%	1011	29.44%	917	26.70%
	女	3221	43	1.33%	691	21.45%	1321	41.01%	251	7.79%	759	23.56%	691	21.45%
	計	6655	65	0.98%	1608	24.16%	2465	37.04%	469	7.05%	1770	26.60%	1608	24.16%
75 ～	男	2	0		0		1	50.00%	0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	0		0		1	50.00%	0		1	50.00%	0	
合計		8190	126	1.54%	1735	21.18%	3106	37.92%	550	6.72%	2319	28.32%	1684	20.56%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	766	56	7.31%	447	58.36%	263	34.33%
	女	767	127	16.56%	487	63.49%	153	19.95%
	計	1533	183	11.94%	934	60.93%	416	27.14%
40 ～ 74	男	3434	123	3.58%	1988	57.89%	1323	38.53%
	女	3221	400	12.42%	2090	64.89%	731	22.69%
	計	6655	523	7.86%	4078	61.28%	2054	30.86%
75 ～	男	2	0		1	50.00%	1	50.00%
	女	0	0		0		0	
	計	2	0		1	50.00%	1	50.00%
合計		8190	706	8.62%	5013	61.21%	2471	30.17%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	581	75.85%	89	11.62%	60	7.83%	0		17	2.22%	19	2.48%
	女	767	682	88.92%	42	5.48%	32	4.17%	0		6	0.78%	5	0.65%
	計	1533	1263	82.39%	131	8.55%	92	6.00%	0		23	1.50%	24	1.57%
40 ～ 74	男	3434	1522	44.32%	483	14.07%	465	13.54%	0		172	5.01%	792	23.06%
	女	3220	2064	64.10%	309	9.60%	343	10.65%	0		92	2.86%	412	12.80%
	計	6654	3586	53.89%	792	11.90%	808	12.14%	0		264	3.97%	1204	18.09%
75 ～	男	2	1	50.00%	0		0		0		0		1	50.00%
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	0		0		0		0		1	50.00%
合計		8189	4850	59.23%	923	11.27%	900	10.99%	0		287	3.50%	1229	15.01%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	757	98.83%	0		8	1.04%	1	0.13%	0		0	
	女	752	744	98.94%	0		5	0.66%	3	0.40%	0		0	
	計	1518	1501	98.88%	0		13	0.86%	4	0.26%	0		0	
40 ～ 74	男	3420	3069	89.74%	0		310	9.06%	41	1.20%	0		0	
	女	3176	3085	97.13%	0		73	2.30%	15	0.47%	0		3	0.09%
	計	6596	6154	93.30%	0		383	5.81%	56	0.85%	0		3	0.05%
75 ～	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		8116	7657	94.34%	0		396	4.88%	60	0.74%	0		3	0.04%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	748	393	52.54%	110	14.71%	75	10.03%	0		168	22.46%	2	0.27%
	女	763	640	83.88%	79	10.35%	17	2.23%	0		27	3.54%	0	
	計	1511	1033	68.37%	189	12.51%	92	6.09%	0		195	12.91%	2	0.13%
40 ～ 74	男	3433	1827	53.22%	611	17.80%	356	10.37%	1	0.03%	627	18.26%	11	0.32%
	女	3221	2542	78.92%	386	11.98%	130	4.04%	1	0.03%	157	4.87%	5	0.16%
	計	6654	4369	65.66%	997	14.98%	486	7.30%	2	0.03%	784	11.78%	16	0.24%
75 ～	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	1	50.00%	0		0		0		0	
合計		8167	5403	66.16%	1187	14.53%	578	7.08%	2	0.02%	979	11.99%	18	0.22%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	745	262	35.17%	187	25.10%	204	27.38%	37	4.97%	44	5.91%	11	1.48%
	女	763	388	50.85%	183	23.98%	124	16.25%	8	1.05%	55	7.21%	5	0.66%
	計	1508	650	43.10%	370	24.54%	328	21.75%	45	2.98%	99	6.56%	16	1.06%
40 ～ 74	男	3433	815	23.74%	797	23.22%	1121	32.65%	194	5.65%	105	3.06%	401	11.68%
	女	3221	916	28.44%	676	20.99%	1084	33.65%	156	4.84%	81	2.51%	308	9.56%
	計	6654	1731	26.01%	1473	22.14%	2205	33.14%	350	5.26%	186	2.80%	709	10.66%
75 ～	男	2	0		1	50.00%	1	50.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	0		1	50.00%	1	50.00%	0		0		0	
合計		8164	2381	29.16%	1844	22.59%	2534	31.04%	395	4.84%	285	3.49%	725	8.88%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	579	75.59%	132	17.23%	26	3.39%	0		16	2.09%	13	1.70%
	女	767	652	85.01%	90	11.73%	18	2.35%	0		3	0.39%	4	0.52%
	計	1533	1231	80.30%	222	14.48%	44	2.87%	0		19	1.24%	17	1.11%
40 ～ 74	男	3434	1882	54.80%	779	22.68%	350	10.19%	0		139	4.05%	284	8.27%
	女	3221	2195	68.15%	680	21.11%	211	6.55%	0		34	1.06%	101	3.14%
	計	6655	4077	61.26%	1459	21.92%	561	8.43%	0		173	2.60%	385	5.79%
75 ～	男	2	0		1	50.00%	0		0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	0		1	50.00%	0		0		1	50.00%	0	
合計		8190	5308	64.81%	1682	20.54%	605	7.39%	0		193	2.36%	402	4.91%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	651	84.99%	77	10.05%	34	4.44%	0		4	0.52%	0	
	女	766	577	75.33%	128	16.71%	57	7.44%	0		4	0.52%	0	
	計	1532	1228	80.16%	205	13.38%	91	5.94%	0		8	0.52%	0	
40 ～ 74	男	3434	2616	76.18%	432	12.58%	304	8.85%	0		82	2.39%	0	
	女	3221	2174	67.49%	629	19.53%	393	12.20%	0		25	0.78%	0	
	計	6655	4790	71.98%	1061	15.94%	697	10.47%	0		107	1.61%	0	
75 ～	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		8189	6020	73.51%	1266	15.46%	788	9.62%	0		115	1.40%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	684	517	75.58%	113	16.52%	37	5.41%	12	1.75%	3	0.44%	2	0.29%
	女	705	689	97.73%	9	1.28%	6	0.85%	1	0.14%	0		0	
	計	1389	1206	86.83%	122	8.78%	43	3.10%	13	0.94%	3	0.22%	2	0.14%
40 ～ 74	男	3421	2650	77.46%	453	13.24%	138	4.03%	105	3.07%	12	0.35%	63	1.84%
	女	3181	3106	97.64%	50	1.57%	15	0.47%	8	0.25%	0		2	0.06%
	計	6602	5756	87.19%	503	7.62%	153	2.32%	113	1.71%	12	0.18%	65	0.98%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		7992	6963	87.12%	625	7.82%	196	2.45%	126	1.58%	15	0.19%	67	0.84%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	737	524	71.10%	169	22.93%	13	1.76%	3	0.41%	28	3.80%	0	
	女	764	523	68.46%	87	11.39%	77	10.08%	54	7.07%	14	1.83%	9	1.18%
	計	1501	1047	69.75%	256	17.06%	90	6.00%	57	3.80%	42	2.80%	9	0.60%
40 ～ 74	男	3433	2509	73.08%	617	17.97%	108	3.15%	45	1.31%	140	4.08%	14	0.41%
	女	3221	2110	65.51%	485	15.06%	293	9.10%	178	5.53%	49	1.52%	106	3.29%
	計	6654	4619	69.42%	1102	16.56%	401	6.03%	223	3.35%	189	2.84%	120	1.80%
75 ～	男	2	1	50.00%	0		0		0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
合計		8157	5667	69.47%	1358	16.65%	491	6.02%	280	3.43%	232	2.84%	129	1.58%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	471	421	89.38%	26	5.52%	7	1.49%	0		17	3.61%	0	
	女	477	426	89.31%	23	4.82%	9	1.89%	0		19	3.98%	0	
	計	948	847	89.35%	49	5.17%	16	1.69%	0		36	3.80%	0	
40 ～ 74	男	2805	2506	89.34%	120	4.28%	82	2.92%	0		97	3.46%	0	
	女	2630	2395	91.06%	100	3.80%	27	1.03%	0		108	4.11%	0	
	計	5435	4901	90.17%	220	4.05%	109	2.01%	0		205	3.77%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6383	5748	90.05%	269	4.21%	125	1.96%	0		241	3.78%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	47	47	100.00%	0		0		0		0		0	
	女	48	48	100.00%	0		0		0		0		0	
	計	95	95	100.00%	0		0		0		0		0	
40 ～ 74	男	523	520	99.43%	0		0		1	0.19%	2	0.38%	0	
	女	374	372	99.47%	0		0		1	0.27%	1	0.27%	0	
	計	897	892	99.44%	0		0		2	0.22%	3	0.33%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		992	987	99.50%	0		0		2	0.20%	3	0.30%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	29	29	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	29	29	100.00%	0		0		0		0		0	
40 ～ 74	男	434	423	97.47%	0		0		0		11	2.53%	0	
	女	0	0		0		0		0		0		0	
	計	434	423	97.47%	0		0		0		11	2.53%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		463	452	97.62%	0		0		0		11	2.38%	0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	591	566	95.77%	0		0		0		25	4.23%	0	
	女	533	510	95.68%	0		0		0		21	3.94%	2	0.38%
	計	1124	1076	95.73%	0		0		0		46	4.09%	2	0.18%
40 ～ 74	男	3254	3096	95.14%	0		0		0		152	4.67%	6	0.18%
	女	2947	2845	96.54%	0		0		0		97	3.29%	5	0.17%
	計	6201	5941	95.81%	0		0		0		249	4.02%	11	0.18%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		7326	7018	95.80%	0		0		0		295	4.03%	13	0.18%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	723	599	82.85%	76	10.51%	41	5.67%	0		4	0.55%	3	0.41%
	女	741	619	83.54%	61	8.23%	53	7.15%	0		4	0.54%	4	0.54%
	計	1464	1218	83.20%	137	9.36%	94	6.42%	0		8	0.55%	7	0.48%
40 ～ 74	男	3432	2603	75.84%	322	9.38%	313	9.12%	5	0.15%	72	2.10%	117	3.41%
	女	3219	2629	81.67%	186	5.78%	313	9.72%	3	0.09%	47	1.46%	41	1.27%
	計	6651	5232	78.66%	508	7.64%	626	9.41%	8	0.12%	119	1.79%	158	2.38%
75 ～	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	1	50.00%	0		0		0		0	
合計		8117	6451	79.48%	646	7.96%	720	8.87%	8	0.10%	127	1.56%	165	2.03%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	120	109	90.83%	0		0		0		9	7.50%	2	1.67%
	女	101	97	96.04%	0		1	0.99%	0		1	0.99%	2	1.98%
	計	221	206	93.21%	0		1	0.45%	0		10	4.52%	4	1.81%
40 ～ 74	男	767	606	79.01%	15	1.96%	36	4.69%	0		72	9.39%	38	4.95%
	女	502	424	84.46%	10	1.99%	10	1.99%	0		27	5.38%	31	6.18%
	計	1269	1030	81.17%	25	1.97%	46	3.62%	0		99	7.80%	69	5.44%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1490	1236	82.95%	25	1.68%	47	3.15%	0		109	7.32%	73	4.90%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	74	66	89.19%	0		4	5.41%	0		2	2.70%	2	2.70%
	女	47	42	89.36%	0		1	2.13%	1	2.13%	1	2.13%	2	4.26%
	計	121	108	89.26%	0		5	4.13%	1	0.83%	3	2.48%	4	3.31%
40 ～ 74	男	424	379	89.39%	1	0.24%	18	4.25%	10	2.36%	1	0.24%	15	3.54%
	女	237	210	88.61%	0		8	3.38%	4	1.69%	1	0.42%	14	5.91%
	計	661	589	89.11%	1	0.15%	26	3.93%	14	2.12%	2	0.30%	29	4.39%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		782	697	89.13%	1	0.13%	31	3.96%	15	1.92%	5	0.64%	33	4.22%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	766	713	93.08%	0		49	6.40%	0		4	0.52%	0	
	女	753	718	95.35%	0		33	4.38%	0		1	0.13%	1	0.13%
	計	1519	1431	94.21%	0		82	5.40%	0		5	0.33%	1	0.07%
40 ～ 74	男	3428	2848	83.08%	1	0.03%	540	15.75%	0		27	0.79%	12	0.35%
	女	3205	2788	86.99%	0		376	11.73%	0		28	0.87%	13	0.41%
	計	6633	5636	84.97%	1	0.02%	916	13.81%	0		55	0.83%	25	0.38%
75 ～	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		8154	7069	86.69%	1	0.01%	998	12.24%	0		60	0.74%	26	0.32%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	455	393	86.37%	0		56	12.31%	0		5	1.10%	1	0.22%
	女	381	276	72.44%	0		103	27.03%	0		2	0.52%	0	
	計	836	669	80.02%	0		159	19.02%	0		7	0.84%	1	0.12%
40 ～ 74	男	2342	1876	80.10%	0		405	17.29%	0		49	2.09%	12	0.51%
	女	1883	1325	70.37%	0		536	28.47%	0		20	1.06%	2	0.11%
	計	4225	3201	75.76%	0		941	22.27%	0		69	1.63%	14	0.33%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5061	3870	76.47%	0		1100	21.73%	0		76	1.50%	15	0.30%

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	106	35	33.02%	27	25.47%	37	34.91%	3	2.83%	4	3.77%	0	
	女	54	21	38.89%	21	38.89%	12	22.22%	0		0		0	
	計	160	56	35.00%	48	30.00%	49	30.63%	3	1.88%	4	2.50%	0	
40 ～ 74	男	611	108	17.68%	164	26.84%	288	47.14%	24	3.93%	21	3.44%	6	0.98%
	女	434	68	15.67%	161	37.10%	187	43.09%	4	0.92%	9	2.07%	5	1.15%
	計	1045	176	16.84%	325	31.10%	475	45.45%	28	2.68%	30	2.87%	11	1.05%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1205	232	19.25%	373	30.95%	524	43.49%	31	2.57%	34	2.82%	11	0.91%



21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	113	29	25.66%	1	0.88%	78	69.03%	0		5	4.42%	0	
	女	84	36	42.86%	5	5.95%	42	50.00%	0		1	1.19%	0	
	計	197	65	32.99%	6	3.05%	120	60.91%	0		6	3.05%	0	
40 ～ 74	男	719	61	8.48%	15	2.09%	612	85.12%	0		28	3.89%	3	0.42%
	女	508	88	17.32%	15	2.95%	384	75.59%	2	0.39%	17	3.35%	2	0.39%
	計	1227	149	12.14%	30	2.44%	996	81.17%	2	0.16%	45	3.67%	5	0.41%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1424	214	15.03%	36	2.53%	1116	78.37%	2	0.14%	51	3.58%	5	0.35%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	107	104	97.20%	0		1	0.93%	0		2	1.87%	0	
	計	107	104	97.20%	0		1	0.93%	0		2	1.87%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1016	966	95.08%	0		5	0.49%	0		45	4.43%	0	
	計	1016	966	95.08%	0		5	0.49%	0		45	4.43%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1123	1070	95.28%	0		6	0.53%	0		47	4.19%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	142	94	66.20%	28	19.72%	13	9.15%	0		7	4.93%	0	
	計	142	94	66.20%	28	19.72%	13	9.15%	0		7	4.93%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	506	320	63.24%	81	16.01%	89	17.59%	0		16	3.16%	0	
	計	506	320	63.24%	81	16.01%	89	17.59%	0		16	3.16%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		648	414	63.89%	109	16.82%	102	15.74%	0		23	3.55%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	341	327	95.89%	2	0.59%	1	0.29%	0		6	1.76%	5	1.47%
	計	341	327	95.89%	2	0.59%	1	0.29%	0		6	1.76%	5	1.47%
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	1372	1279	93.22%	5	0.36%	2	0.15%	0		23	1.68%	63	4.59%
	計	1373	1280	93.23%	5	0.36%	2	0.15%	0		23	1.68%	63	4.59%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1714	1607	93.76%	7	0.41%	3	0.18%	0		29	1.69%	68	3.97%

### ③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	23	2	8.70%	7	30.43%	10	43.48%	2	8.70%	1	4.35%	1	4.35%
	計	23	2	8.70%	7	30.43%	10	43.48%	2	8.70%	1	4.35%	1	4.35%
40 ～ 74	男	714	5	0.70%	351	49.16%	212	29.69%	22	3.08%	90	12.61%	351	49.16%
	女	1996	88	4.41%	636	31.86%	756	37.88%	113	5.66%	180	9.02%	636	31.86%
	計	2710	93	3.43%	987	36.42%	968	35.72%	135	4.98%	270	9.96%	987	36.42%
75 ～	男	274	1	0.36%	172	62.77%	58	21.17%	8	2.92%	32	11.68%	172	62.77%
	女	302	0		185	61.26%	70	23.18%	7	2.32%	33	10.93%	185	61.26%
	計	576	1	0.17%	357	61.98%	128	22.22%	15	2.60%	65	11.28%	357	61.98%
合計		3309	96	2.90%	1351	40.83%	1106	33.42%	152	4.59%	336	10.15%	1345	40.65%

#### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0	
	女	23	4	17.39%	13	56.52%	6	26.09%
	計	23	4	17.39%	13	56.52%	6	26.09%
40 ～ 74	男	714	30	4.20%	478	66.95%	206	28.85%
	女	1996	221	11.07%	1388	69.54%	387	19.39%
	計	2710	251	9.26%	1866	68.86%	593	21.88%
75 ～	男	274	14	5.11%	215	78.47%	45	16.42%
	女	302	39	12.91%	196	64.90%	67	22.19%
	計	576	53	9.20%	411	71.35%	112	19.44%
合計		3309	308	9.31%	2290	69.21%	711	21.49%

#### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	23	18	78.26%	1	4.35%	3	13.04%	0		0		1	4.35%
	計	23	18	78.26%	1	4.35%	3	13.04%	0		0		1	4.35%
40 ～ 74	男	714	241	33.75%	108	15.13%	89	12.46%	0		29	4.06%	247	34.59%
	女	1996	1074	53.81%	246	12.32%	203	10.17%	0		68	3.41%	405	20.29%
	計	2710	1315	48.52%	354	13.06%	292	10.77%	0		97	3.58%	652	24.06%
75 ～	男	274	71	25.91%	39	14.23%	34	12.41%	0		5	1.82%	125	45.62%
	女	302	73	24.17%	43	14.24%	31	10.26%	0		21	6.95%	134	44.37%
	計	576	144	25.00%	82	14.24%	65	11.28%	0		26	4.51%	259	44.97%
合計		3309	1477	44.64%	437	13.21%	360	10.88%	0		123	3.72%	912	27.56%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	23	19	82.61%	3	13.04%	0		0		1	4.35%	0	
	計	23	19	82.61%	3	13.04%	0		0		1	4.35%	0	
40 ～ 74	男	714	478	66.95%	112	15.69%	56	7.84%	0		62	8.68%	6	0.84%
	女	1996	1711	85.72%	149	7.46%	58	2.91%	0		72	3.61%	6	0.30%
	計	2710	2189	80.77%	261	9.63%	114	4.21%	0		134	4.94%	12	0.44%
75 ～	男	274	209	76.28%	32	11.68%	15	5.47%	0		18	6.57%	0	
	女	302	251	83.11%	32	10.60%	13	4.30%	0		6	1.99%	0	
	計	576	460	79.86%	64	11.11%	28	4.86%	0		24	4.17%	0	
合計		3309	2668	80.63%	328	9.91%	142	4.29%	0		159	4.81%	12	0.36%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	23	11	47.83%	6	26.09%	4	17.39%	1	4.35%	1	4.35%	0	
	計	23	11	47.83%	6	26.09%	4	17.39%	1	4.35%	1	4.35%	0	
40 ～ 74	男	714	161	22.55%	185	25.91%	191	26.75%	24	3.36%	19	2.66%	134	18.77%
	女	1996	548	27.45%	443	22.19%	539	27.00%	106	5.31%	18	0.90%	342	17.13%
	計	2710	709	26.16%	628	23.17%	730	26.94%	130	4.80%	37	1.37%	476	17.56%
75 ～	男	274	105	38.32%	72	26.28%	48	17.52%	8	2.92%	8	2.92%	33	12.04%
	女	302	92	30.46%	78	25.83%	65	21.52%	12	3.97%	3	0.99%	52	17.22%
	計	576	197	34.20%	150	26.04%	113	19.62%	20	3.47%	11	1.91%	85	14.76%
合計		3309	917	27.71%	784	23.69%	847	25.60%	151	4.56%	49	1.48%	561	16.95%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	23	16	69.57%	6	26.09%	1	4.35%	0		0		0	
	計	23	16	69.57%	6	26.09%	1	4.35%	0		0		0	
40 ～ 74	男	714	201	28.15%	209	29.27%	190	26.61%	0		39	5.46%	75	10.50%
	女	1996	677	33.92%	706	35.37%	495	24.80%	0		45	2.25%	73	3.66%
	計	2710	878	32.40%	915	33.76%	685	25.28%	0		84	3.10%	148	5.46%
75 ～	男	274	49	17.88%	79	28.83%	82	29.93%	0		14	5.11%	50	18.25%
	女	302	62	20.53%	111	36.75%	84	27.81%	0		17	5.63%	28	9.27%
	計	576	111	19.27%	190	32.99%	166	28.82%	0		31	5.38%	78	13.54%
合計		3309	1005	30.37%	1111	33.58%	852	25.75%	0		115	3.48%	226	6.83%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	23	21	91.30%	2	8.70%	0		0		0		0	
	計	23	21	91.30%	2	8.70%	0		0		0		0	
40 ～ 74	男	714	524	73.39%	97	13.59%	71	9.94%	0		22	3.08%	0	
	女	1995	1479	74.14%	331	16.59%	168	8.42%	0		17	0.85%	0	
	計	2709	2003	73.94%	428	15.80%	239	8.82%	0		39	1.44%	0	
75 ～	男	274	175	63.87%	39	14.23%	41	14.96%	0		19	6.93%	0	
	女	302	148	49.01%	74	24.50%	66	21.85%	0		14	4.64%	0	
	計	576	323	56.08%	113	19.62%	107	18.58%	0		33	5.73%	0	
合計		3308	2347	70.95%	543	16.41%	346	10.46%	0		72	2.18%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
40 ～ 74	男	687	552	80.35%	69	10.04%	12	1.75%	14	2.04%	0		40	5.82%
	女	1227	1191	97.07%	27	2.20%	6	0.49%	0		0		3	0.24%
	計	1914	1743	91.07%	96	5.02%	18	0.94%	14	0.73%	0		43	2.25%
75 ～	男	274	234	85.40%	25	9.12%	3	1.09%	3	1.09%	0		9	3.28%
	女	302	289	95.70%	10	3.31%	0		2	0.66%	0		1	0.33%
	計	576	523	90.80%	35	6.08%	3	0.52%	5	0.87%	0		10	1.74%
合計		2492	2268	91.01%	131	5.26%	21	0.84%	19	0.76%	0		53	2.13%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	9	3	33.33%	2	22.22%	3	33.33%	1	11.11%	0		0	
	計	9	3	33.33%	2	22.22%	3	33.33%	1	11.11%	0		0	
40 ～ 74	男	688	552	80.23%	56	8.14%	40	5.81%	15	2.18%	19	2.76%	6	0.87%
	女	1433	1034	72.16%	205	14.31%	111	7.75%	43	3.00%	11	0.77%	29	2.02%
	計	2121	1586	74.78%	261	12.31%	151	7.12%	58	2.73%	30	1.41%	35	1.65%
75 ～	男	274	181	66.06%	13	4.74%	54	19.71%	16	5.84%	5	1.82%	5	1.82%
	女	302	207	68.54%	30	9.93%	51	16.89%	7	2.32%	4	1.32%	3	0.99%
	計	576	388	67.36%	43	7.47%	105	18.23%	23	3.99%	9	1.56%	8	1.39%
合計		2706	1977	73.06%	306	11.31%	259	9.57%	82	3.03%	39	1.44%	43	1.59%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		2	2	100.00%	0		0		0		0		0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	4	3	75.00%	0		0		0		1	25.00%	0	
	計	4	3	75.00%	0		0		0		1	25.00%	0	
40 ～ 74	男	690	464	67.25%	77	11.16%	88	12.75%	6	0.87%	14	2.03%	41	5.94%
	女	1360	1044	76.76%	108	7.94%	142	10.44%	2	0.15%	32	2.35%	32	2.35%
	計	2050	1508	73.56%	185	9.02%	230	11.22%	8	0.39%	46	2.24%	73	3.56%
75 ～	男	273	134	49.08%	30	10.99%	63	23.08%	3	1.10%	10	3.66%	33	12.09%
	女	302	194	64.24%	29	9.60%	41	13.58%	3	0.99%	14	4.64%	21	6.95%
	計	575	328	57.04%	59	10.26%	104	18.09%	6	1.04%	24	4.17%	54	9.39%
合計		2629	1839	69.95%	244	9.28%	334	12.70%	14	0.53%	71	2.70%	127	4.83%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	2	2	100.00%	0		0		0	0		0	
	計	2	2	100.00%	0		0		0	0		0	
40 ～ 74	男	183	95	51.91%	8	4.37%	20	10.93%	0	42	22.95%	18	9.84%
	女	367	181	49.32%	15	4.09%	46	12.53%	0	89	24.25%	36	9.81%
	計	550	276	50.18%	23	4.18%	66	12.00%	0	131	23.82%	54	9.82%
75 ～	男	83	22	26.51%	3	3.61%	16	19.28%	0	35	42.17%	7	8.43%
	女	96	25	26.04%	3	3.13%	16	16.67%	0	38	39.58%	14	14.58%
	計	179	47	26.26%	6	3.35%	32	17.88%	0	73	40.78%	21	11.73%
合計		731	325	44.46%	29	3.97%	98	13.41%	0	204	27.91%	75	10.26%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		0	0		0		0		0	0		0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
40 ～ 74	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		0	0		0		0		0	0		0	



## 18. 胸部X線検査

年代	性別	受診者数	正常範囲	軽度異常	要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
40 ～ 74	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
75 ～	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
合計		0	0	0	0	0	0	0

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲	軽度異常	要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
40 ～ 74	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
75 ～	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
合計		0	0	0	0	0	0	0

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲	軽度異常	要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
40 ～ 74	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
75 ～	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
合計		0	0	0	0	0	0	0

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	9	9	100.00%	0		0		0		0		0	
	計	9	9	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9	9	100.00%	0		0		0		0		0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	7	3	42.86%	2	28.57%	2	28.57%	0		0		0	
	計	7	3	42.86%	2	28.57%	2	28.57%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7	3	42.86%	2	28.57%	2	28.57%	0		0		0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲	軽度異常	要経過観察 要再検査	要治療	要精密検査	治療中
～ 39	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
40 ～ 74	男	0	0	0	0	0	0	0
	女	9	8 88.89%	0	0	0	1 11.11%	0
	計	9	8 88.89%	0	0	0	1 11.11%	0
75 ～	男	0	0	0	0	0	0	0
	女	0	0	0	0	0	0	0
	計	0	0	0	0	0	0	0
合計		9	8 88.89%	0	0	0	1 11.11%	0

#### ④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1037	229	22.08%	166	16.01%	407	39.25%	13	1.25%	205	19.77%	17	1.64%
	女	980	273	27.86%	110	11.22%	434	44.29%	39	3.98%	98	10.00%	26	2.65%
	計	2017	502	24.89%	276	13.68%	841	41.70%	52	2.58%	303	15.02%	43	2.13%
40 ～ 74	男	769	42	5.46%	260	33.81%	257	33.42%	19	2.47%	137	17.82%	260	33.81%
	女	737	64	8.68%	167	22.66%	291	39.48%	48	6.51%	98	13.30%	167	22.66%
	計	1506	106	7.04%	427	28.35%	548	36.39%	67	4.45%	235	15.60%	427	28.35%
75 ～	男	31	0		18	58.06%	8	25.81%	1	3.23%	4	12.90%	18	58.06%
	女	13	0		9	69.23%	3	23.08%	0		1	7.69%	9	69.23%
	計	44	0		27	61.36%	11	25.00%	1	2.27%	5	11.36%	27	61.36%
合計		3567	608	17.05%	730	20.47%	1400	39.25%	120	3.36%	543	15.22%	497	13.93%

##### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	1037	77	7.43%	652	62.87%	308	29.70%
	女	980	174	17.76%	636	64.90%	170	17.35%
	計	2017	251	12.44%	1288	63.86%	478	23.70%
40 ～ 74	男	769	30	3.90%	430	55.92%	309	40.18%
	女	737	82	11.13%	473	64.18%	182	24.69%
	計	1506	112	7.44%	903	59.96%	491	32.60%
75 ～	男	31	2	6.45%	24	77.42%	5	16.13%
	女	13	0		9	69.23%	4	30.77%
	計	44	2	4.55%	33	75.00%	9	20.45%
合計		3567	365	10.23%	2224	62.35%	978	27.42%

##### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1037	813	78.40%	134	12.92%	66	6.36%	0		19	1.83%	5	0.48%
	女	980	877	89.49%	33	3.37%	57	5.82%	0		8	0.82%	5	0.51%
	計	2017	1690	83.79%	167	8.28%	123	6.10%	0		27	1.34%	10	0.50%
40 ～ 74	男	769	312	40.57%	100	13.00%	119	15.47%	0		57	7.41%	181	23.54%
	女	737	455	61.74%	77	10.45%	82	11.13%	0		21	2.85%	102	13.84%
	計	1506	767	50.93%	177	11.75%	201	13.35%	0		78	5.18%	283	18.79%
75 ～	男	31	5	16.13%	3	9.68%	3	9.68%	0		2	6.45%	18	58.06%
	女	13	3	23.08%	2	15.38%	1	7.69%	0		0		7	53.85%
	計	44	8	18.18%	5	11.36%	4	9.09%	0		2	4.55%	25	56.82%
合計		3567	2465	69.11%	349	9.78%	328	9.20%	0		107	3.00%	318	8.92%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	975	967	99.18%	0		8	0.82%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	975	967	99.18%	0		8	0.82%	0		0		0	
40 ～ 74	男	730	702	96.16%	0		27	3.70%	0		1	0.14%	0	
	女	0	0		0		0		0		0		0	
	計	730	702	96.16%	0		27	3.70%	0		1	0.14%	0	
75 ～	男	13	10	76.92%	0		3	23.08%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	13	10	76.92%	0		3	23.08%	0		0		0	
合計		1718	1679	97.73%	0		38	2.21%	0		1	0.06%	0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	744	684	91.94%	28	3.76%	14	1.88%	0		18	2.42%	0	
	女	0	0		0		0		0		0		0	
	計	744	684	91.94%	28	3.76%	14	1.88%	0		18	2.42%	0	
40 ～ 74	男	676	569	84.17%	47	6.95%	23	3.40%	0		35	5.18%	2	0.30%
	女	0	0		0		0		0		0		0	
	計	676	569	84.17%	47	6.95%	23	3.40%	0		35	5.18%	2	0.30%
75 ～	男	13	10	76.92%	2	15.38%	1	7.69%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	13	10	76.92%	2	15.38%	1	7.69%	0		0		0	
合計		1433	1263	88.14%	77	5.37%	38	2.65%	0		53	3.70%	2	0.14%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	744	493	66.26%	112	15.05%	73	9.81%	10	1.34%	51	6.85%	5	0.67%
	女	0	0		0		0		0		0		0	
	計	744	493	66.26%	112	15.05%	73	9.81%	10	1.34%	51	6.85%	5	0.67%
40 ～ 74	男	676	237	35.06%	158	23.37%	172	25.44%	29	4.29%	21	3.11%	59	8.73%
	女	0	0		0		0		0		0		0	
	計	676	237	35.06%	158	23.37%	172	25.44%	29	4.29%	21	3.11%	59	8.73%
75 ～	男	13	1	7.69%	3	23.08%	2	15.38%	1	7.69%	0		6	46.15%
	女	0	0		0		0		0		0		0	
	計	13	1	7.69%	3	23.08%	2	15.38%	1	7.69%	0		6	46.15%
合計		1433	731	51.01%	273	19.05%	247	17.24%	40	2.79%	72	5.02%	70	4.88%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	976	925	94.77%	37	3.79%	3	0.31%	0	0	5	0.51%	6	0.61%
	女	0	0		0		0		0	0	0		0	
	計	976	925	94.77%	37	3.79%	3	0.31%	0	0	5	0.51%	6	0.61%
40 ～ 74	男	735	548	74.56%	112	15.24%	38	5.17%	0	0	14	1.90%	23	3.13%
	女	0	0		0		0		0	0	0		0	
	計	735	548	74.56%	112	15.24%	38	5.17%	0	0	14	1.90%	23	3.13%
75 ～	男	13	5	38.46%	3	23.08%	3	23.08%	0	0	0		2	15.38%
	女	0	0		0		0		0	0	0		0	
	計	13	5	38.46%	3	23.08%	3	23.08%	0	0	0		2	15.38%
合計		1724	1478	85.73%	152	8.82%	44	2.55%	0	0	19	1.10%	31	1.80%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	957	925	96.66%	23	2.40%	8	0.84%	0	0	1	0.10%	0	0
	女	0	0		0		0		0	0	0		0	
	計	957	925	96.66%	23	2.40%	8	0.84%	0	0	1	0.10%	0	0
40 ～ 74	男	733	673	91.81%	40	5.46%	17	2.32%	0	0	3	0.41%	0	0
	女	0	0		0		0		0	0	0		0	
	計	733	673	91.81%	40	5.46%	17	2.32%	0	0	3	0.41%	0	0
75 ～	男	13	12	92.31%	0		1	7.69%	0	0	0		0	0
	女	0	0		0		0		0	0	0		0	
	計	13	12	92.31%	0		1	7.69%	0	0	0		0	0
合計		1703	1610	94.54%	63	3.70%	26	1.53%	0	0	4	0.23%	0	0

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	89	89	100.00%	0		0		0	0	0		0	0
	女	0	0		0		0		0	0	0		0	0
	計	89	89	100.00%	0		0		0	0	0		0	0
40 ～ 74	男	157	155	98.73%	2	1.27%	0		0	0	0		0	0
	女	0	0		0		0		0	0	0		0	0
	計	157	155	98.73%	2	1.27%	0		0	0	0		0	0
75 ～	男	0	0		0		0		0	0	0		0	0
	女	0	0		0		0		0	0	0		0	0
	計	0	0		0		0		0	0	0		0	0
合計		246	244	99.19%	2	0.81%	0		0	0	0		0	0

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	749	528	70.49%	95	12.68%	77	10.28%	38	5.07%	2	0.27%	9	1.20%
	女	0	0		0		0		0		0		0	
	計	749	528	70.49%	95	12.68%	77	10.28%	38	5.07%	2	0.27%	9	1.20%
40 ～ 74	男	676	470	69.53%	92	13.61%	55	8.14%	39	5.77%	5	0.74%	15	2.22%
	女	0	0		0		0		0		0		0	
	計	676	470	69.53%	92	13.61%	55	8.14%	39	5.77%	5	0.74%	15	2.22%
75 ～	男	13	11	84.62%	2	15.38%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	13	11	84.62%	2	15.38%	0		0		0		0	
合計		1438	1009	70.17%	189	13.14%	132	9.18%	77	5.35%	7	0.49%	24	1.67%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	98	83	84.69%	8	8.16%	3	3.06%	0		4	4.08%	0	
	女	0	0		0		0		0		0		0	
	計	98	83	84.69%	8	8.16%	3	3.06%	0		4	4.08%	0	
40 ～ 74	男	157	126	80.25%	20	12.74%	2	1.27%	0		9	5.73%	0	
	女	0	0		0		0		0		0		0	
	計	157	126	80.25%	20	12.74%	2	1.27%	0		9	5.73%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		255	209	81.96%	28	10.98%	5	1.96%	0		13	5.10%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	18	18	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	18	18	100.00%	0		0		0		0		0	
40 ～ 74	男	15	15	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	15	15	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		33	33	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	32	32	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	32	32	100.00%	0		0		0		0		0	
40 ～ 74	男	142	137	96.48%	0		0		0		5	3.52%	0	
	女	0	0		0		0		0		0		0	
	計	142	137	96.48%	0		0		0		5	3.52%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		175	170	97.14%	0		0		0		5	2.86%	0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	699	611	87.41%	42	6.01%	37	5.29%	0		6	0.86%	3	0.43%
	女	0	0		0		0		0		0		0	
	計	699	611	87.41%	42	6.01%	37	5.29%	0		6	0.86%	3	0.43%
40 ～ 74	男	660	546	82.73%	41	6.21%	61	9.24%	0		6	0.91%	6	0.91%
	女	0	0		0		0		0		0		0	
	計	660	546	82.73%	41	6.21%	61	9.24%	0		6	0.91%	6	0.91%
75 ～	男	12	7	58.33%	1	8.33%	2	16.67%	0		1	8.33%	1	8.33%
	女	0	0		0		0		0		0		0	
	計	12	7	58.33%	1	8.33%	2	16.67%	0		1	8.33%	1	8.33%
合計		1371	1164	84.90%	84	6.13%	100	7.29%	0		13	0.95%	10	0.73%



## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	2	2	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	11	9	81.82%	0	0	0	0	0	1	9.09%	1	9.09%	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	11	9	81.82%	0	0	0	0	0	1	9.09%	1	9.09%	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		13	11	84.62%	0	0	0	0	0	1	7.69%	1	7.69%	

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
40 ～ 74	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	3	3	100.00%	0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		3	3	100.00%	0	0	0	0	0	0	0	0	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		0	0		0	0	0	0	0	0	0	0	0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	875	801	91.54%	0		74	8.46%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	875	801	91.54%	0		74	8.46%	0		0		0	
40 ～ 74	男	627	551	87.88%	0		66	10.53%	0		7	1.12%	3	0.48%
	女	0	0		0		0		0		0		0	
	計	627	551	87.88%	0		66	10.53%	0		7	1.12%	3	0.48%
75 ～	男	13	8	61.54%	0		4	30.77%	0		0		1	7.69%
	女	0	0		0		0		0		0		0	
	計	13	8	61.54%	0		4	30.77%	0		0		1	7.69%
合計		1515	1360	89.77%	0		144	9.50%	0		7	0.46%	4	0.26%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	15	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	15	15	100.00%	0		0		0		0		0	
40 ～ 74	男	82	61	74.39%	0		19	23.17%	0		1	1.22%	1	1.22%
	女	0	0		0		0		0		0		0	
	計	82	61	74.39%	0		19	23.17%	0		1	1.22%	1	1.22%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		97	76	78.35%	0		19	19.59%	0		1	1.03%	1	1.03%

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		1	100.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		1	100.00%	0		0		0		0	
40 ～ 74	男	16	2	12.50%	10	62.50%	4	25.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	16	2	12.50%	10	62.50%	4	25.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		17	2	11.76%	11	64.71%	4	23.53%	0		0		0	

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	2	50.00%	0		2	50.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	2	50.00%	0		2	50.00%	0		0		0	
40 ～ 74	男	29	8	27.59%	1	3.45%	20	68.97%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	29	8	27.59%	1	3.45%	20	68.97%	0		0		0	
75 ～	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
合計		34	10	29.41%	1	2.94%	23	67.65%	0		0		0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	20	18	90.00%	0		0		0		2	10.00%	0	
	女	0	0		0		0		0		0		0	
	計	20	18	90.00%	0		0		0		2	10.00%	0	
40 ～ 74	男	71	65	91.55%	0		1	1.41%	0		5	7.04%	0	
	女	0	0		0		0		0		0		0	
	計	71	65	91.55%	0		1	1.41%	0		5	7.04%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		91	83	91.21%	0		1	1.10%	0		7	7.69%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	46	75.41%	3	4.92%	11	18.03%	0		1	1.64%	0	
	女	0	0		0		0		0		0		0	
	計	61	46	75.41%	3	4.92%	11	18.03%	0		1	1.64%	0	
40 ～ 74	男	68	33	48.53%	16	23.53%	13	19.12%	0		6	8.82%	0	
	女	0	0		0		0		0		0		0	
	計	68	33	48.53%	16	23.53%	13	19.12%	0		6	8.82%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		130	80	61.54%	19	14.62%	24	18.46%	0		7	5.38%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	54	96.43%	0		0		0		2	3.57%	0	
	女	0	0		0		0		0		0		0	
	計	56	54	96.43%	0		0		0		2	3.57%	0	
40 ～ 74	男	116	112	96.55%	0		1	0.86%	0		1	0.86%	2	1.72%
	女	0	0		0		0		0		0		0	
	計	116	112	96.55%	0		1	0.86%	0		1	0.86%	2	1.72%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		172	166	96.51%	0		1	0.58%	0		3	1.74%	2	1.16%

⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	156	48	30.77%	22	14.10%	44	28.21%	13	8.33%	25	16.03%	4	2.56%
	女	449	274	61.02%	41	9.13%	83	18.49%	13	2.90%	28	6.24%	10	2.23%
	計	605	322	53.22%	63	10.41%	127	20.99%	26	4.30%	53	8.76%	14	2.31%
40 ～ 74	男	398	164	41.21%	22	5.53%	116	29.15%	41	10.30%	36	9.05%	22	5.53%
	女	1420	911	64.15%	63	4.44%	256	18.03%	22	1.55%	101	7.11%	63	4.44%
	計	1818	1075	59.13%	85	4.68%	372	20.46%	63	3.47%	137	7.54%	85	4.68%
75 ～	男	12	3	25.00%	4	33.33%	3	25.00%	0		2	16.67%	4	33.33%
	女	48	25	52.08%	4	8.33%	10	20.83%	0		8	16.67%	4	8.33%
	計	60	28	46.67%	8	13.33%	13	21.67%	0		10	16.67%	8	13.33%
合計		2483	1425	57.39%	156	6.28%	512	20.62%	89	3.58%	200	8.05%	107	4.31%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	67	2	2.99%	38	56.72%	27	40.30%
	女	138	24	17.39%	90	65.22%	24	17.39%
	計	205	26	12.68%	128	62.44%	51	24.88%
40 ～ 74	男	43	4	9.30%	28	65.12%	11	25.58%
	女	105	12	11.43%	70	66.67%	23	21.90%
	計	148	16	10.81%	98	66.22%	34	22.97%
75 ～	男	4	0		3	75.00%	1	25.00%
	女	4	0		3	75.00%	1	25.00%
	計	8	0		6	75.00%	2	25.00%
合計		361	42	11.63%	232	64.27%	87	24.10%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	73	60	82.19%	10	13.70%	3	4.11%	0		0		0	
	女	141	131	92.91%	1	0.71%	7	4.96%	0		1	0.71%	1	0.71%
	計	214	191	89.25%	11	5.14%	10	4.67%	0		1	0.47%	1	0.47%
40 ～ 74	男	82	31	37.80%	9	10.98%	21	25.61%	3	3.66%	2	2.44%	16	19.51%
	女	118	63	53.39%	15	12.71%	19	16.10%	3	2.54%	3	2.54%	15	12.71%
	計	200	94	47.00%	24	12.00%	40	20.00%	6	3.00%	5	2.50%	31	15.50%
75 ～	男	4	0		0		0		0		1	25.00%	3	75.00%
	女	4	0		0		1	25.00%	0		0		3	75.00%
	計	8	0		0		1	12.50%	0		1	12.50%	6	75.00%
合計		422	285	67.54%	35	8.29%	51	12.09%	6	1.42%	7	1.66%	38	9.00%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	67	65	97.01%	0		2	2.99%	0		0		0	
	女	136	134	98.53%	0		2	1.47%	0		0		0	
	計	203	199	98.03%	0		4	1.97%	0		0		0	
40 ～ 74	男	47	40	85.11%	0		7	14.89%	0		0		0	
	女	117	109	93.16%	0		7	5.98%	1	0.85%	0		0	
	計	164	149	90.85%	0		14	8.54%	1	0.61%	0		0	
75 ～	男	5	3	60.00%	0		2	40.00%	0		0		0	
	女	7	3	42.86%	0		4	57.14%	0		0		0	
	計	12	6	50.00%	0		6	50.00%	0		0		0	
合計		379	354	93.40%	0		24	6.33%	1	0.26%	0		0	

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	88	46	52.27%	12	13.64%	7	7.95%	4	4.55%	19	21.59%	0	
	女	127	117	92.13%	7	5.51%	2	1.57%	0		1	0.79%	0	
	計	215	163	75.81%	19	8.84%	9	4.19%	4	1.86%	20	9.30%	0	
40 ～ 74	男	70	26	37.14%	14	20.00%	11	15.71%	16	22.86%	3	4.29%	0	
	女	112	89	79.46%	11	9.82%	6	5.36%	2	1.79%	3	2.68%	1	0.89%
	計	182	115	63.19%	25	13.74%	17	9.34%	18	9.89%	6	3.30%	1	0.55%
75 ～	男	4	1	25.00%	3	75.00%	0		0		0		0	
	女	4	3	75.00%	0		0		0		1	25.00%	0	
	計	8	4	50.00%	3	37.50%	0		0		1	12.50%	0	
合計		405	282	69.63%	47	11.60%	26	6.42%	22	5.43%	27	6.67%	1	0.25%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	84	29	34.52%	16	19.05%	28	33.33%	7	8.33%	4	4.76%	0	
	女	133	87	65.41%	25	18.80%	12	9.02%	3	2.26%	6	4.51%	0	
	計	217	116	53.46%	41	18.89%	40	18.43%	10	4.61%	10	4.61%	0	
40 ～ 74	男	56	9	16.07%	8	14.29%	26	46.43%	6	10.71%	0		7	12.50%
	女	126	35	27.78%	27	21.43%	43	34.13%	6	4.76%	2	1.59%	13	10.32%
	計	182	44	24.18%	35	19.23%	69	37.91%	12	6.59%	2	1.10%	20	10.99%
75 ～	男	4	1	25.00%	2	50.00%	1	25.00%	0		0		0	
	女	4	1	25.00%	1	25.00%	1	25.00%	0		0		1	25.00%
	計	8	2	25.00%	3	37.50%	2	25.00%	0		0		1	12.50%
合計		407	162	39.80%	79	19.41%	111	27.27%	22	5.41%	12	2.95%	21	5.16%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	83	68	81.93%	12	14.46%	0		0		0		3	3.61%
	女	143	127	88.81%	9	6.29%	5	3.50%	0		1	0.70%	1	0.70%
	計	226	195	86.28%	21	9.29%	5	2.21%	0		1	0.44%	4	1.77%
40 ～ 74	男	77	40	51.95%	10	12.99%	9	11.69%	7	9.09%	3	3.90%	8	10.39%
	女	116	63	54.31%	33	28.45%	15	12.93%	1	0.86%	0		4	3.45%
	計	193	103	53.37%	43	22.28%	24	12.44%	8	4.15%	3	1.55%	12	6.22%
75 ～	男	4	2	50.00%	1	25.00%	0		0		0		1	25.00%
	女	4	2	50.00%	1	25.00%	0		0		0		1	25.00%
	計	8	4	50.00%	2	25.00%	0		0		0		2	25.00%
合計		427	302	70.73%	66	15.46%	29	6.79%	8	1.87%	4	0.94%	18	4.22%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	82	76	92.68%	6	7.32%	0		0		0		0	
	女	144	135	93.75%	6	4.17%	2	1.39%	0		1	0.69%	0	
	計	226	211	93.36%	12	5.31%	2	0.88%	0		1	0.44%	0	
40 ～ 74	男	93	77	82.80%	7	7.53%	7	7.53%	2	2.15%	0		0	
	女	143	104	72.73%	15	10.49%	21	14.69%	3	2.10%	0		0	
	計	236	181	76.69%	22	9.32%	28	11.86%	5	2.12%	0		0	
75 ～	男	4	3	75.00%	0		1	25.00%	0		0		0	
	女	4	2	50.00%	0		1	25.00%	0		1	25.00%	0	
	計	8	5	62.50%	0		2	25.00%	0		1	12.50%	0	
合計		470	397	84.47%	34	7.23%	32	6.81%	5	1.06%	2	0.43%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	61	46	75.41%	10	16.39%	0		3	4.92%	1	1.64%	1	1.64%
	女	31	31	100.00%	0		0		0		0		0	
	計	92	77	83.70%	10	10.87%	0		3	3.26%	1	1.09%	1	1.09%
40 ～ 74	男	43	34	79.07%	4	9.30%	1	2.33%	2	4.65%	0		2	4.65%
	女	94	94	100.00%	0		0		0		0		0	
	計	137	128	93.43%	4	2.92%	1	0.73%	2	1.46%	0		2	1.46%
75 ～	男	4	2	50.00%	1	25.00%	0		1	25.00%	0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	8	6	75.00%	1	12.50%	0		1	12.50%	0		0	
合計		237	211	89.03%	15	6.33%	1	0.42%	6	2.53%	1	0.42%	3	1.27%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	89	47	52.81%	33	37.08%	1	1.12%	4	4.49%	4	4.49%	0	
	女	134	94	70.15%	15	11.19%	12	8.96%	11	8.21%	0		2	1.49%
	計	223	141	63.23%	48	21.52%	13	5.83%	15	6.73%	4	1.79%	2	0.90%
40 ～ 74	男	65	46	70.77%	8	12.31%	3	4.62%	7	10.77%	1	1.54%	0	
	女	118	92	77.97%	15	12.71%	3	2.54%	5	4.24%	1	0.85%	2	1.69%
	計	183	138	75.41%	23	12.57%	6	3.28%	12	6.56%	2	1.09%	2	1.09%
75 ～	男	4	3	75.00%	0		0		1	25.00%	0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	8	7	87.50%	0		0		1	12.50%	0		0	
合計		414	286	69.08%	71	17.15%	19	4.59%	28	6.76%	6	1.45%	4	0.97%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	63	56	88.89%	4	6.35%	2	3.17%	1	1.59%	0		0	
	女	26	22	84.62%	2	7.69%	0		1	3.85%	1	3.85%	0	
	計	89	78	87.64%	6	6.74%	2	2.25%	2	2.25%	1	1.12%	0	
40 ～ 74	男	48	31	64.58%	5	10.42%	3	6.25%	5	10.42%	4	8.33%	0	
	女	70	53	75.71%	10	14.29%	2	2.86%	3	4.29%	2	2.86%	0	
	計	118	84	71.19%	15	12.71%	5	4.24%	8	6.78%	6	5.08%	0	
75 ～	男	4	4	100.00%	0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	8	8	100.00%	0		0		0		0		0	
合計		215	170	79.07%	21	9.77%	7	3.26%	10	4.65%	7	3.26%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	10	10	100.00%	0		0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	18	18	100.00%	0		0		0		0		0	
40 ～ 74	男	37	37	100.00%	0		0		0		0		0	
	女	19	19	100.00%	0		0		0		0		0	
	計	56	56	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		74	74	100.00%	0		0		0		0		0	



12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	73	68	93.15%	0	0	0	0	0	5	6.85%	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	73	68	93.15%	0	0	0	0	0	5	6.85%	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		77	72	93.51%	0	0	0	0	0	5	6.49%	0	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	44	40	90.91%	0	0	0	0	0	4	9.09%	0	0	0
	女	20	19	95.00%	0	0	0	0	0	1	5.00%	0	0	0
	計	64	59	92.19%	0	0	0	0	0	5	7.81%	0	0	0
40 ～ 74	男	63	59	93.65%	0	0	0	0	0	4	6.35%	0	0	0
	女	100	94	94.00%	0	0	0	0	0	6	6.00%	0	0	0
	計	163	153	93.87%	0	0	0	0	0	10	6.13%	0	0	0
75 ～	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	4	3	75.00%	0	0	0	0	0	1	25.00%	0	0	0
	計	8	7	87.50%	0	0	0	0	0	1	12.50%	0	0	0
合計		235	219	93.19%	0	0	0	0	0	16	6.81%	0	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	57	82.61%	10	14.49%	1	1.45%	0	0	1	1.45%	0	0
	女	124	106	85.48%	10	8.06%	8	6.45%	0	0	0	0	0	0
	計	193	163	84.46%	20	10.36%	9	4.66%	0	0	1	0.52%	0	0
40 ～ 74	男	47	36	76.60%	5	10.64%	4	8.51%	0	0	2	4.26%	0	0
	女	110	84	76.36%	11	10.00%	12	10.91%	0	0	2	1.82%	1	0.91%
	計	157	120	76.43%	16	10.19%	16	10.19%	0	0	4	2.55%	1	0.64%
75 ～	男	4	2	50.00%	1	25.00%	0	0	0	0	1	25.00%	0	0
	女	4	2	50.00%	1	25.00%	1	25.00%	0	0	0	0	0	0
	計	8	4	50.00%	2	25.00%	1	12.50%	0	0	1	12.50%	0	0
合計		358	287	80.17%	38	10.61%	26	7.26%	0	0	6	1.68%	1	0.28%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	2	1	50.00%	0	0	0	0	0	0	0	1	50.00%	
	計	5	4	80.00%	0	0	0	0	0	0	0	1	20.00%	
40 ～ 74	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	21	19	90.48%	0	0	0	0	2	9.52%	0	0	0	0
	計	24	22	91.67%	0	0	0	0	2	8.33%	0	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		29	26	89.66%	0	0	0	0	0	0	2	6.90%	1	3.45%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	3	2	66.67%	0	1	33.33%	0	0	0	0	0	0	0
	女	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	計	7	6	85.71%	0	1	14.29%	0	0	0	0	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		7	6	85.71%	0	1	14.29%	0	0	0	0	0	0	0

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		0	0		0	0	0	0	0	0	0	0	0	0

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	66	64	96.97%	0	0	2	3.03%	0	0	0	0	0	0
	女	137	132	96.35%	0	0	5	3.65%	0	0	0	0	0	0
	計	203	196	96.55%	0	0	7	3.45%	0	0	0	0	0	0
40 ～ 74	男	43	35	81.40%	0	0	7	16.28%	0	0	1	2.33%	0	0
	女	127	109	85.83%	0	0	18	14.17%	0	0	0	0	0	0
	計	170	144	84.71%	0	0	25	14.71%	0	0	1	0.59%	0	0
75 ～	男	4	1	25.00%	0	0	3	75.00%	0	0	0	0	0	0
	女	4	2	50.00%	0	0	1	25.00%	0	0	1	25.00%	0	0
	計	8	3	37.50%	0	0	4	50.00%	0	0	1	12.50%	0	0
合計		381	343	90.03%	0	0	36	9.45%	0	0	2	0.52%	0	0

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	32	30	93.75%	0	0	2	6.25%	0	0	0	0	0	0
	女	13	12	92.31%	0	0	0	0	0	0	1	7.69%	0	0
	計	45	42	93.33%	0	0	2	4.44%	0	0	1	2.22%	0	0
40 ～ 74	男	49	36	73.47%	0	0	11	22.45%	0	0	2	4.08%	0	0
	女	53	38	71.70%	0	0	14	26.42%	0	0	1	1.89%	0	0
	計	102	74	72.55%	0	0	25	24.51%	0	0	3	2.94%	0	0
75 ～	男	2	1	50.00%	0	0	1	50.00%	0	0	0	0	0	0
	女	3	1	33.33%	0	0	1	33.33%	0	0	1	33.33%	0	0
	計	5	2	40.00%	0	0	2	40.00%	0	0	1	20.00%	0	0
合計		152	118	77.63%	0	0	29	19.08%	0	0	5	3.29%	0	0

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	8	5	62.50%	0	0	3	37.50%	0	0	0	0	0	0
	女	2	0	0.00%	2	100.00%	0	0	0	0	0	0	0	0
	計	10	5	50.00%	2	20.00%	3	30.00%	0	0	0	0	0	0
40 ～ 74	男	27	5	18.52%	5	18.52%	12	44.44%	2	7.41%	3	11.11%	0	0
	女	32	10	31.25%	10	31.25%	12	37.50%	0	0	0	0	0	0
	計	59	15	25.42%	15	25.42%	24	40.68%	2	3.39%	3	5.08%	0	0
75 ～	男	2	0	0.00%	0	0	1	50.00%	1	50.00%	0	0	0	0
	女	1	0	0.00%	0	0	1	100.00%	0	0	0	0	0	0
	計	3	0	0.00%	0	0	2	66.67%	1	33.33%	0	0	0	0
合計		72	20	27.78%	17	23.61%	29	40.28%	3	4.17%	3	4.17%	0	0

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	15	4	26.67%	1	6.67%	9	60.00%	0		1	6.67%	0	
	女	7	1	14.29%	0		4	57.14%	0		2	28.57%	0	
	計	22	5	22.73%	1	4.55%	13	59.09%	0		3	13.64%	0	
40 ～ 74	男	64	7	10.94%	0		55	85.94%	0		2	3.13%	0	
	女	108	17	15.74%	2	1.85%	88	81.48%	0		1	0.93%	0	
	計	172	24	13.95%	2	1.16%	143	83.14%	0		3	1.74%	0	
75 ～	男	2	0		0		2	100.00%	0		0		0	
	女	5	0		0		5	100.00%	0		0		0	
	計	7	0		0		7	100.00%	0		0		0	
合計		201	29	14.43%	3	1.49%	163	81.09%	0		6	2.99%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	72	68	94.44%	0		0		0		4	5.56%	0	
	計	72	68	94.44%	0		0		0		4	5.56%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	319	304	95.30%	0		3	0.94%	0		12	3.76%	0	
	計	319	304	95.30%	0		3	0.94%	0		12	3.76%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
合計		394	375	95.18%	0		3	0.76%	0		16	4.06%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	125	93	74.40%	17	13.60%	10	8.00%	0		5	4.00%	0	
	計	125	93	74.40%	17	13.60%	10	8.00%	0		5	4.00%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	349	224	64.18%	60	17.19%	49	14.04%	0		16	4.58%	0	
	計	349	224	64.18%	60	17.19%	49	14.04%	0		16	4.58%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	6	6	100.00%	0		0		0		0		0	
合計		480	323	67.29%	77	16.04%	59	12.29%	0		21	4.38%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	231	220	95.24%	0		3	1.30%	0		3	1.30%	5	2.16%
	計	231	220	95.24%	0		3	1.30%	0		3	1.30%	5	2.16%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	635	598	94.17%	5	0.79%	12	1.89%	0		6	0.94%	14	2.20%
	計	635	598	94.17%	5	0.79%	12	1.89%	0		6	0.94%	14	2.20%
75 ～	男	0	0		0		0		0		0		0	
	女	19	18	94.74%	0		1	5.26%	0		0		0	
	計	19	18	94.74%	0		1	5.26%	0		0		0	
合計		885	836	94.46%	5	0.56%	16	1.81%	0		9	1.02%	19	2.15%