

令和4年度 事業年報

①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	1	1.18%	3	3.53%	42	49.41%	5	5.88%	26	30.59%	8	9.41%
	女	104	2	1.92%	8	7.69%	53	50.96%	3	2.88%	28	26.92%	10	9.62%
	計	189	3	1.59%	11	5.82%	95	50.26%	8	4.23%	54	28.57%	18	9.52%
40 ～ 74	男	890	0		355	39.89%	235	26.40%	35	3.93%	262	29.44%	355	39.89%
	女	738	0		237	32.11%	236	31.98%	37	5.01%	225	30.49%	237	32.11%
	計	1628	0		592	36.36%	471	28.93%	72	4.42%	487	29.91%	592	36.36%
75 ～	男	44	0		31	70.45%	7	15.91%	1	2.27%	5	11.36%	31	70.45%
	女	42	0		29	69.05%	6	14.29%	1	2.38%	6	14.29%	29	69.05%
	計	86	0		60	69.77%	13	15.12%	2	2.33%	11	12.79%	60	69.77%
合計		1903	3	0.16%	663	34.84%	579	30.43%	82	4.31%	552	29.01%	670	35.21%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	85	2	2.35%	51	60.00%	32	37.65%
	女	104	16	15.38%	74	71.15%	14	13.46%
	計	189	18	9.52%	125	66.14%	46	24.34%
40 ～ 74	男	890	24	2.70%	533	59.89%	333	37.42%
	女	738	99	13.41%	496	67.21%	143	19.38%
	計	1628	123	7.56%	1029	63.21%	476	29.24%
75 ～	男	44	1	2.27%	35	79.55%	8	18.18%
	女	42	5	11.90%	30	71.43%	7	16.67%
	計	86	6	6.98%	65	75.58%	15	17.44%
合計		1903	147	7.72%	1219	64.06%	537	28.22%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	62	72.94%	14	16.47%	4	4.71%	0		2	2.35%	3	3.53%
	女	104	97	93.27%	1	0.96%	6	5.77%	0		0		0	
	計	189	159	84.13%	15	7.94%	10	5.29%	0		2	1.06%	3	1.59%
40 ～ 74	男	890	417	46.85%	115	12.92%	106	11.91%	0		32	3.60%	220	24.72%
	女	738	434	58.81%	85	11.52%	104	14.09%	0		13	1.76%	102	13.82%
	計	1628	851	52.27%	200	12.29%	210	12.90%	0		45	2.76%	322	19.78%
75 ～	男	44	14	31.82%	1	2.27%	4	9.09%	0		0		25	56.82%
	女	42	12	28.57%	7	16.67%	3	7.14%	0		1	2.38%	19	45.24%
	計	86	26	30.23%	8	9.30%	7	8.14%	0		1	1.16%	44	51.16%
合計		1903	1036	54.44%	223	11.72%	227	11.93%	0		48	2.52%	369	19.39%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	85	100.00%	0	0	0	0	0	0	0	0	0	0
	女	104	104	100.00%	0	0	0	0	0	0	0	0	0	0
	計	189	189	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	887	807	90.98%	0	80	9.02%	0	0	0	0	0	0	0
	女	736	713	96.88%	0	23	3.13%	0	0	0	0	0	0	0
	計	1623	1520	93.65%	0	103	6.35%	0	0	0	0	0	0	0
75 ～	男	43	18	41.86%	0	25	58.14%	0	0	0	0	0	0	0
	女	40	30	75.00%	0	10	25.00%	0	0	0	0	0	0	0
	計	83	48	57.83%	0	35	42.17%	0	0	0	0	0	0	0
合計		1895	1757	92.72%	0	138	7.28%	0	0	0	0	0	0	0

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	45	52.94%	12	14.12%	10	11.76%	0	0	18	21.18%	0	0
	女	104	78	75.00%	12	11.54%	8	7.69%	0	0	6	5.77%	0	0
	計	189	123	65.08%	24	12.70%	18	9.52%	0	0	24	12.70%	0	0
40 ～ 74	男	890	393	44.16%	148	16.63%	179	20.11%	0	0	168	18.88%	2	0.22%
	女	738	533	72.22%	77	10.43%	80	10.84%	0	0	48	6.50%	0	0
	計	1628	926	56.88%	225	13.82%	259	15.91%	0	0	216	13.27%	2	0.12%
75 ～	男	44	19	43.18%	12	27.27%	10	22.73%	0	0	3	6.82%	0	0
	女	42	28	66.67%	7	16.67%	5	11.90%	0	0	2	4.76%	0	0
	計	86	47	54.65%	19	22.09%	15	17.44%	0	0	5	5.81%	0	0
合計		1903	1096	57.59%	268	14.08%	292	15.34%	0	0	245	12.87%	2	0.11%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	27	31.76%	16	18.82%	30	35.29%	7	8.24%	3	3.53%	2	2.35%
	女	104	45	43.27%	28	26.92%	21	20.19%	2	1.92%	7	6.73%	1	0.96%
	計	189	72	38.10%	44	23.28%	51	26.98%	9	4.76%	10	5.29%	3	1.59%
40 ～ 74	男	890	179	20.11%	204	22.92%	280	31.46%	63	7.08%	27	3.03%	137	15.39%
	女	738	115	15.58%	146	19.78%	288	39.02%	53	7.18%	29	3.93%	107	14.50%
	計	1628	294	18.06%	350	21.50%	568	34.89%	116	7.13%	56	3.44%	244	14.99%
75 ～	男	44	9	20.45%	9	20.45%	14	31.82%	1	2.27%	0	0	11	25.00%
	女	42	3	7.14%	2	4.76%	16	38.10%	1	2.38%	1	2.38%	19	45.24%
	計	86	12	13.95%	11	12.79%	30	34.88%	2	2.33%	1	1.16%	30	34.88%
合計		1903	378	19.86%	405	21.28%	649	34.10%	127	6.67%	67	3.52%	277	14.56%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	39	45.88%	35	41.18%	7	8.24%	0		2	2.35%	2	2.35%
	女	104	68	65.38%	33	31.73%	2	1.92%	0		1	0.96%	0	
	計	189	107	56.61%	68	35.98%	9	4.76%	0		3	1.59%	2	1.06%
40 ～ 74	男	890	170	19.10%	347	38.99%	277	31.12%	0		24	2.70%	72	8.09%
	女	738	210	28.46%	304	41.19%	186	25.20%	0		12	1.63%	26	3.52%
	計	1628	380	23.34%	651	39.99%	463	28.44%	0		36	2.21%	98	6.02%
75 ～	男	44	5	11.36%	16	36.36%	15	34.09%	0		3	6.82%	5	11.36%
	女	42	4	9.52%	10	23.81%	22	52.38%	0		1	2.38%	5	11.90%
	計	86	9	10.47%	26	30.23%	37	43.02%	0		4	4.65%	10	11.63%
合計		1903	496	26.06%	745	39.15%	509	26.75%	0		43	2.26%	110	5.78%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	65	76.47%	11	12.94%	8	9.41%	0		1	1.18%	0	
	女	104	79	75.96%	19	18.27%	6	5.77%	0		0		0	
	計	189	144	76.19%	30	15.87%	14	7.41%	0		1	0.53%	0	
40 ～ 74	男	890	666	74.83%	133	14.94%	73	8.20%	0		18	2.02%	0	
	女	738	483	65.45%	160	21.68%	89	12.06%	0		6	0.81%	0	
	計	1628	1149	70.58%	293	18.00%	162	9.95%	0		24	1.47%	0	
75 ～	男	44	24	54.55%	9	20.45%	8	18.18%	0		3	6.82%	0	
	女	42	24	57.14%	12	28.57%	5	11.90%	0		1	2.38%	0	
	計	86	48	55.81%	21	24.42%	13	15.12%	0		4	4.65%	0	
合計		1903	1341	70.47%	344	18.08%	189	9.93%	0		29	1.52%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	62	72.94%	14	16.47%	4	4.71%	4	4.71%	0		1	1.18%
	女	104	104	100.00%	0		0		0		0		0	
	計	189	166	87.83%	14	7.41%	4	2.12%	4	2.12%	0		1	0.53%
40 ～ 74	男	890	622	69.89%	145	16.29%	38	4.27%	28	3.15%	0		57	6.40%
	女	738	719	97.43%	13	1.76%	4	0.54%	1	0.14%	0		1	0.14%
	計	1628	1341	82.37%	158	9.71%	42	2.58%	29	1.78%	0		58	3.56%
75 ～	男	44	34	77.27%	5	11.36%	2	4.55%	0		0		3	6.82%
	女	42	39	92.86%	0		2	4.76%	1	2.38%	0		0	
	計	86	73	84.88%	5	5.81%	4	4.65%	1	1.16%	0		3	3.49%
合計		1903	1580	83.03%	177	9.30%	50	2.63%	34	1.79%	0		62	3.26%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	60	70.59%	22	25.88%	1	1.18%	0		2	2.35%	0	
	女	104	78	75.00%	12	11.54%	7	6.73%	2	1.92%	2	1.92%	3	2.88%
	計	189	138	73.02%	34	17.99%	8	4.23%	2	1.06%	4	2.12%	3	1.59%
40 ～ 74	男	890	671	75.39%	147	16.52%	18	2.02%	7	0.79%	44	4.94%	3	0.34%
	女	738	493	66.80%	151	20.46%	45	6.10%	27	3.66%	8	1.08%	14	1.90%
	計	1628	1164	71.50%	298	18.30%	63	3.87%	34	2.09%	52	3.19%	17	1.04%
75 ～	男	44	31	70.45%	5	11.36%	6	13.64%	1	2.27%	0		1	2.27%
	女	42	28	66.67%	4	9.52%	6	14.29%	2	4.76%	1	2.38%	1	2.38%
	計	86	59	68.60%	9	10.47%	12	13.95%	3	3.49%	1	1.16%	2	2.33%
合計		1903	1361	71.52%	341	17.92%	83	4.36%	39	2.05%	57	3.00%	22	1.16%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	70	82.35%	9	10.59%	6	7.06%	0		0		0	
	女	104	85	81.73%	12	11.54%	1	0.96%	0		5	4.81%	1	0.96%
	計	189	155	82.01%	21	11.11%	7	3.70%	0		5	2.65%	1	0.53%
40 ～ 74	男	890	762	85.62%	69	7.75%	24	2.70%	0		33	3.71%	2	0.22%
	女	738	629	85.23%	60	8.13%	15	2.03%	0		33	4.47%	1	0.14%
	計	1628	1391	85.44%	129	7.92%	39	2.40%	0		66	4.05%	3	0.18%
75 ～	男	44	36	81.82%	7	15.91%	1	2.27%	0		0		0	
	女	42	31	73.81%	7	16.67%	2	4.76%	0		1	2.38%	1	2.38%
	計	86	67	77.91%	14	16.28%	3	3.49%	0		1	1.16%	1	1.16%
合計		1903	1613	84.76%	164	8.62%	49	2.57%	0		72	3.78%	5	0.26%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	9	9	100.00%	0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	15	15	100.00%	0		0		0		0		0	
40 ～ 74	男	33	31	93.94%	0		0		0		2	6.06%	0	
	女	9	9	100.00%	0		0		0		0		0	
	計	42	40	95.24%	0		0		0		2	4.76%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		57	55	96.49%	0		0		0		2	3.51%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	16	16	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	16	16	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	226	219	96.90%	0	0	0	0	0	7	3.10%	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	226	219	96.90%	0	0	0	0	0	7	3.10%	0	0	0
75 ～	男	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
合計		245	238	97.14%	0	0	0	0	0	7	2.86%	0	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	84	80	95.24%	0	0	0	0	0	4	4.76%	0	0	0
	女	103	98	95.15%	0	0	0	0	0	4	3.88%	1	0.97%	0
	計	187	178	95.19%	0	0	0	0	0	8	4.28%	1	0.53%	0
40 ～ 74	男	874	823	94.16%	0	0	0	0	0	45	5.15%	6	0.69%	0
	女	724	703	97.10%	0	0	0	0	0	20	2.76%	1	0.14%	0
	計	1598	1526	95.49%	0	0	0	0	0	65	4.07%	7	0.44%	0
75 ～	男	44	40	90.91%	0	0	0	0	0	4	9.09%	0	0	0
	女	42	38	90.48%	0	0	0	0	0	4	9.52%	0	0	0
	計	86	78	90.70%	0	0	0	0	0	8	9.30%	0	0	0
合計		1871	1782	95.24%	0	0	0	0	0	81	4.33%	8	0.43%	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	70	82.35%	9	10.59%	6	7.06%	0	0	0	0	0	0
	女	104	94	90.38%	1	0.96%	8	7.69%	0	0	0	0	1	0.96%
	計	189	164	86.77%	10	5.29%	14	7.41%	0	0	0	0	1	0.53%
40 ～ 74	男	890	679	76.29%	72	8.09%	87	9.78%	0	0	22	2.47%	30	3.37%
	女	738	572	77.51%	60	8.13%	82	11.11%	1	0.14%	7	0.95%	16	2.17%
	計	1628	1251	76.84%	132	8.11%	169	10.38%	1	0.06%	29	1.78%	46	2.83%
75 ～	男	44	19	43.18%	5	11.36%	15	34.09%	0	0	0	0	5	11.36%
	女	42	20	47.62%	9	21.43%	9	21.43%	0	0	3	7.14%	1	2.38%
	計	86	39	45.35%	14	16.28%	24	27.91%	0	0	3	3.49%	6	6.98%
合計		1903	1454	76.41%	156	8.20%	207	10.88%	1	0.05%	32	1.68%	53	2.79%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	77	90.59%	0		0		0		6	7.06%	2	2.35%
	女	104	98	94.23%	0		2	1.92%	0		3	2.88%	1	0.96%
	計	189	175	92.59%	0		2	1.06%	0		9	4.76%	3	1.59%
40 ～ 74	男	886	641	72.35%	14	1.58%	32	3.61%	0		139	15.69%	60	6.77%
	女	738	541	73.31%	18	2.44%	25	3.39%	0		110	14.91%	44	5.96%
	計	1624	1182	72.78%	32	1.97%	57	3.51%	0		249	15.33%	104	6.40%
75 ～	男	44	17	38.64%	2	4.55%	5	11.36%	3	6.82%	9	20.45%	8	18.18%
	女	41	11	26.83%	0		9	21.95%	1	2.44%	9	21.95%	11	26.83%
	計	85	28	32.94%	2	2.35%	14	16.47%	4	4.71%	18	21.18%	19	22.35%
合計		1898	1385	72.97%	34	1.79%	73	3.85%	4	0.21%	276	14.54%	126	6.64%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	83	74	89.16%	0		5	6.02%	0		2	2.41%	2	2.41%
	女	101	96	95.05%	0		3	2.97%	0		1	0.99%	1	0.99%
	計	184	170	92.39%	0		8	4.35%	0		3	1.63%	3	1.63%
40 ～ 74	男	882	760	86.17%	0		24	2.72%	0		38	4.31%	60	6.80%
	女	733	644	87.86%	0		21	2.86%	0		24	3.27%	44	6.00%
	計	1615	1404	86.93%	0		45	2.79%	0		62	3.84%	104	6.44%
75 ～	男	44	34	77.27%	0		2	4.55%	0		0		8	18.18%
	女	41	30	73.17%	0		0		0		0		11	26.83%
	計	85	64	75.29%	0		2	2.35%	0		0		19	22.35%
合計		1884	1638	86.94%	0		55	2.92%	0		65	3.45%	126	6.69%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	84	98.82%	0	0	1	1.18%	0	0	0	0	0	0
	女	104	97	93.27%	0	0	7	6.73%	0	0	0	0	0	0
	計	189	181	95.77%	0	0	8	4.23%	0	0	0	0	0	0
40 ～ 74	男	889	728	81.89%	0	0	144	16.20%	0	0	14	1.57%	3	0.34%
	女	730	600	82.19%	0	0	118	16.16%	0	0	11	1.51%	1	0.14%
	計	1619	1328	82.03%	0	0	262	16.18%	0	0	25	1.54%	4	0.25%
75 ～	男	44	28	63.64%	0	0	14	31.82%	0	0	0	0	2	4.55%
	女	42	19	45.24%	0	0	20	47.62%	0	0	2	4.76%	1	2.38%
	計	86	47	54.65%	0	0	34	39.53%	0	0	2	2.33%	3	3.49%
合計		1894	1556	82.15%	0	0	304	16.05%	0	0	27	1.43%	7	0.37%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	47	39	82.98%	0	0	8	17.02%	0	0	0	0	0	0
	女	60	47	78.33%	0	0	13	21.67%	0	0	0	0	0	0
	計	107	86	80.37%	0	0	21	19.63%	0	0	0	0	0	0
40 ～ 74	男	432	323	74.77%	0	0	100	23.15%	0	0	9	2.08%	0	0
	女	316	214	67.72%	0	0	96	30.38%	0	0	6	1.90%	0	0
	計	748	537	71.79%	0	0	196	26.20%	0	0	15	2.01%	0	0
75 ～	男	8	6	75.00%	0	0	2	25.00%	0	0	0	0	0	0
	女	4	3	75.00%	0	0	1	25.00%	0	0	0	0	0	0
	計	12	9	75.00%	0	0	3	25.00%	0	0	0	0	0	0
合計		867	632	72.90%	0	0	220	25.37%	0	0	15	1.73%	0	0

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	33	15	45.45%	9	27.27%	8	24.24%	1	3.03%	0	0	0	0
	女	33	16	48.48%	13	39.39%	4	12.12%	0	0	0	0	0	0
	計	66	31	46.97%	22	33.33%	12	18.18%	1	1.52%	0	0	0	0
40 ～ 74	男	427	61	14.29%	135	31.62%	200	46.84%	13	3.04%	15	3.51%	3	0.70%
	女	330	37	11.21%	142	43.03%	137	41.52%	4	1.21%	6	1.82%	4	1.21%
	計	757	98	12.95%	277	36.59%	337	44.52%	17	2.25%	21	2.77%	7	0.92%
75 ～	男	35	4	11.43%	4	11.43%	23	65.71%	1	2.86%	3	8.57%	0	0
	女	36	2	5.56%	5	13.89%	26	72.22%	0	0	3	8.33%	0	0
	計	71	6	8.45%	9	12.68%	49	69.01%	1	1.41%	6	8.45%	0	0
合計		894	135	15.10%	308	34.45%	398	44.52%	19	2.13%	27	3.02%	7	0.78%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	25	29.41%	2	2.35%	57	67.06%	0	0	1	1.18%	0	0
	女	104	37	35.58%	9	8.65%	54	51.92%	0	0	4	3.85%	0	0
	計	189	62	32.80%	11	5.82%	111	58.73%	0	0	5	2.65%	0	0
40 ～ 74	男	890	72	8.09%	7	0.79%	774	86.97%	0	0	31	3.48%	6	0.67%
	女	737	128	17.37%	8	1.09%	574	77.88%	0	0	24	3.26%	3	0.41%
	計	1627	200	12.29%	15	0.92%	1348	82.85%	0	0	55	3.38%	9	0.55%
75 ～	男	44	1	2.27%	0	0	40	90.91%	0	0	3	6.82%	0	0
	女	42	1	2.38%	0	0	39	92.86%	0	0	2	4.76%	0	0
	計	86	2	2.33%	0	0	79	91.86%	0	0	5	5.81%	0	0
合計		1902	264	13.88%	26	1.37%	1538	80.86%	0	0	65	3.42%	9	0.47%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	23	22	95.65%	0		0		0		1	4.35%	0	
	計	23	22	95.65%	0		0		0		1	4.35%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	222	210	94.59%	0		0		0		12	5.41%	0	
	計	222	210	94.59%	0		0		0		12	5.41%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		246	233	94.72%	0		0		0		13	5.28%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	53	30	56.60%	9	16.98%	9	16.98%	0	0	5	9.43%	0	0
	計	53	30	56.60%	9	16.98%	9	16.98%	0	0	5	9.43%	0	0
40 ～ 74	男	0	0		0		0		0		0		0	
	女	213	163	76.53%	19	8.92%	27	12.68%	0	0	4	1.88%	0	0
	計	213	163	76.53%	19	8.92%	27	12.68%	0	0	4	1.88%	0	0
75 ～	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
合計		269	196	72.86%	28	10.41%	36	13.38%	0	0	9	3.35%	0	0

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	40	39	97.50%	0		0		0		0		1	2.50%
	計	40	39	97.50%	0		0		0		0		1	2.50%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	274	258	94.16%	0		1	0.36%	0		6	2.19%	9	3.28%
	計	274	258	94.16%	0		1	0.36%	0		6	2.19%	9	3.28%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		314	297	94.59%	0		1	0.32%	0		6	1.91%	10	3.18%

②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	23	2.98%	62	8.02%	321	41.53%	33	4.27%	295	38.16%	39	5.05%
	女	770	31	4.03%	72	9.35%	341	44.29%	44	5.71%	238	30.91%	44	5.71%
	計	1543	54	3.50%	134	8.68%	662	42.90%	77	4.99%	533	34.54%	83	5.38%
40 ～ 74	男	3644	26	0.71%	974	26.73%	1161	31.86%	256	7.03%	1109	30.43%	974	26.73%
	女	3568	47	1.32%	757	21.22%	1502	42.10%	271	7.60%	803	22.51%	757	21.22%
	計	7212	73	1.01%	1731	24.00%	2663	36.92%	527	7.31%	1912	26.51%	1731	24.00%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8755	127	1.45%	1865	21.30%	3325	37.98%	604	6.90%	2445	27.93%	1814	20.72%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	773	51	6.60%	457	59.12%	265	34.28%
	女	770	141	18.31%	503	65.32%	126	16.36%
	計	1543	192	12.44%	960	62.22%	391	25.34%
40 ～ 74	男	3644	125	3.43%	2120	58.18%	1399	38.39%
	女	3568	452	12.67%	2293	64.27%	823	23.07%
	計	7212	577	8.00%	4413	61.19%	2222	30.81%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		8755	769	8.78%	5373	61.37%	2613	29.85%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	589	76.20%	89	11.51%	57	7.37%	0		18	2.33%	20	2.59%
	女	770	677	87.92%	39	5.06%	38	4.94%	0		8	1.04%	8	1.04%
	計	1543	1266	82.05%	128	8.30%	95	6.16%	0		26	1.69%	28	1.81%
40 ～ 74	男	3644	1635	44.87%	493	13.53%	499	13.69%	0		177	4.86%	840	23.05%
	女	3567	2215	62.10%	386	10.82%	392	10.99%	0		100	2.80%	474	13.29%
	計	7211	3850	53.39%	879	12.19%	891	12.36%	0		277	3.84%	1314	18.22%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8754	5116	58.44%	1007	11.50%	986	11.26%	0		303	3.46%	1342	15.33%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	768	99.35%	0		4	0.52%	1	0.13%	0		0	
	女	758	749	98.81%	0		6	0.79%	2	0.26%	0		1	0.13%
	計	1531	1517	99.09%	0		10	0.65%	3	0.20%	0		1	0.07%
40 ～ 74	男	3630	3231	89.01%	0		340	9.37%	59	1.63%	0		0	
	女	3521	3429	97.39%	0		75	2.13%	16	0.45%	0		1	0.03%
	計	7151	6660	93.13%	0		415	5.80%	75	1.05%	0		1	0.01%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8682	8177	94.18%	0		425	4.90%	78	0.90%	0		2	0.02%

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	758	434	57.26%	90	11.87%	83	10.95%	0		151	19.92%	0	
	女	767	658	85.79%	74	9.65%	18	2.35%	0		17	2.22%	0	
	計	1525	1092	71.61%	164	10.75%	101	6.62%	0		168	11.02%	0	
40 ～ 74	男	3643	1998	54.84%	678	18.61%	328	9.00%	1	0.03%	629	17.27%	9	0.25%
	女	3568	2840	79.60%	401	11.24%	144	4.04%	2	0.06%	174	4.88%	7	0.20%
	計	7211	4838	67.09%	1079	14.96%	472	6.55%	3	0.04%	803	11.14%	16	0.22%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8736	5930	67.88%	1243	14.23%	573	6.56%	3	0.03%	971	11.11%	16	0.18%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	757	284	37.52%	163	21.53%	225	29.72%	31	4.10%	34	4.49%	20	2.64%
	女	767	423	55.15%	148	19.30%	129	16.82%	11	1.43%	47	6.13%	9	1.17%
	計	1524	707	46.39%	311	20.41%	354	23.23%	42	2.76%	81	5.31%	29	1.90%
40 ～ 74	男	3643	863	23.69%	824	22.62%	1202	32.99%	199	5.46%	115	3.16%	440	12.08%
	女	3568	987	27.66%	798	22.37%	1180	33.07%	175	4.90%	82	2.30%	346	9.70%
	計	7211	1850	25.66%	1622	22.49%	2382	33.03%	374	5.19%	197	2.73%	786	10.90%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8735	2557	29.27%	1933	22.13%	2736	31.32%	416	4.76%	278	3.18%	815	9.33%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	549	71.02%	157	20.31%	36	4.66%	0		19	2.46%	12	1.55%
	女	770	627	81.43%	111	14.42%	24	3.12%	0		4	0.52%	4	0.52%
	計	1543	1176	76.22%	268	17.37%	60	3.89%	0		23	1.49%	16	1.04%
40 ～ 74	男	3644	1842	50.55%	924	25.36%	426	11.69%	0		141	3.87%	311	8.53%
	女	3568	2293	64.27%	813	22.79%	317	8.88%	0		39	1.09%	106	2.97%
	計	7212	4135	57.33%	1737	24.08%	743	10.30%	0		180	2.50%	417	5.78%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8755	5311	60.66%	2005	22.90%	803	9.17%	0		203	2.32%	433	4.95%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	595	76.97%	118	15.27%	51	6.60%	0		9	1.16%	0	
	女	770	549	71.30%	163	21.17%	55	7.14%	0		3	0.39%	0	
	計	1543	1144	74.14%	281	18.21%	106	6.87%	0		12	0.78%	0	
40 ～ 74	男	3644	2691	73.85%	534	14.65%	339	9.30%	0		80	2.20%	0	
	女	3568	2377	66.62%	709	19.87%	438	12.28%	0		44	1.23%	0	
	計	7212	5068	70.27%	1243	17.24%	777	10.77%	0		124	1.72%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8755	6212	70.95%	1524	17.41%	883	10.09%	0		136	1.55%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	672	489	72.77%	108	16.07%	34	5.06%	28	4.17%	7	1.04%	6	0.89%
	女	708	696	98.31%	7	0.99%	5	0.71%	0		0		0	
	計	1380	1185	85.87%	115	8.33%	39	2.83%	28	2.03%	7	0.51%	6	0.43%
40 ～ 74	男	3625	2714	74.87%	564	15.56%	158	4.36%	116	3.20%	12	0.33%	61	1.68%
	女	3519	3423	97.27%	64	1.82%	19	0.54%	8	0.23%	1	0.03%	4	0.11%
	計	7144	6137	85.90%	628	8.79%	177	2.48%	124	1.74%	13	0.18%	65	0.91%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8524	7322	85.90%	743	8.72%	216	2.53%	152	1.78%	20	0.23%	71	0.83%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	750	535	71.33%	167	22.27%	11	1.47%	2	0.27%	35	4.67%	0	
	女	768	521	67.84%	89	11.59%	88	11.46%	41	5.34%	12	1.56%	17	2.21%
	計	1518	1056	69.57%	256	16.86%	99	6.52%	43	2.83%	47	3.10%	17	1.12%
40 ～ 74	男	3643	2664	73.13%	589	16.17%	117	3.21%	39	1.07%	217	5.96%	17	0.47%
	女	3568	2335	65.44%	591	16.56%	306	8.58%	175	4.90%	58	1.63%	103	2.89%
	計	7211	4999	69.32%	1180	16.36%	423	5.87%	214	2.97%	275	3.81%	120	1.66%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8729	6055	69.37%	1436	16.45%	522	5.98%	257	2.94%	322	3.69%	137	1.57%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	460	409	88.91%	23	5.00%	15	3.26%	0		13	2.83%	0	
	女	487	431	88.50%	30	6.16%	6	1.23%	0		20	4.11%	0	
	計	947	840	88.70%	53	5.60%	21	2.22%	0		33	3.48%	0	
40 ～ 74	男	2953	2647	89.64%	130	4.40%	70	2.37%	0		106	3.59%	0	
	女	2904	2631	90.60%	131	4.51%	39	1.34%	0		103	3.55%	0	
	計	5857	5278	90.11%	261	4.46%	109	1.86%	0		209	3.57%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		6804	6118	89.92%	314	4.61%	130	1.91%	0		242	3.56%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	65	64	98.46%	0		0		0		1	1.54%	0	
	女	54	54	100.00%	0		0		0		0		0	
	計	119	118	99.16%	0		0		0		1	0.84%	0	
40 ～ 74	男	571	567	99.30%	0		0		1	0.18%	3	0.53%	0	
	女	425	423	99.53%	0		0		0		2	0.47%	0	
	計	996	990	99.40%	0		0		1	0.10%	5	0.50%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1115	1108	99.37%	0		0		1	0.09%	6	0.54%	0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	23	23	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	23	23	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	486	477	98.15%	0	0	0	0	0	0	9	1.85%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	486	477	98.15%	0	0	0	0	0	0	9	1.85%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		509	500	98.23%	0	0	0	0	0	0	9	1.77%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	565	544	96.28%	0	0	0	0	0	0	21	3.72%	0	0
	女	525	502	95.62%	0	0	0	0	0	0	22	4.19%	1	0.19%
	計	1090	1046	95.96%	0	0	0	0	0	0	43	3.94%	1	0.09%
40 ～ 74	男	3457	3261	94.33%	0	0	0	0	0	0	191	5.53%	5	0.14%
	女	3254	3138	96.44%	0	0	0	0	0	0	110	3.38%	6	0.18%
	計	6711	6399	95.35%	0	0	0	0	0	0	301	4.49%	11	0.16%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		7801	7445	95.44%	0	0	0	0	0	0	344	4.41%	12	0.15%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	735	604	82.18%	74	10.07%	44	5.99%	2	0.27%	6	0.82%	5	0.68%
	女	752	639	84.97%	45	5.98%	60	7.98%	0	0	7	0.93%	1	0.13%
	計	1487	1243	83.59%	119	8.00%	104	6.99%	2	0.13%	13	0.87%	6	0.40%
40 ～ 74	男	3641	2771	76.11%	344	9.45%	324	8.90%	8	0.22%	78	2.14%	116	3.19%
	女	3566	2877	80.68%	236	6.62%	384	10.77%	0	0	36	1.01%	33	0.93%
	計	7207	5648	78.37%	580	8.05%	708	9.82%	8	0.11%	114	1.58%	149	2.07%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		8694	6891	79.26%	699	8.04%	812	9.34%	10	0.12%	127	1.46%	155	1.78%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	107	99	92.52%	0		1	0.93%	0		4	3.74%	3	2.80%
	女	108	102	94.44%	0		0		0		4	3.70%	2	1.85%
	計	215	201	93.49%	0		1	0.47%	0		8	3.72%	5	2.33%
40 ～ 74	男	828	650	78.50%	11	1.33%	30	3.62%	0		107	12.92%	30	3.62%
	女	584	477	81.68%	8	1.37%	15	2.57%	0		45	7.71%	39	6.68%
	計	1412	1127	79.82%	19	1.35%	45	3.19%	0		152	10.76%	69	4.89%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1627	1328	81.62%	19	1.17%	46	2.83%	0		160	9.83%	74	4.55%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	68	60	88.24%	0		3	4.41%	0		2	2.94%	3	4.41%
	女	45	40	88.89%	0		1	2.22%	1	2.22%	2	4.44%	1	2.22%
	計	113	100	88.50%	0		4	3.54%	1	0.88%	4	3.54%	4	3.54%
40 ～ 74	男	457	398	87.09%	0		20	4.38%	14	3.06%	8	1.75%	17	3.72%
	女	287	258	89.90%	0		5	1.74%	5	1.74%	3	1.05%	16	5.57%
	計	744	656	88.17%	0		25	3.36%	19	2.55%	11	1.48%	33	4.44%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		857	756	88.21%	0		29	3.38%	20	2.33%	15	1.75%	37	4.32%

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	773	724	93.66%	0		45	5.82%	0		4	0.52%	0	
	女	745	700	93.96%	0		41	5.50%	0		3	0.40%	1	0.13%
	計	1518	1424	93.81%	0		86	5.67%	0		7	0.46%	1	0.07%
40 ～ 74	男	3638	3019	82.99%	0		571	15.70%	0		37	1.02%	11	0.30%
	女	3552	3084	86.82%	0		422	11.88%	0		30	0.84%	16	0.45%
	計	7190	6103	84.88%	0		993	13.81%	0		67	0.93%	27	0.38%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		8708	7527	86.44%	0		1079	12.39%	0		74	0.85%	28	0.32%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	429	369	86.01%	0		55	12.82%	0		3	0.70%	2	0.47%
	女	334	241	72.16%	0		88	26.35%	0		5	1.50%	0	
	計	763	610	79.95%	0		143	18.74%	0		8	1.05%	2	0.26%
40 ～ 74	男	2315	1709	73.82%	0		532	22.98%	0		67	2.89%	7	0.30%
	女	1873	1258	67.16%	0		594	31.71%	0		15	0.80%	6	0.32%
	計	4188	2967	70.85%	0		1126	26.89%	0		82	1.96%	13	0.31%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		4951	3577	72.25%	0		1269	25.63%	0		90	1.82%	15	0.30%

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	96	33	34.38%	23	23.96%	36	37.50%	2	2.08%	2	2.08%	0	
	女	84	25	29.76%	43	51.19%	15	17.86%	1	1.19%	0		0	
	計	180	58	32.22%	66	36.67%	51	28.33%	3	1.67%	2	1.11%	0	
40 ～ 74	男	790	103	13.04%	251	31.77%	372	47.09%	35	4.43%	26	3.29%	3	0.38%
	女	655	109	16.64%	284	43.36%	243	37.10%	7	1.07%	10	1.53%	2	0.31%
	計	1445	212	14.67%	535	37.02%	615	42.56%	42	2.91%	36	2.49%	5	0.35%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1625	270	16.62%	601	36.98%	666	40.98%	45	2.77%	38	2.34%	5	0.31%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	107	23	21.50%	3	2.80%	80	74.77%	0		1	0.93%	0	
	女	92	29	31.52%	7	7.61%	54	58.70%	0		1	1.09%	1	1.09%
	計	199	52	26.13%	10	5.03%	134	67.34%	0		2	1.01%	1	0.50%
40 ～ 74	男	770	71	9.22%	12	1.56%	660	85.71%	1	0.13%	24	3.12%	2	0.26%
	女	609	112	18.39%	17	2.79%	459	75.37%	0		16	2.63%	5	0.82%
	計	1379	183	13.27%	29	2.10%	1119	81.15%	1	0.07%	40	2.90%	7	0.51%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1578	235	14.89%	39	2.47%	1253	79.40%	1	0.06%	42	2.66%	8	0.51%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	111	107	96.40%	0		0		0		4	3.60%	0	
	計	111	107	96.40%	0		0		0		4	3.60%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1151	1103	95.83%	0		3	0.26%	0		45	3.91%	0	
	計	1151	1103	95.83%	0		3	0.26%	0		45	3.91%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1262	1210	95.88%	0		3	0.24%	0		49	3.88%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	198	149	75.25%	19	9.60%	26	13.13%	0		4	2.02%	0	
	計	198	149	75.25%	19	9.60%	26	13.13%	0		4	2.02%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	688	505	73.40%	79	11.48%	89	12.94%	0		15	2.18%	0	
	計	688	505	73.40%	79	11.48%	89	12.94%	0		15	2.18%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		886	654	73.81%	98	11.06%	115	12.98%	0		19	2.14%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	345	331	95.94%	0		0		0		5	1.45%	9	2.61%
	計	345	331	95.94%	0		0		0		5	1.45%	9	2.61%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1546	1470	95.08%	1	0.06%	3	0.19%	0		11	0.71%	61	3.95%
	計	1546	1470	95.08%	1	0.06%	3	0.19%	0		11	0.71%	61	3.95%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1891	1801	95.24%	1	0.05%	3	0.16%	0		16	0.85%	70	3.70%

③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		1	100.00%	0		0		0		0	
	女	23	3	13.04%	5	21.74%	8	34.78%	3	13.04%	2	8.70%	2	8.70%
	計	24	3	12.50%	6	25.00%	8	33.33%	3	12.50%	2	8.33%	2	8.33%
40 ～ 74	男	704	10	1.42%	351	49.86%	199	28.27%	19	2.70%	96	13.64%	351	49.86%
	女	1979	92	4.65%	668	33.75%	765	38.66%	84	4.24%	171	8.64%	668	33.75%
	計	2683	102	3.80%	1019	37.98%	964	35.93%	103	3.84%	267	9.95%	1019	37.98%
75 ～	男	305	3	0.98%	199	65.25%	49	16.07%	7	2.30%	42	13.77%	199	65.25%
	女	339	2	0.59%	205	60.47%	84	24.78%	7	2.06%	30	8.85%	205	60.47%
	計	644	5	0.78%	404	62.73%	133	20.65%	14	2.17%	72	11.18%	404	62.73%
合計		3351	110	3.28%	1429	42.64%	1105	32.98%	120	3.58%	341	10.18%	1425	42.52%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	1	0		1	100.00%	0	
	女	23	3	13.04%	18	78.26%	2	8.70%
	計	24	3	12.50%	19	79.17%	2	8.33%
40 ～ 74	男	704	21	2.98%	475	67.47%	208	29.55%
	女	1979	253	12.78%	1326	67.00%	400	20.21%
	計	2683	274	10.21%	1801	67.13%	608	22.66%
75 ～	男	305	8	2.62%	246	80.66%	51	16.72%
	女	339	41	12.09%	226	66.67%	72	21.24%
	計	644	49	7.61%	472	73.29%	123	19.10%
合計		3351	326	9.73%	2292	68.40%	733	21.87%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	23	20	86.96%	0		2	8.70%	0		0		1	4.35%
	計	24	21	87.50%	0		2	8.33%	0		0		1	4.17%
40 ～ 74	男	704	245	34.80%	88	12.50%	86	12.22%	0		37	5.26%	248	35.23%
	女	1979	1023	51.69%	273	13.79%	219	11.07%	0		57	2.88%	407	20.57%
	計	2683	1268	47.26%	361	13.46%	305	11.37%	0		94	3.50%	655	24.41%
75 ～	男	305	86	28.20%	40	13.11%	33	10.82%	0		6	1.97%	140	45.90%
	女	339	74	21.83%	48	14.16%	44	12.98%	0		15	4.42%	158	46.61%
	計	644	160	24.84%	88	13.66%	77	11.96%	0		21	3.26%	298	46.27%
合計		3351	1449	43.24%	449	13.40%	384	11.46%	0		115	3.43%	954	28.47%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	7	7	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		12	12	100.00%	0		0		0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	23	23	100.00%	0		0		0		0		0	
	計	24	24	100.00%	0		0		0		0		0	
40 ～ 74	男	704	461	65.48%	110	15.63%	55	7.81%	0		74	10.51%	4	0.57%
	女	1979	1668	84.28%	160	8.08%	72	3.64%	0		73	3.69%	6	0.30%
	計	2683	2129	79.35%	270	10.06%	127	4.73%	0		147	5.48%	10	0.37%
75 ～	男	305	241	79.02%	36	11.80%	10	3.28%	0		17	5.57%	1	0.33%
	女	339	281	82.89%	31	9.14%	17	5.01%	0		9	2.65%	1	0.29%
	計	644	522	81.06%	67	10.40%	27	4.19%	0		26	4.04%	2	0.31%
合計		3351	2675	79.83%	337	10.06%	154	4.60%	0		173	5.16%	12	0.36%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		1	100.00%	0		0		0		0	
	女	23	14	60.87%	3	13.04%	3	13.04%	0		3	13.04%	0	
	計	24	14	58.33%	4	16.67%	3	12.50%	0		3	12.50%	0	
40 ～ 74	男	704	206	29.26%	156	22.16%	181	25.71%	20	2.84%	20	2.84%	121	17.19%
	女	1979	554	27.99%	427	21.58%	542	27.39%	69	3.49%	20	1.01%	367	18.54%
	計	2683	760	28.33%	583	21.73%	723	26.95%	89	3.32%	40	1.49%	488	18.19%
75 ～	男	305	124	40.66%	65	21.31%	54	17.70%	5	1.64%	16	5.25%	41	13.44%
	女	339	106	31.27%	78	23.01%	67	19.76%	10	2.95%	2	0.59%	76	22.42%
	計	644	230	35.71%	143	22.20%	121	18.79%	15	2.33%	18	2.80%	117	18.17%
合計		3351	1004	29.96%	730	21.78%	847	25.28%	104	3.10%	61	1.82%	605	18.05%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	23	19	82.61%	3	13.04%	1	4.35%	0		0		0	
	計	24	20	83.33%	3	12.50%	1	4.17%	0		0		0	
40 ～ 74	男	704	178	25.28%	215	30.54%	188	26.70%	0		54	7.67%	69	9.80%
	女	1979	619	31.28%	683	34.51%	548	27.69%	0		52	2.63%	77	3.89%
	計	2683	797	29.71%	898	33.47%	736	27.43%	0		106	3.95%	146	5.44%
75 ～	男	305	60	19.67%	82	26.89%	90	29.51%	0		17	5.57%	56	18.36%
	女	339	64	18.88%	109	32.15%	110	32.45%	0		19	5.60%	37	10.91%
	計	644	124	19.25%	191	29.66%	200	31.06%	0		36	5.59%	93	14.44%
合計		3351	941	28.08%	1092	32.59%	937	27.96%	0		142	4.24%	239	7.13%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	23	19	82.61%	3	13.04%	1	4.35%	0		0		0	
	計	24	20	83.33%	3	12.50%	1	4.17%	0		0		0	
40 ～ 74	男	704	521	74.01%	98	13.92%	70	9.94%	0		15	2.13%	0	
	女	1974	1478	74.87%	331	16.77%	145	7.35%	0		20	1.01%	0	
	計	2678	1999	74.65%	429	16.02%	215	8.03%	0		35	1.31%	0	
75 ～	男	305	192	62.95%	43	14.10%	47	15.41%	0		23	7.54%	0	
	女	339	182	53.69%	77	22.71%	63	18.58%	0		17	5.01%	0	
	計	644	374	58.07%	120	18.63%	110	17.08%	0		40	6.21%	0	
合計		3346	2393	71.52%	552	16.50%	326	9.74%	0		75	2.24%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	9	9	100.00%	0		0		0		0		0	
40 ～ 74	男	674	540	80.12%	65	9.64%	14	2.08%	21	3.12%	0		34	5.04%
	女	1210	1182	97.69%	16	1.32%	7	0.58%	2	0.17%	0		3	0.25%
	計	1884	1722	91.40%	81	4.30%	21	1.11%	23	1.22%	0		37	1.96%
75 ～	男	305	254	83.28%	34	11.15%	3	0.98%	2	0.66%	0		12	3.93%
	女	339	324	95.58%	9	2.65%	1	0.29%	3	0.88%	0		2	0.59%
	計	644	578	89.75%	43	6.68%	4	0.62%	5	0.78%	0		14	2.17%
合計		2537	2309	91.01%	124	4.89%	25	0.99%	28	1.10%	0		51	2.01%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	13	8	61.54%	0		1	7.69%	3	23.08%	0		1	7.69%
	計	14	9	64.29%	0		1	7.14%	3	21.43%	0		1	7.14%
40 ～ 74	男	675	525	77.78%	66	9.78%	39	5.78%	13	1.93%	24	3.56%	8	1.19%
	女	1444	1039	71.95%	205	14.20%	109	7.55%	48	3.32%	16	1.11%	27	1.87%
	計	2119	1564	73.81%	271	12.79%	148	6.98%	61	2.88%	40	1.89%	35	1.65%
75 ～	男	305	206	67.54%	13	4.26%	50	16.39%	27	8.85%	5	1.64%	4	1.31%
	女	339	228	67.26%	45	13.27%	51	15.04%	12	3.54%	0		3	0.88%
	計	644	434	67.39%	58	9.01%	101	15.68%	39	6.06%	5	0.78%	7	1.09%
合計		2777	2007	72.27%	329	11.85%	250	9.00%	103	3.71%	45	1.62%	43	1.55%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	10	8	80.00%	0		0		0		2	20.00%	0	
	計	11	9	81.82%	0		0		0		2	18.18%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		12	10	83.33%	0		0		0		2	16.67%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		2	2	100.00%	0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	2	2	100.00%	0		0		0		0		0	
	女	12	12	100.00%	0		0		0		0		0	
	計	14	14	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		15	15	100.00%	0		0		0		0		0	

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	7	6	85.71%	0		1	14.29%	0		0		0	
	計	8	7	87.50%	0		1	12.50%	0		0		0	
40 ～ 74	男	684	475	69.44%	58	8.48%	91	13.30%	4	0.58%	9	1.32%	47	6.87%
	女	1345	1054	78.36%	96	7.14%	129	9.59%	1	0.07%	28	2.08%	37	2.75%
	計	2029	1529	75.36%	154	7.59%	220	10.84%	5	0.25%	37	1.82%	84	4.14%
75 ～	男	305	155	50.82%	39	12.79%	60	19.67%	7	2.30%	12	3.93%	32	10.49%
	女	339	210	61.95%	32	9.44%	61	17.99%	4	1.18%	13	3.83%	19	5.60%
	計	644	365	56.68%	71	11.02%	121	18.79%	11	1.71%	25	3.88%	51	7.92%
合計		2681	1901	70.91%	225	8.39%	342	12.76%	16	0.60%	62	2.31%	135	5.04%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
40 ～ 74	男	211	115	54.50%	9	4.27%	23	10.90%	2	0.95%	48	22.75%	14	6.64%
	女	393	225	57.25%	18	4.58%	32	8.14%	2	0.51%	78	19.85%	38	9.67%
	計	604	340	56.29%	27	4.47%	55	9.11%	4	0.66%	126	20.86%	52	8.61%
75 ～	男	83	26	31.33%	2	2.41%	11	13.25%	0		30	36.14%	14	16.87%
	女	110	35	31.82%	4	3.64%	20	18.18%	2	1.82%	24	21.82%	25	22.73%
	計	193	61	31.61%	6	3.11%	31	16.06%	2	1.04%	54	27.98%	39	20.21%
合計		799	403	50.44%	33	4.13%	86	10.76%	6	0.75%	180	22.53%	91	11.39%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
40 ～ 74	男	2	2	100.00%	0		0		0		0		0	
	女	11	9	81.82%	0		2	18.18%	0		0		0	
	計	13	11	84.62%	0		2	15.38%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		16	14	87.50%	0		2	12.50%	0		0		0	

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	7	5	71.43%	0		2	28.57%	0		0		0	
	計	8	6	75.00%	0		2	25.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9	7	77.78%	0		2	22.22%	0		0		0	

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	0		1	100.00%	0		0		0		0	
	女	2	0		2	100.00%	0		0		0		0	
	計	3	0		3	100.00%	0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3	0		3	100.00%	0		0		0		0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	0		0		1	100.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	0		0		1	100.00%	0		0		0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	14	14	100.00%	0		0		0		0		0	
	計	14	14	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		14	14	100.00%	0		0		0		0		0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	1	0		0		1	100.00%	0		0		0	
	計	1	0		0		1	100.00%	0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	20	15	75.00%	0		2	10.00%	0		3	15.00%	0	
	計	20	15	75.00%	0		2	10.00%	0		3	15.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		21	15	71.43%	0		3	14.29%	0		3	14.29%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	27	27	100.00%	0		0		0		0		0	
	計	27	27	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		28	28	100.00%	0		0		0		0		0	

④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1064	203	19.08%	162	15.23%	420	39.47%	17	1.60%	234	21.99%	28	2.63%
	女	1112	304	27.34%	118	10.61%	517	46.49%	48	4.32%	94	8.45%	31	2.79%
	計	2176	507	23.30%	280	12.87%	937	43.06%	65	2.99%	328	15.07%	59	2.71%
40 ～ 74	男	822	37	4.50%	262	31.87%	287	34.91%	18	2.19%	156	18.98%	262	31.87%
	女	814	56	6.88%	200	24.57%	332	40.79%	54	6.63%	92	11.30%	200	24.57%
	計	1636	93	5.68%	462	28.24%	619	37.84%	72	4.40%	248	15.16%	462	28.24%
75 ～	男	38	0		23	60.53%	9	23.68%	2	5.26%	3	7.89%	23	60.53%
	女	14	0		9	64.29%	5	35.71%	0		0		9	64.29%
	計	52	0		32	61.54%	14	26.92%	2	3.85%	3	5.77%	32	61.54%
合計		3864	600	15.53%	774	20.03%	1570	40.63%	139	3.60%	579	14.98%	553	14.31%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	1064	102	9.59%	613	57.61%	349	32.80%
	女	1112	208	18.71%	731	65.74%	173	15.56%
	計	2176	310	14.25%	1344	61.76%	522	23.99%
40 ～ 74	男	822	37	4.50%	466	56.69%	319	38.81%
	女	814	95	11.67%	491	60.32%	228	28.01%
	計	1636	132	8.07%	957	58.50%	547	33.44%
75 ～	男	38	1	2.63%	30	78.95%	7	18.42%
	女	14	1	7.14%	11	78.57%	2	14.29%
	計	52	2	3.85%	41	78.85%	9	17.31%
合計		3864	444	11.49%	2342	60.61%	1078	27.90%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1064	870	81.77%	118	11.09%	55	5.17%	0		13	1.22%	8	0.75%
	女	1112	1011	90.92%	28	2.52%	66	5.94%	0		4	0.36%	3	0.27%
	計	2176	1881	86.44%	146	6.71%	121	5.56%	0		17	0.78%	11	0.51%
40 ～ 74	男	822	340	41.36%	132	16.06%	101	12.29%	0		50	6.08%	199	24.21%
	女	813	500	61.50%	79	9.72%	98	12.05%	0		20	2.46%	116	14.27%
	計	1635	840	51.38%	211	12.91%	199	12.17%	0		70	4.28%	315	19.27%
75 ～	男	38	8	21.05%	4	10.53%	5	13.16%	0		2	5.26%	19	50.00%
	女	14	2	14.29%	2	14.29%	4	28.57%	0		0		6	42.86%
	計	52	10	19.23%	6	11.54%	9	17.31%	0		2	3.85%	25	48.08%
合計		3863	2731	70.70%	363	9.40%	329	8.52%	0		89	2.30%	351	9.09%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1106	1098	99.28%	0		8	0.72%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1106	1098	99.28%	0		8	0.72%	0		0		0	
40 ～ 74	男	809	785	97.03%	0		24	2.97%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	809	785	97.03%	0		24	2.97%	0		0		0	
75 ～	男	14	9	64.29%	0		5	35.71%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	14	9	64.29%	0		5	35.71%	0		0		0	
合計		1929	1892	98.08%	0		37	1.92%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	880	817	92.84%	32	3.64%	17	1.93%	0		14	1.59%	0	
	女	0	0		0		0		0		0		0	
	計	880	817	92.84%	32	3.64%	17	1.93%	0		14	1.59%	0	
40 ～ 74	男	758	642	84.70%	53	6.99%	23	3.03%	0		38	5.01%	2	0.26%
	女	0	0		0		0		0		0		0	
	計	758	642	84.70%	53	6.99%	23	3.03%	0		38	5.01%	2	0.26%
75 ～	男	14	12	85.71%	1	7.14%	1	7.14%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	14	12	85.71%	1	7.14%	1	7.14%	0		0		0	
合計		1652	1471	89.04%	86	5.21%	41	2.48%	0		52	3.15%	2	0.12%

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	881	596	67.65%	127	14.42%	95	10.78%	11	1.25%	51	5.79%	1	0.11%
	女	0	0		0		0		0		0		0	
	計	881	596	67.65%	127	14.42%	95	10.78%	11	1.25%	51	5.79%	1	0.11%
40 ～ 74	男	758	264	34.83%	174	22.96%	185	24.41%	35	4.62%	16	2.11%	84	11.08%
	女	0	0		0		0		0		0		0	
	計	758	264	34.83%	174	22.96%	185	24.41%	35	4.62%	16	2.11%	84	11.08%
75 ～	男	14	2	14.29%	4	28.57%	2	14.29%	0		0		6	42.86%
	女	0	0		0		0		0		0		0	
	計	14	2	14.29%	4	28.57%	2	14.29%	0		0		6	42.86%
合計		1653	862	52.15%	305	18.45%	282	17.06%	46	2.78%	67	4.05%	91	5.51%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1107	1052	95.03%	34	3.07%	9	0.81%	0		6	0.54%	6	0.54%
	女	0	0		0		0		0		0		0	
	計	1107	1052	95.03%	34	3.07%	9	0.81%	0		6	0.54%	6	0.54%
40 ～ 74	男	814	564	69.29%	139	17.08%	61	7.49%	0		13	1.60%	37	4.55%
	女	0	0		0		0		0		0		0	
	計	814	564	69.29%	139	17.08%	61	7.49%	0		13	1.60%	37	4.55%
75 ～	男	14	5	35.71%	5	35.71%	1	7.14%	0		0		3	21.43%
	女	0	0		0		0		0		0		0	
	計	14	5	35.71%	5	35.71%	1	7.14%	0		0		3	21.43%
合計		1935	1621	83.77%	178	9.20%	71	3.67%	0		19	0.98%	46	2.38%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1094	975	89.12%	97	8.87%	20	1.83%	0		2	0.18%	0	
	女	0	0		0		0		0		0		0	
	計	1094	975	89.12%	97	8.87%	20	1.83%	0		2	0.18%	0	
40 ～ 74	男	805	738	91.68%	43	5.34%	21	2.61%	0		3	0.37%	0	
	女	0	0		0		0		0		0		0	
	計	805	738	91.68%	43	5.34%	21	2.61%	0		3	0.37%	0	
75 ～	男	14	11	78.57%	2	14.29%	1	7.14%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	14	11	78.57%	2	14.29%	1	7.14%	0		0		0	
合計		1913	1724	90.12%	142	7.42%	42	2.20%	0		5	0.26%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	109	108	99.08%	1	0.92%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	109	108	99.08%	1	0.92%	0		0		0		0	
40 ～ 74	男	155	150	96.77%	3	1.94%	1	0.65%	1	0.65%	0		0	
	女	0	0		0		0		0		0		0	
	計	155	150	96.77%	3	1.94%	1	0.65%	1	0.65%	0		0	
75 ～	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
合計		266	260	97.74%	4	1.50%	1	0.38%	1	0.38%	0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	885	625	70.62%	95	10.73%	97	10.96%	48	5.42%	2	0.23%	18	2.03%
	女	0	0		0		0		0		0		0	
	計	885	625	70.62%	95	10.73%	97	10.96%	48	5.42%	2	0.23%	18	2.03%
40 ～ 74	男	758	516	68.07%	109	14.38%	74	9.76%	36	4.75%	7	0.92%	16	2.11%
	女	0	0		0		0		0		0		0	
	計	758	516	68.07%	109	14.38%	74	9.76%	36	4.75%	7	0.92%	16	2.11%
75 ～	男	14	12	85.71%	1	7.14%	0		0		0		1	7.14%
	女	0	0		0		0		0		0		0	
	計	14	12	85.71%	1	7.14%	0		0		0		1	7.14%
合計		1657	1153	69.58%	205	12.37%	171	10.32%	84	5.07%	9	0.54%	35	2.11%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	121	97	80.17%	14	11.57%	4	3.31%	0		6	4.96%	0	
	女	0	0		0		0		0		0		0	
	計	121	97	80.17%	14	11.57%	4	3.31%	0		6	4.96%	0	
40 ～ 74	男	169	142	84.02%	14	8.28%	2	1.18%	0		11	6.51%	0	
	女	0	0		0		0		0		0		0	
	計	169	142	84.02%	14	8.28%	2	1.18%	0		11	6.51%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		291	240	82.47%	28	9.62%	6	2.06%	0		17	5.84%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	14	14	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	14	14	100.00%	0		0		0		0		0	
40 ～ 74	男	16	16	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	16	16	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		30	30	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	27	26	96.30%	0		0		0		1	3.70%	0	
	女	0	0		0		0		0		0		0	
	計	27	26	96.30%	0		0		0		1	3.70%	0	
40 ～ 74	男	144	135	93.75%	0		0		0		7	4.86%	2	1.39%
	女	0	0		0		0		0		0		0	
	計	144	135	93.75%	0		0		0		7	4.86%	2	1.39%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		172	162	94.19%	0		0		0		8	4.65%	2	1.16%

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	826	724	87.65%	37	4.48%	59	7.14%	0		4	0.48%	2	0.24%
	女	0	0		0		0		0		0		0	
	計	826	724	87.65%	37	4.48%	59	7.14%	0		4	0.48%	2	0.24%
40 ～ 74	男	744	603	81.05%	48	6.45%	74	9.95%	0		10	1.34%	9	1.21%
	女	0	0		0		0		0		0		0	
	計	744	603	81.05%	48	6.45%	74	9.95%	0		10	1.34%	9	1.21%
75 ～	男	13	7	53.85%	1	7.69%	4	30.77%	0		0		1	7.69%
	女	0	0		0		0		0		0		0	
	計	13	7	53.85%	1	7.69%	4	30.77%	0		0		1	7.69%
合計		1583	1334	84.27%	86	5.43%	137	8.65%	0		14	0.88%	12	0.76%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
40 ～ 74	男	12	9	75.00%	0		1	8.33%	0		1	8.33%	1	8.33%
	女	0	0		0		0		0		0		0	
	計	12	9	75.00%	0		1	8.33%	0		1	8.33%	1	8.33%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		14	11	78.57%	0		1	7.14%	0		1	7.14%	1	7.14%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		3	3	100.00%	0		0		0		0		0	

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1009	930	92.17%	0		76	7.53%	1	0.10%	2	0.20%	0	
	女	0	0		0		0		0		0		0	
	計	1009	930	92.17%	0		76	7.53%	1	0.10%	2	0.20%	0	
40 ～ 74	男	710	621	87.46%	0		83	11.69%	0		3	0.42%	3	0.42%
	女	0	0		0		0		0		0		0	
	計	710	621	87.46%	0		83	11.69%	0		3	0.42%	3	0.42%
75 ～	男	13	6	46.15%	0		6	46.15%	0		0		1	7.69%
	女	0	0		0		0		0		0		0	
	計	13	6	46.15%	0		6	46.15%	0		0		1	7.69%
合計		1732	1557	89.90%	0		165	9.53%	1	0.06%	5	0.29%	4	0.23%

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	17	14	82.35%	0		3	17.65%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	17	14	82.35%	0		3	17.65%	0		0		0	
40 ～ 74	男	75	47	62.67%	0		28	37.33%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	75	47	62.67%	0		28	37.33%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		92	61	66.30%	0		31	33.70%	0		0		0	

20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	16	0		14	87.50%	2	12.50%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	16	0		14	87.50%	2	12.50%	0		0		0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		17	1	5.88%	14	82.35%	2	11.76%	0		0		0	

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	0		0		1	50.00%	0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	0		0		1	50.00%	0		1	50.00%	0	
40 ～ 74	男	27	6	22.22%	1	3.70%	19	70.37%	0		1	3.70%	0	
	女	0	0		0		0		0		0		0	
	計	27	6	22.22%	1	3.70%	19	70.37%	0		1	3.70%	0	
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		30	7	23.33%	1	3.33%	20	66.67%	0		2	6.67%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	23	22	95.65%	0		0		0		1	4.35%	0	
	女	0	0		0		0		0		0		0	
	計	23	22	95.65%	0		0		0		1	4.35%	0	
40 ～ 74	男	72	67	93.06%	0		0		0		5	6.94%	0	
	女	0	0		0		0		0		0		0	
	計	72	67	93.06%	0		0		0		5	6.94%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		95	89	93.68%	0		0		0		6	6.32%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	62	47	75.81%	4	6.45%	9	14.52%	0		2	3.23%	0	
	女	0	0		0		0		0		0		0	
	計	62	47	75.81%	4	6.45%	9	14.52%	0		2	3.23%	0	
40 ～ 74	男	77	53	68.83%	10	12.99%	14	18.18%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	77	53	68.83%	10	12.99%	14	18.18%	0		0		0	
75 ～	男	1	0		1	100.00%	0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	0		1	100.00%	0		0		0		0	
合計		140	100	71.43%	15	10.71%	23	16.43%	0		2	1.43%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	60	55	91.67%	0		0		0		1	1.67%	4	6.67%
	女	0	0		0		0		0		0		0	
	計	60	55	91.67%	0		0		0		1	1.67%	4	6.67%
40 ～ 74	男	116	108	93.10%	0		1	0.86%	0		0		7	6.03%
	女	0	0		0		0		0		0		0	
	計	116	108	93.10%	0		1	0.86%	0		0		7	6.03%
75 ～	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		177	164	92.66%	0		1	0.56%	0		1	0.56%	11	6.21%

⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	116	40	34.48%	21	18.10%	34	29.31%	5	4.31%	16	13.79%	0	
	女	444	267	60.14%	34	7.66%	100	22.52%	10	2.25%	24	5.41%	9	2.03%
	計	560	307	54.82%	55	9.82%	134	23.93%	15	2.68%	40	7.14%	9	1.61%
40 ～ 74	男	451	211	46.78%	10	2.22%	145	32.15%	10	2.22%	44	9.76%	10	2.22%
	女	1311	827	63.08%	58	4.42%	228	17.39%	8	0.61%	123	9.38%	58	4.42%
	計	1762	1038	58.91%	68	3.86%	373	21.17%	18	1.02%	167	9.48%	68	3.86%
75 ～	男	30	6	20.00%	9	30.00%	11	36.67%	0		3	10.00%	9	30.00%
	女	52	29	55.77%	4	7.69%	13	25.00%	0		5	9.62%	4	7.69%
	計	82	35	42.68%	13	15.85%	24	29.27%	0		8	9.76%	13	15.85%
合計		2404	1380	57.40%	136	5.66%	531	22.09%	33	1.37%	215	8.94%	90	3.74%

1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	45	1	2.22%	29	64.44%	15	33.33%
	女	163	28	17.18%	111	68.10%	24	14.72%
	計	208	29	13.94%	140	67.31%	39	18.75%
40 ～ 74	男	25	0		18	72.00%	7	28.00%
	女	111	15	13.51%	74	66.67%	22	19.82%
	計	136	15	11.03%	92	67.65%	29	21.32%
75 ～	男	10	0		7	70.00%	3	30.00%
	女	4	0		4	100.00%	0	
	計	14	0		11	78.57%	3	21.43%
合計		358	44	12.29%	243	67.88%	71	19.83%

2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	48	38	79.17%	5	10.42%	5	10.42%	0		0		0	
	女	166	155	93.37%	3	1.81%	7	4.22%	0		0		1	0.60%
	計	214	193	90.19%	8	3.74%	12	5.61%	0		0		1	0.47%
40 ～ 74	男	46	20	43.48%	9	19.57%	7	15.22%	1	2.17%	0		9	19.57%
	女	114	73	64.04%	6	5.26%	14	12.28%	0		4	3.51%	17	14.91%
	計	160	93	58.13%	15	9.38%	21	13.13%	1	0.63%	4	2.50%	26	16.25%
75 ～	男	10	0		1	10.00%	2	20.00%	0		0		7	70.00%
	女	4	0		0		1	25.00%	0		0		3	75.00%
	計	14	0		1	7.14%	3	21.43%	0		0		10	71.43%
合計		388	286	73.71%	24	6.19%	36	9.28%	1	0.26%	4	1.03%	37	9.54%

3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	45	44	97.78%	0		1	2.22%	0		0		0	
	女	164	163	99.39%	0		1	0.61%	0		0		0	
	計	209	207	99.04%	0		2	0.96%	0		0		0	
40 ～ 74	男	38	33	86.84%	0		5	13.16%	0		0		0	
	女	136	124	91.18%	0		12	8.82%	0		0		0	
	計	174	157	90.23%	0		17	9.77%	0		0		0	
75 ～	男	12	6	50.00%	0		6	50.00%	0		0		0	
	女	6	4	66.67%	0		2	33.33%	0		0		0	
	計	18	10	55.56%	0		8	44.44%	0		0		0	
合計		401	374	93.27%	0		27	6.73%	0		0		0	

4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	60	37	61.67%	8	13.33%	3	5.00%	5	8.33%	7	11.67%	0	
	女	150	138	92.00%	7	4.67%	2	1.33%	1	0.67%	2	1.33%	0	
	計	210	175	83.33%	15	7.14%	5	2.38%	6	2.86%	9	4.29%	0	
40 ～ 74	男	25	20	80.00%	3	12.00%	1	4.00%	0		1	4.00%	0	
	女	123	98	79.67%	13	10.57%	7	5.69%	0		5	4.07%	0	
	計	148	118	79.73%	16	10.81%	8	5.41%	0		6	4.05%	0	
75 ～	男	10	7	70.00%	3	30.00%	0		0		0		0	
	女	4	3	75.00%	1	25.00%	0		0		0		0	
	計	14	10	71.43%	4	28.57%	0		0		0		0	
合計		372	303	81.45%	35	9.41%	13	3.49%	6	1.61%	15	4.03%	0	

5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	29	51.79%	10	17.86%	13	23.21%	2	3.57%	2	3.57%	0	
	女	153	97	63.40%	25	16.34%	19	12.42%	3	1.96%	9	5.88%	0	
	計	209	126	60.29%	35	16.75%	32	15.31%	5	2.39%	11	5.26%	0	
40 ～ 74	男	24	4	16.67%	8	33.33%	8	33.33%	3	12.50%	0		1	4.17%
	女	125	38	30.40%	31	24.80%	34	27.20%	3	2.40%	3	2.40%	16	12.80%
	計	149	42	28.19%	39	26.17%	42	28.19%	6	4.03%	3	2.01%	17	11.41%
75 ～	男	10	3	30.00%	1	10.00%	4	40.00%	0		0		2	20.00%
	女	5	0		1	20.00%	1	20.00%	0		0		3	60.00%
	計	15	3	20.00%	2	13.33%	5	33.33%	0		0		5	33.33%
合計		373	171	45.84%	76	20.38%	79	21.18%	11	2.95%	14	3.75%	22	5.90%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	58	53	91.38%	4	6.90%	0		0		1	1.72%	0	
	女	167	152	91.02%	12	7.19%	3	1.80%	0		0		0	
	計	225	205	91.11%	16	7.11%	3	1.33%	0		1	0.44%	0	
40 ～ 74	男	47	29	61.70%	4	8.51%	10	21.28%	0		1	2.13%	3	6.38%
	女	123	63	51.22%	40	32.52%	14	11.38%	0		2	1.63%	4	3.25%
	計	170	92	54.12%	44	25.88%	24	14.12%	0		3	1.76%	7	4.12%
75 ～	男	10	4	40.00%	1	10.00%	1	10.00%	0		0		4	40.00%
	女	4	4	100.00%	0		0		0		0		0	
	計	14	8	57.14%	1	7.14%	1	7.14%	0		0		4	28.57%
合計		409	305	74.57%	61	14.91%	28	6.85%	0		4	0.98%	11	2.69%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	55	44	80.00%	10	18.18%	1	1.82%	0		0		0	
	女	169	148	87.57%	20	11.83%	1	0.59%	0		0		0	
	計	224	192	85.71%	30	13.39%	2	0.89%	0		0		0	
40 ～ 74	男	49	39	79.59%	5	10.20%	4	8.16%	1	2.04%	0		0	
	女	124	94	75.81%	23	18.55%	5	4.03%	0		2	1.61%	0	
	計	173	133	76.88%	28	16.18%	9	5.20%	1	0.58%	2	1.16%	0	
75 ～	男	10	7	70.00%	1	10.00%	2	20.00%	0		0		0	
	女	4	3	75.00%	1	25.00%	0		0		0		0	
	計	14	10	71.43%	2	14.29%	2	14.29%	0		0		0	
合計		411	335	81.51%	60	14.60%	13	3.16%	1	0.24%	2	0.49%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	39	29	74.36%	8	20.51%	1	2.56%	1	2.56%	0		0	
	女	30	29	96.67%	0		1	3.33%	0		0		0	
	計	69	58	84.06%	8	11.59%	2	2.90%	1	1.45%	0		0	
40 ～ 74	男	24	17	70.83%	4	16.67%	1	4.17%	1	4.17%	0		1	4.17%
	女	102	101	99.02%	0		1	0.98%	0		0		0	
	計	126	118	93.65%	4	3.17%	2	1.59%	1	0.79%	0		1	0.79%
75 ～	男	8	5	62.50%	2	25.00%	1	12.50%	0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	10	7	70.00%	2	20.00%	1	10.00%	0		0		0	
合計		205	183	89.27%	14	6.83%	5	2.44%	2	0.98%	0		1	0.49%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	34	60.71%	20	35.71%	1	1.79%	0		1	1.79%	0	
	女	150	110	73.33%	16	10.67%	16	10.67%	6	4.00%	1	0.67%	1	0.67%
	計	206	144	69.90%	36	17.48%	17	8.25%	6	2.91%	2	0.97%	1	0.49%
40 ～ 74	男	24	22	91.67%	2	8.33%	0		0		0		0	
	女	125	89	71.20%	14	11.20%	8	6.40%	8	6.40%	4	3.20%	2	1.60%
	計	149	111	74.50%	16	10.74%	8	5.37%	8	5.37%	4	2.68%	2	1.34%
75 ～	男	10	6	60.00%	1	10.00%	2	20.00%	1	10.00%	0		0	
	女	4	1	25.00%	3	75.00%	0		0		0		0	
	計	14	7	50.00%	4	28.57%	2	14.29%	1	7.14%	0		0	
合計		369	262	71.00%	56	15.18%	27	7.32%	15	4.07%	6	1.63%	3	0.81%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	35	32	91.43%	2	5.71%	0		0		1	2.86%	0	
	女	21	17	80.95%	4	19.05%	0		0		0		0	
	計	56	49	87.50%	6	10.71%	0		0		1	1.79%	0	
40 ～ 74	男	7	6	85.71%	0		0		0		1	14.29%	0	
	女	56	46	82.14%	4	7.14%	0		2	3.57%	4	7.14%	0	
	計	63	52	82.54%	4	6.35%	0		2	3.17%	5	7.94%	0	
75 ～	男	8	8	100.00%	0		0		0		0		0	
	女	2	2	100.00%	0		0		0		0		0	
	計	10	10	100.00%	0		0		0		0		0	
合計		129	111	86.05%	10	7.75%	0		2	1.55%	6	4.65%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0		0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	12	12	100.00%	0		0		0		0		0	
40 ～ 74	男	8	8	100.00%	0		0		0		0		0	
	女	17	17	100.00%	0		0		0		0		0	
	計	25	25	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		37	37	100.00%	0		0		0		0		0	

12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	86	81	94.19%	0	0	0	0	0	0	5	5.81%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	86	81	94.19%	0	0	0	0	0	0	5	5.81%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		92	87	94.57%	0	0	0	0	0	0	5	5.43%	0	0

13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	30	27	90.00%	0	0	0	0	0	0	3	10.00%	0	0
	女	27	26	96.30%	0	0	0	0	0	0	1	3.70%	0	0
	計	57	53	92.98%	0	0	0	0	0	0	4	7.02%	0	0
40 ～ 74	男	42	40	95.24%	0	0	0	0	0	0	2	4.76%	0	0
	女	107	101	94.39%	0	0	0	0	0	0	6	5.61%	0	0
	計	149	141	94.63%	0	0	0	0	0	0	8	5.37%	0	0
75 ～	男	9	8	88.89%	0	0	0	0	0	0	1	11.11%	0	0
	女	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	計	12	11	91.67%	0	0	0	0	0	0	1	8.33%	0	0
合計		218	205	94.04%	0	0	0	0	0	0	13	5.96%	0	0

14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	46	40	86.96%	4	8.70%	2	4.35%	0	0	0	0	0	0
	女	148	124	83.78%	9	6.08%	13	8.78%	0	0	1	0.68%	1	0.68%
	計	194	164	84.54%	13	6.70%	15	7.73%	0	0	1	0.52%	1	0.52%
40 ～ 74	男	27	17	62.96%	5	18.52%	3	11.11%	0	0	2	7.41%	0	0
	女	115	95	82.61%	9	7.83%	11	9.57%	0	0	0	0	0	0
	計	142	112	78.87%	14	9.86%	14	9.86%	0	0	2	1.41%	0	0
75 ～	男	10	6	60.00%	1	10.00%	2	20.00%	0	0	0	0	1	10.00%
	女	4	2	50.00%	0	0	1	25.00%	0	0	0	0	1	25.00%
	計	14	8	57.14%	1	7.14%	3	21.43%	0	0	0	0	2	14.29%
合計		350	284	81.14%	28	8.00%	32	9.14%	0	0	3	0.86%	3	0.86%

15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中		
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	
～ 39	男	2	2	100.00%	0	0	0	0	0	0	0	0	0	0	
	女	2	2	100.00%	0	0	0	0	0	0	0	0	0	0	
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0	
40 ～ 74	男	5	4	80.00%	0	0	0	0	0	1	20.00%	0	0	0	
	女	34	28	82.35%	0	0	0	0	4	11.76%	2	5.88%	2	5.88%	
	計	39	32	82.05%	0	0	0	0	5	12.82%	2	5.13%	2	5.13%	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	0	
合計		43	36	83.72%	0	0	0	0	0	5	11.63%	2	4.65%	2	4.65%

16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	9	7	77.78%	0	0	0	0	0	2	22.22%	0	0	0
	計	13	11	84.62%	0	0	0	0	0	2	15.38%	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		13	11	84.62%	0	0	0	0	0	2	15.38%	0	0	0

17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		0	0		0	0	0	0	0	0	0	0	0	0

18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	45	44	97.78%	0	0	1	2.22%	0	0	0	0	0	0
	女	164	155	94.51%	0	0	9	5.49%	0	0	0	0	0	0
	計	209	199	95.22%	0	0	10	4.78%	0	0	0	0	0	0
40 ～ 74	男	25	23	92.00%	0	0	2	8.00%	0	0	0	0	0	0
	女	145	125	86.21%	0	0	18	12.41%	0	1	0.69%	1	0.69%	0
	計	170	148	87.06%	0	0	20	11.76%	0	1	0.59%	1	0.59%	0
75 ～	男	10	6	60.00%	0	0	4	40.00%	0	0	0	0	0	0
	女	4	2	50.00%	0	0	2	50.00%	0	0	0	0	0	0
	計	14	8	57.14%	0	0	6	42.86%	0	0	0	0	0	0
合計		393	355	90.33%	0	0	36	9.16%	0	1	0.25%	1	0.25%	0

19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	22	18	81.82%	0	0	4	18.18%	0	0	0	0	0	0
	女	13	9	69.23%	0	0	2	15.38%	0	2	15.38%	0	0	0
	計	35	27	77.14%	0	0	6	17.14%	0	2	5.71%	0	0	0
40 ～ 74	男	59	42	71.19%	0	0	16	27.12%	0	1	1.69%	0	0	0
	女	49	28	57.14%	0	0	18	36.73%	0	3	6.12%	0	0	0
	計	108	70	64.81%	0	0	34	31.48%	0	4	3.70%	0	0	0
75 ～	男	5	3	60.00%	0	0	2	40.00%	0	0	0	0	0	0
	女	1	0	0	0	1	100.00%	0	0	0	0	0	0	0
	計	6	3	50.00%	0	0	3	50.00%	0	0	0	0	0	0
合計		149	100	67.11%	0	0	43	28.86%	0	6	4.03%	0	0	0

20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	9	0	0	6	66.67%	3	33.33%	0	0	0	0	0	0
	女	7	3	42.86%	2	28.57%	1	14.29%	1	14.29%	0	0	0	0
	計	16	3	18.75%	8	50.00%	4	25.00%	1	6.25%	0	0	0	0
40 ～ 74	男	102	19	18.63%	28	27.45%	48	47.06%	5	4.90%	2	1.96%	0	0
	女	94	15	15.96%	36	38.30%	41	43.62%	1	1.06%	1	1.06%	0	0
	計	196	34	17.35%	64	32.65%	89	45.41%	6	3.06%	3	1.53%	0	0
75 ～	男	6	0	0	1	16.67%	2	33.33%	1	16.67%	2	33.33%	0	0
	女	2	0	0	1	50.00%	1	50.00%	0	0	0	0	0	0
	計	8	0	0	2	25.00%	3	37.50%	1	12.50%	2	25.00%	0	0
合計		220	37	16.82%	74	33.64%	96	43.64%	8	3.64%	5	2.27%	0	0

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	16	6	37.50%	0		9	56.25%	0		1	6.25%	0	
	女	8	4	50.00%	0		4	50.00%	0		0		0	
	計	24	10	41.67%	0		13	54.17%	0		1	4.17%	0	
40 ～ 74	男	68	8	11.76%	0		55	80.88%	0		5	7.35%	0	
	女	120	15	12.50%	4	3.33%	97	80.83%	0		4	3.33%	0	
	計	188	23	12.23%	4	2.13%	152	80.85%	0		9	4.79%	0	
75 ～	男	8	0		0		8	100.00%	0		0		0	
	女	8	0		0		8	100.00%	0		0		0	
	計	16	0		0		16	100.00%	0		0		0	
合計		228	33	14.47%	4	1.75%	181	79.39%	0		10	4.39%	0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	59	59	100.00%	0		0		0		0		0	
	計	59	59	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	272	262	96.32%	1	0.37%	1	0.37%	0		8	2.94%	0	
	計	272	262	96.32%	1	0.37%	1	0.37%	0		8	2.94%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
合計		335	325	97.01%	1	0.30%	1	0.30%	0		8	2.39%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	130	106	81.54%	9	6.92%	13	10.00%	0		2	1.54%	0	
	計	130	106	81.54%	9	6.92%	13	10.00%	0		2	1.54%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	314	238	75.80%	30	9.55%	31	9.87%	0		15	4.78%	0	
	計	314	238	75.80%	30	9.55%	31	9.87%	0		15	4.78%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	8	8	100.00%	0		0		0		0		0	
合計		452	352	77.88%	39	8.63%	44	9.73%	0		17	3.76%	0	

24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	245	230	93.88%	0		6	2.45%	0		3	1.22%	6	2.45%
	計	245	230	93.88%	0		6	2.45%	0		3	1.22%	6	2.45%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	531	509	95.86%	2	0.38%	5	0.94%	0		3	0.56%	12	2.26%
	計	531	509	95.86%	2	0.38%	5	0.94%	0		3	0.56%	12	2.26%
75 ～	男	0	0		0		0		0		0		0	
	女	18	17	94.44%	0		1	5.56%	0		0		0	
	計	18	17	94.44%	0		1	5.56%	0		0		0	
合計		794	756	95.21%	2	0.25%	12	1.51%	0		6	0.76%	18	2.27%