

# 令和5年度 事業年報

## ①人間ドック

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	1	1.18%	3	3.53%	39	45.88%	4	4.71%	31	36.47%	7	8.24%
	女	90	2	2.22%	2	2.22%	45	50.00%	0		27	30.00%	14	15.56%
	計	175	3	1.71%	5	2.86%	84	48.00%	4	2.29%	58	33.14%	21	12.00%
40 ～ 74	男	934	1	0.11%	362	38.76%	248	26.55%	35	3.75%	285	30.51%	362	38.76%
	女	809	0		278	34.36%	253	31.27%	46	5.69%	225	27.81%	278	34.36%
	計	1743	1	0.06%	640	36.72%	501	28.74%	81	4.65%	510	29.26%	640	36.72%
75 ～	男	52	0		37	71.15%	5	9.62%	0		10	19.23%	37	71.15%
	女	33	0		24	72.73%	4	12.12%	1	3.03%	4	12.12%	24	72.73%
	計	85	0		61	71.76%	9	10.59%	1	1.18%	14	16.47%	61	71.76%
合計		2003	4	0.20%	706	35.25%	594	29.66%	86	4.29%	582	29.06%	722	36.05%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	85	3	3.53%	51	60.00%	31	36.47%
	女	90	15	16.67%	61	67.78%	14	15.56%
	計	175	18	10.29%	112	64.00%	45	25.71%
40 ～ 74	男	934	23	2.46%	565	60.49%	346	37.04%
	女	809	114	14.09%	520	64.28%	175	21.63%
	計	1743	137	7.86%	1085	62.25%	521	29.89%
75 ～	男	52	1	1.92%	44	84.62%	7	13.46%
	女	33	5	15.15%	19	57.58%	9	27.27%
	計	85	6	7.06%	63	74.12%	16	18.82%
合計		2003	161	8.04%	1260	62.91%	582	29.06%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	65	76.47%	8	9.41%	10	11.76%	0		1	1.18%	1	1.18%
	女	90	81	90.00%	4	4.44%	4	4.44%	0		0		1	1.11%
	計	175	146	83.43%	12	6.86%	14	8.00%	0		1	0.57%	2	1.14%
40 ～ 74	男	934	427	45.72%	134	14.35%	107	11.46%	0		36	3.85%	230	24.63%
	女	809	468	57.85%	109	13.47%	101	12.48%	0		10	1.24%	121	14.96%
	計	1743	895	51.35%	243	13.94%	208	11.93%	0		46	2.64%	351	20.14%
75 ～	男	52	15	28.85%	5	9.62%	4	7.69%	0		0		28	53.85%
	女	33	7	21.21%	2	6.06%	7	21.21%	0		0		17	51.52%
	計	85	22	25.88%	7	8.24%	11	12.94%	0		0		45	52.94%
合計		2003	1063	53.07%	262	13.08%	233	11.63%	0		47	2.35%	398	19.87%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	85	100.00%	0	0	0	0	0	0	0	0	0	0
	女	90	88	97.78%	0	2	2.22%	0	0	0	0	0	0	0
	計	175	173	98.86%	0	2	1.14%	0	0	0	0	0	0	0
40 ～ 74	男	931	836	89.80%	0	95	10.20%	0	0	0	0	0	0	0
	女	806	784	97.27%	0	22	2.73%	0	0	0	0	0	0	0
	計	1737	1620	93.26%	0	117	6.74%	0	0	0	0	0	0	0
75 ～	男	51	23	45.10%	0	28	54.90%	0	0	0	0	0	0	0
	女	31	25	80.65%	0	6	19.35%	0	0	0	0	0	0	0
	計	82	48	58.54%	0	34	41.46%	0	0	0	0	0	0	0
合計		1994	1841	92.33%	0	153	7.67%	0	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	31	36.47%	11	12.94%	20	23.53%	0	0	23	27.06%	0	0
	女	90	68	75.56%	13	14.44%	4	4.44%	0	0	5	5.56%	0	0
	計	175	99	56.57%	24	13.71%	24	13.71%	0	0	28	16.00%	0	0
40 ～ 74	男	934	425	45.50%	153	16.38%	179	19.16%	0	0	176	18.84%	1	0.11%
	女	809	570	70.46%	96	11.87%	85	10.51%	0	0	57	7.05%	1	0.12%
	計	1743	995	57.09%	249	14.29%	264	15.15%	0	0	233	13.37%	2	0.11%
75 ～	男	52	32	61.54%	6	11.54%	10	19.23%	0	0	4	7.69%	0	0
	女	33	22	66.67%	4	12.12%	7	21.21%	0	0	0	0	0	0
	計	85	54	63.53%	10	11.76%	17	20.00%	0	0	4	4.71%	0	0
合計		2003	1148	57.31%	283	14.13%	305	15.23%	0	0	265	13.23%	2	0.10%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	29	34.12%	16	18.82%	27	31.76%	8	9.41%	1	1.18%	4	4.71%
	女	90	48	53.33%	21	23.33%	15	16.67%	0	0	6	6.67%	0	0
	計	175	77	44.00%	37	21.14%	42	24.00%	8	4.57%	7	4.00%	4	2.29%
40 ～ 74	男	934	194	20.77%	215	23.02%	310	33.19%	50	5.35%	26	2.78%	139	14.88%
	女	809	135	16.69%	151	18.67%	301	37.21%	55	6.80%	26	3.21%	141	17.43%
	計	1743	329	18.88%	366	21.00%	611	35.05%	105	6.02%	52	2.98%	280	16.06%
75 ～	男	52	13	25.00%	13	25.00%	14	26.92%	1	1.92%	1	1.92%	10	19.23%
	女	33	2	6.06%	10	30.30%	5	15.15%	2	6.06%	0	0	14	42.42%
	計	85	15	17.65%	23	27.06%	19	22.35%	3	3.53%	1	1.18%	24	28.24%
合計		2003	421	21.02%	426	21.27%	672	33.55%	116	5.79%	60	3.00%	308	15.38%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	40	47.06%	34	40.00%	7	8.24%	0		3	3.53%	1	1.18%
	女	90	47	52.22%	35	38.89%	8	8.89%	0		0		0	
	計	175	87	49.71%	69	39.43%	15	8.57%	0		3	1.71%	1	0.57%
40 ～ 74	男	934	216	23.13%	343	36.72%	270	28.91%	0		36	3.85%	69	7.39%
	女	809	241	29.79%	304	37.58%	226	27.94%	0		6	0.74%	32	3.96%
	計	1743	457	26.22%	647	37.12%	496	28.46%	0		42	2.41%	101	5.79%
75 ～	男	52	8	15.38%	13	25.00%	22	42.31%	0		4	7.69%	5	9.62%
	女	33	5	15.15%	7	21.21%	15	45.45%	0		1	3.03%	5	15.15%
	計	85	13	15.29%	20	23.53%	37	43.53%	0		5	5.88%	10	11.76%
合計		2003	557	27.81%	736	36.74%	548	27.36%	0		50	2.50%	112	5.59%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	67	78.82%	13	15.29%	5	5.88%	0		0		0	
	女	90	68	75.56%	17	18.89%	5	5.56%	0		0		0	
	計	175	135	77.14%	30	17.14%	10	5.71%	0		0		0	
40 ～ 74	男	934	695	74.41%	124	13.28%	98	10.49%	0		17	1.82%	0	
	女	809	539	66.63%	162	20.02%	101	12.48%	0		7	0.87%	0	
	計	1743	1234	70.80%	286	16.41%	199	11.42%	0		24	1.38%	0	
75 ～	男	52	30	57.69%	10	19.23%	11	21.15%	0		1	1.92%	0	
	女	33	19	57.58%	4	12.12%	8	24.24%	0		2	6.06%	0	
	計	85	49	57.65%	14	16.47%	19	22.35%	0		3	3.53%	0	
合計		2003	1418	70.79%	330	16.48%	228	11.38%	0		27	1.35%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	63	74.12%	14	16.47%	4	4.71%	4	4.71%	0		0	
	女	90	89	98.89%	0		1	1.11%	0		0		0	
	計	175	152	86.86%	14	8.00%	5	2.86%	4	2.29%	0		0	
40 ～ 74	男	934	660	70.66%	140	14.99%	39	4.18%	31	3.32%	0		64	6.85%
	女	809	780	96.42%	24	2.97%	3	0.37%	1	0.12%	0		1	0.12%
	計	1743	1440	82.62%	164	9.41%	42	2.41%	32	1.84%	0		65	3.73%
75 ～	男	52	43	82.69%	4	7.69%	1	1.92%	0		0		4	7.69%
	女	33	31	93.94%	1	3.03%	1	3.03%	0		0		0	
	計	85	74	87.06%	5	5.88%	2	2.35%	0		0		4	4.71%
合計		2003	1666	83.18%	183	9.14%	49	2.45%	36	1.80%	0		69	3.44%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	64	75.29%	20	23.53%	1	1.18%	0		0		0	
	女	90	65	72.22%	15	16.67%	3	3.33%	4	4.44%	1	1.11%	2	2.22%
	計	175	129	73.71%	35	20.00%	4	2.29%	4	2.29%	1	0.57%	2	1.14%
40 ～ 74	男	934	707	75.70%	162	17.34%	22	2.36%	4	0.43%	38	4.07%	1	0.11%
	女	809	536	66.25%	171	21.14%	44	5.44%	30	3.71%	13	1.61%	15	1.85%
	計	1743	1243	71.31%	333	19.10%	66	3.79%	34	1.95%	51	2.93%	16	0.92%
75 ～	男	52	35	67.31%	5	9.62%	7	13.46%	5	9.62%	0		0	
	女	33	23	69.70%	6	18.18%	2	6.06%	1	3.03%	0		1	3.03%
	計	85	58	68.24%	11	12.94%	9	10.59%	6	7.06%	0		1	1.18%
合計		2003	1430	71.39%	379	18.92%	79	3.94%	44	2.20%	52	2.60%	19	0.95%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	73	85.88%	7	8.24%	2	2.35%	0		3	3.53%	0	
	女	90	80	88.89%	5	5.56%	2	2.22%	0		2	2.22%	1	1.11%
	計	175	153	87.43%	12	6.86%	4	2.29%	0		5	2.86%	1	0.57%
40 ～ 74	男	934	805	86.19%	69	7.39%	20	2.14%	0		36	3.85%	4	0.43%
	女	809	690	85.29%	67	8.28%	18	2.22%	0		33	4.08%	1	0.12%
	計	1743	1495	85.77%	136	7.80%	38	2.18%	0		69	3.96%	5	0.29%
75 ～	男	52	44	84.62%	6	11.54%	0		0		2	3.85%	0	
	女	33	29	87.88%	4	12.12%	0		0		0		0	
	計	85	73	85.88%	10	11.76%	0		0		2	2.35%	0	
合計		2003	1721	85.92%	158	7.89%	42	2.10%	0		76	3.79%	6	0.30%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	13	13	100.00%	0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	18	18	100.00%	0		0		0		0		0	
40 ～ 74	男	31	29	93.55%	0		0		0		2	6.45%	0	
	女	13	13	100.00%	0		0		0		0		0	
	計	44	42	95.45%	0		0		0		2	4.55%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		62	60	96.77%	0		0		0		2	3.23%	0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	20	20	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	20	20	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	253	247	97.63%	0	0	0	0	0	0	6	2.37%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	253	247	97.63%	0	0	0	0	0	0	6	2.37%	0	0
75 ～	男	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	6	6	100.00%	0	0	0	0	0	0	0	0	0	0
合計		279	273	97.85%	0	0	0	0	0	0	6	2.15%	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	82	77	93.90%	0	0	0	0	0	0	5	6.10%	0	0
	女	88	84	95.45%	0	0	0	0	0	0	4	4.55%	0	0
	計	170	161	94.71%	0	0	0	0	0	0	9	5.29%	0	0
40 ～ 74	男	923	886	95.99%	0	0	0	0	0	0	34	3.68%	3	0.33%
	女	793	767	96.72%	0	0	0	0	0	0	25	3.15%	1	0.13%
	計	1716	1653	96.33%	0	0	0	0	0	0	59	3.44%	4	0.23%
75 ～	男	52	50	96.15%	0	0	0	0	0	0	2	3.85%	0	0
	女	33	31	93.94%	0	0	0	0	0	0	2	6.06%	0	0
	計	85	81	95.29%	0	0	0	0	0	0	4	4.71%	0	0
合計		1971	1895	96.14%	0	0	0	0	0	0	72	3.65%	4	0.20%

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	69	81.18%	11	12.94%	4	4.71%	0	0	0	0	1	1.18%
	女	90	81	90.00%	1	1.11%	7	7.78%	0	0	0	0	1	1.11%
	計	175	150	85.71%	12	6.86%	11	6.29%	0	0	0	0	2	1.14%
40 ～ 74	男	934	706	75.59%	90	9.64%	93	9.96%	2	0.21%	11	1.18%	32	3.43%
	女	809	623	77.01%	74	9.15%	95	11.74%	0	0	6	0.74%	11	1.36%
	計	1743	1329	76.25%	164	9.41%	188	10.79%	2	0.11%	17	0.98%	43	2.47%
75 ～	男	52	33	63.46%	6	11.54%	7	13.46%	0	0	1	1.92%	5	9.62%
	女	33	20	60.61%	3	9.09%	7	21.21%	0	0	0	0	3	9.09%
	計	85	53	62.35%	9	10.59%	14	16.47%	0	0	1	1.18%	8	9.41%
合計		2003	1532	76.49%	185	9.24%	213	10.63%	2	0.10%	18	0.90%	53	2.65%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	81	95.29%	0		0		0		4	4.71%	0	
	女	89	82	92.13%	0		1	1.12%	0		4	4.49%	2	2.25%
	計	174	163	93.68%	0		1	0.57%	0		8	4.60%	2	1.15%
40 ～ 74	男	931	656	70.46%	6	0.64%	40	4.30%	2	0.21%	170	18.26%	57	6.12%
	女	807	597	73.98%	4	0.50%	34	4.21%	2	0.25%	116	14.37%	54	6.69%
	計	1738	1253	72.09%	10	0.58%	74	4.26%	4	0.23%	286	16.46%	111	6.39%
75 ～	男	51	17	33.33%	0		8	15.69%	0		13	25.49%	13	25.49%
	女	32	12	37.50%	0		6	18.75%	2	6.25%	5	15.63%	7	21.88%
	計	83	29	34.94%	0		14	16.87%	2	2.41%	18	21.69%	20	24.10%
合計		1995	1445	72.43%	10	0.50%	89	4.46%	6	0.30%	312	15.64%	133	6.67%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	78	91.76%	0		6	7.06%	0		1	1.18%	0	
	女	89	82	92.13%	0		4	4.49%	0		1	1.12%	2	2.25%
	計	174	160	91.95%	0		10	5.75%	0		2	1.15%	2	1.15%
40 ～ 74	男	929	810	87.19%	0		34	3.66%	0		28	3.01%	57	6.14%
	女	804	692	86.07%	0		29	3.61%	0		30	3.73%	53	6.59%
	計	1733	1502	86.67%	0		63	3.64%	0		58	3.35%	110	6.35%
75 ～	男	51	37	72.55%	0		0		0		1	1.96%	13	25.49%
	女	32	25	78.13%	0		0		0		0		7	21.88%
	計	83	62	74.70%	0		0		0		1	1.20%	20	24.10%
合計		1990	1724	86.63%	0		73	3.67%	0		61	3.07%	132	6.63%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	39	39	100.00%	0		0		0		0		0	
	女	49	44	89.80%	0		1	2.04%	0		1	2.04%	3	6.12%
	計	88	83	94.32%	0		1	1.14%	0		1	1.14%	3	3.41%
40 ～ 74	男	427	370	86.65%	0		22	5.15%	0		26	6.09%	9	2.11%
	女	477	437	91.61%	0		7	1.47%	0		25	5.24%	8	1.68%
	計	904	807	89.27%	0		29	3.21%	0		51	5.64%	17	1.88%
75 ～	男	32	26	81.25%	0		3	9.38%	0		2	6.25%	1	3.13%
	女	24	22	91.67%	0		1	4.17%	0		1	4.17%	0	
	計	56	48	85.71%	0		4	7.14%	0		3	5.36%	1	1.79%
合計		1048	938	89.50%	0		34	3.24%	0		55	5.25%	21	2.00%

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	81	95.29%	0	0	4	4.71%	0	0	0	0	0	0
	女	84	79	94.05%	0	0	4	4.76%	0	1	1.19%	0	0	0
	計	169	160	94.67%	0	0	8	4.73%	0	1	0.59%	0	0	0
40 ～ 74	男	934	758	81.16%	0	0	161	17.24%	0	10	1.07%	5	0.54%	0
	女	803	678	84.43%	0	0	118	14.69%	0	4	0.50%	3	0.37%	0
	計	1737	1436	82.67%	0	0	279	16.06%	0	14	0.81%	8	0.46%	0
75 ～	男	52	29	55.77%	0	0	21	40.38%	0	1	1.92%	1	1.92%	0
	女	33	15	45.45%	0	0	18	54.55%	0	0	0	0	0	0
	計	85	44	51.76%	0	0	39	45.88%	0	1	1.18%	1	1.18%	0
合計		1991	1640	82.37%	0	0	326	16.37%	0	16	0.80%	9	0.45%	0

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	42	33	78.57%	0	0	9	21.43%	0	0	0	0	0	0
	女	54	45	83.33%	0	0	8	14.81%	0	0	0	1	1.85%	0
	計	96	78	81.25%	0	0	17	17.71%	0	0	0	1	1.04%	0
40 ～ 74	男	414	314	75.85%	0	0	92	22.22%	0	8	1.93%	0	0	0
	女	346	240	69.36%	0	0	104	30.06%	0	2	0.58%	0	0	0
	計	760	554	72.89%	0	0	196	25.79%	0	10	1.32%	0	0	0
75 ～	男	14	8	57.14%	0	0	6	42.86%	0	0	0	0	0	0
	女	5	4	80.00%	0	0	1	20.00%	0	0	0	0	0	0
	計	19	12	63.16%	0	0	7	36.84%	0	0	0	0	0	0
合計		875	644	73.60%	0	0	220	25.14%	0	10	1.14%	1	0.11%	0

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	38	19	50.00%	12	31.58%	5	13.16%	1	2.63%	1	2.63%	0	0
	女	23	9	39.13%	12	52.17%	2	8.70%	0	0	0	0	0	0
	計	61	28	45.90%	24	39.34%	7	11.48%	1	1.64%	1	1.64%	0	0
40 ～ 74	男	471	77	16.35%	147	31.21%	212	45.01%	17	3.61%	16	3.40%	2	0.42%
	女	343	38	11.08%	156	45.48%	135	39.36%	4	1.17%	8	2.33%	2	0.58%
	計	814	115	14.13%	303	37.22%	347	42.63%	21	2.58%	24	2.95%	4	0.49%
75 ～	男	33	3	9.09%	2	6.06%	26	78.79%	0	0	2	6.06%	0	0
	女	26	0	0.00%	5	19.23%	20	76.92%	0	0	1	3.85%	0	0
	計	59	3	5.08%	7	11.86%	46	77.97%	0	0	3	5.08%	0	0
合計		934	146	15.63%	334	35.76%	400	42.83%	22	2.36%	28	3.00%	4	0.43%

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	85	18	21.18%	2	2.35%	65	76.47%	0		0		0	
	女	89	31	34.83%	3	3.37%	52	58.43%	0		3	3.37%	0	
	計	174	49	28.16%	5	2.87%	117	67.24%	0		3	1.72%	0	
40 ～ 74	男	934	83	8.89%	10	1.07%	796	85.22%	0		41	4.39%	4	0.43%
	女	808	144	17.82%	8	0.99%	629	77.85%	0		24	2.97%	3	0.37%
	計	1742	227	13.03%	18	1.03%	1425	81.80%	0		65	3.73%	7	0.40%
75 ～	男	52	2	3.85%	0		46	88.46%	0		4	7.69%	0	
	女	33	2	6.06%	0		27	81.82%	0		3	9.09%	1	3.03%
	計	85	4	4.71%	0		73	85.88%	0		7	8.24%	1	1.18%
合計		2001	280	13.99%	23	1.15%	1615	80.71%	0		75	3.75%	8	0.40%

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	19	16	84.21%	0		0		0		3	15.79%	0	
	計	19	16	84.21%	0		0		0		3	15.79%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	230	220	95.65%	0		0		0		10	4.35%	0	
	計	230	220	95.65%	0		0		0		10	4.35%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	1	1	100.00%	0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
合計		250	237	94.80%	0		0		0		13	5.20%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	42	22	52.38%	1	2.38%	15	35.71%	0		4	9.52%	0	
	計	42	22	52.38%	1	2.38%	15	35.71%	0		4	9.52%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	237	158	66.67%	2	0.84%	68	28.69%	0		9	3.80%	0	
	計	237	158	66.67%	2	0.84%	68	28.69%	0		9	3.80%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	5	5	100.00%	0		0		0		0		0	
	計	5	5	100.00%	0		0		0		0		0	
合計		284	185	65.14%	3	1.06%	83	29.23%	0		13	4.58%	0	



## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	34	32	94.12%	0		1	2.94%	0		0		1	2.94%
	計	34	32	94.12%	0		1	2.94%	0		0		1	2.94%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	311	289	92.93%	1	0.32%	3	0.96%	0		5	1.61%	13	4.18%
	計	311	289	92.93%	1	0.32%	3	0.96%	0		5	1.61%	13	4.18%
75 ～	男	0	0		0		0		0		0		0	
	女	3	3	100.00%	0		0		0		0		0	
	計	3	3	100.00%	0		0		0		0		0	
合計		348	324	93.10%	1	0.29%	4	1.15%	0		5	1.44%	14	4.02%

## ②生活習慣病健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	862	31	3.60%	72	8.35%	340	39.44%	42	4.87%	328	38.05%	49	5.68%
	女	785	42	5.35%	54	6.88%	346	44.08%	62	7.90%	240	30.57%	41	5.22%
	計	1647	73	4.43%	126	7.65%	686	41.65%	104	6.31%	568	34.49%	90	5.46%
40 ～ 74	男	3867	31	0.80%	1052	27.20%	1281	33.13%	236	6.10%	1162	30.05%	1052	27.20%
	女	3803	44	1.16%	859	22.59%	1529	40.21%	304	7.99%	893	23.48%	859	22.59%
	計	7670	75	0.98%	1911	24.92%	2810	36.64%	540	7.04%	2055	26.79%	1911	24.92%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9317	148	1.59%	2037	21.86%	3496	37.52%	644	6.91%	2623	28.15%	2001	21.48%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	862	47	5.45%	507	58.82%	308	35.73%
	女	785	130	16.56%	497	63.31%	158	20.13%
	計	1647	177	10.75%	1004	60.96%	466	28.29%
40 ～ 74	男	3867	140	3.62%	2277	58.88%	1450	37.50%
	女	3803	493	12.96%	2442	64.21%	868	22.82%
	計	7670	633	8.25%	4719	61.53%	2318	30.22%
75 ～	男	0	0		0		0	
	女	0	0		0		0	
	計	0	0		0		0	
合計		9317	810	8.69%	5723	61.43%	2784	29.88%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	862	643	74.59%	112	12.99%	70	8.12%	0		13	1.51%	24	2.78%
	女	785	693	88.28%	32	4.08%	44	5.61%	0		7	0.89%	9	1.15%
	計	1647	1336	81.12%	144	8.74%	114	6.92%	0		20	1.21%	33	2.00%
40 ～ 74	男	3867	1750	45.25%	543	14.04%	513	13.27%	0		165	4.27%	896	23.17%
	女	3803	2384	62.69%	408	10.73%	422	11.10%	0		81	2.13%	508	13.36%
	計	7670	4134	53.90%	951	12.40%	935	12.19%	0		246	3.21%	1404	18.31%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9317	5470	58.71%	1095	11.75%	1049	11.26%	0		266	2.85%	1437	15.42%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	861	853	99.07%	0		5	0.58%	3	0.35%	0		0	
	女	780	776	99.49%	0		3	0.38%	1	0.13%	0		0	
	計	1641	1629	99.27%	0		8	0.49%	4	0.24%	0		0	
40 ～ 74	男	3853	3424	88.87%	0		369	9.58%	57	1.48%	0		3	0.08%
	女	3755	3647	97.12%	0		90	2.40%	17	0.45%	0		1	0.03%
	計	7608	7071	92.94%	0		459	6.03%	74	0.97%	0		4	0.05%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9249	8700	94.06%	0		467	5.05%	78	0.84%	0		4	0.04%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	845	457	54.08%	124	14.67%	98	11.60%	0		165	19.53%	1	0.12%
	女	785	659	83.95%	73	9.30%	27	3.44%	0		26	3.31%	0	
	計	1630	1116	68.47%	197	12.09%	125	7.67%	0		191	11.72%	1	0.06%
40 ～ 74	男	3866	2075	53.67%	738	19.09%	372	9.62%	0		671	17.36%	10	0.26%
	女	3803	2993	78.70%	450	11.83%	174	4.58%	1	0.03%	176	4.63%	9	0.24%
	計	7669	5068	66.08%	1188	15.49%	546	7.12%	1	0.01%	847	11.04%	19	0.25%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9299	6184	66.50%	1385	14.89%	671	7.22%	1	0.01%	1038	11.16%	20	0.22%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	845	325	38.46%	201	23.79%	218	25.80%	37	4.38%	39	4.62%	25	2.96%
	女	785	440	56.05%	145	18.47%	122	15.54%	10	1.27%	61	7.77%	7	0.89%
	計	1630	765	46.93%	346	21.23%	340	20.86%	47	2.88%	100	6.13%	32	1.96%
40 ～ 74	男	3866	933	24.13%	899	23.25%	1186	30.68%	198	5.12%	132	3.41%	518	13.40%
	女	3803	1079	28.37%	861	22.64%	1174	30.87%	203	5.34%	102	2.68%	384	10.10%
	計	7669	2012	26.24%	1760	22.95%	2360	30.77%	401	5.23%	234	3.05%	902	11.76%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9299	2777	29.86%	2106	22.65%	2700	29.04%	448	4.82%	334	3.59%	934	10.04%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	862	624	72.39%	169	19.61%	39	4.52%	0		17	1.97%	13	1.51%
	女	785	637	81.15%	106	13.50%	25	3.18%	0		10	1.27%	7	0.89%
	計	1647	1261	76.56%	275	16.70%	64	3.89%	0		27	1.64%	20	1.21%
40 ～ 74	男	3867	2014	52.08%	926	23.95%	447	11.56%	0		148	3.83%	332	8.59%
	女	3803	2492	65.53%	801	21.06%	345	9.07%	0		46	1.21%	119	3.13%
	計	7670	4506	58.75%	1727	22.52%	792	10.33%	0		194	2.53%	451	5.88%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9317	5767	61.90%	2002	21.49%	856	9.19%	0		221	2.37%	471	5.06%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	862	697	80.86%	111	12.88%	44	5.10%	0		10	1.16%	0	
	女	785	596	75.92%	133	16.94%	51	6.50%	0		5	0.64%	0	
	計	1647	1293	78.51%	244	14.81%	95	5.77%	0		15	0.91%	0	
40 ～ 74	男	3867	2826	73.08%	567	14.66%	384	9.93%	0		90	2.33%	0	
	女	3803	2506	65.90%	781	20.54%	463	12.17%	0		53	1.39%	0	
	計	7670	5332	69.52%	1348	17.57%	847	11.04%	0		143	1.86%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9317	6625	71.11%	1592	17.09%	942	10.11%	0		158	1.70%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	733	515	70.26%	138	18.83%	41	5.59%	29	3.96%	7	0.95%	3	0.41%
	女	711	696	97.89%	10	1.41%	3	0.42%	2	0.28%	0		0	
	計	1444	1211	83.86%	148	10.25%	44	3.05%	31	2.15%	7	0.48%	3	0.21%
40 ～ 74	男	3847	2881	74.89%	573	14.89%	178	4.63%	130	3.38%	13	0.34%	72	1.87%
	女	3754	3650	97.23%	67	1.78%	29	0.77%	6	0.16%	0		2	0.05%
	計	7601	6531	85.92%	640	8.42%	207	2.72%	136	1.79%	13	0.17%	74	0.97%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9045	7742	85.59%	788	8.71%	251	2.78%	167	1.85%	20	0.22%	77	0.85%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	844	599	70.97%	179	21.21%	10	1.18%	8	0.95%	47	5.57%	1	0.12%
	女	785	488	62.17%	112	14.27%	92	11.72%	58	7.39%	13	1.66%	22	2.80%
	計	1629	1087	66.73%	291	17.86%	102	6.26%	66	4.05%	60	3.68%	23	1.41%
40 ～ 74	男	3866	2827	73.12%	634	16.40%	158	4.09%	34	0.88%	190	4.91%	23	0.59%
	女	3803	2481	65.24%	600	15.78%	336	8.84%	208	5.47%	52	1.37%	126	3.31%
	計	7669	5308	69.21%	1234	16.09%	494	6.44%	242	3.16%	242	3.16%	149	1.94%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9298	6395	68.78%	1525	16.40%	596	6.41%	308	3.31%	302	3.25%	172	1.85%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	504	445	88.29%	24	4.76%	15	2.98%	0		20	3.97%	0	
	女	497	441	88.73%	27	5.43%	14	2.82%	0		15	3.02%	0	
	計	1001	886	88.51%	51	5.09%	29	2.90%	0		35	3.50%	0	
40 ～ 74	男	3145	2803	89.13%	140	4.45%	75	2.38%	0		126	4.01%	1	0.03%
	女	3110	2820	90.68%	137	4.41%	39	1.25%	0		113	3.63%	1	0.03%
	計	6255	5623	89.90%	277	4.43%	114	1.82%	0		239	3.82%	2	0.03%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		7256	6509	89.71%	328	4.52%	143	1.97%	0		274	3.78%	2	0.03%

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	43	42	97.67%	0		0		0		1	2.33%	0	
	女	39	39	100.00%	0		0		0		0		0	
	計	82	81	98.78%	0		0		0		1	1.22%	0	
40 ～ 74	男	518	516	99.61%	0		0		0		2	0.39%	0	
	女	364	363	99.73%	0		0		0		1	0.27%	0	
	計	882	879	99.66%	0		0		0		3	0.34%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		964	960	99.59%	0		0		0		4	0.41%	0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	28	28	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	28	28	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	510	501	98.24%	0	0	0	0	0	0	9	1.76%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	510	501	98.24%	0	0	0	0	0	0	9	1.76%	0	0
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		538	529	98.33%	0	0	0	0	0	0	9	1.67%	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	608	588	96.71%	0	0	0	0	0	0	20	3.29%	0	0
	女	536	514	95.90%	0	0	0	0	0	0	21	3.92%	1	0.19%
	計	1144	1102	96.33%	0	0	0	0	0	0	41	3.58%	1	0.09%
40 ～ 74	男	3723	3538	95.03%	0	0	0	0	0	0	173	4.65%	12	0.32%
	女	3611	3490	96.65%	0	0	0	0	0	0	115	3.18%	6	0.17%
	計	7334	7028	95.83%	0	0	0	0	0	0	288	3.93%	18	0.25%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		8478	8130	95.90%	0	0	0	0	0	0	329	3.88%	19	0.22%

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	822	694	84.43%	76	9.25%	42	5.11%	1	0.12%	6	0.73%	3	0.36%
	女	760	647	85.13%	48	6.32%	61	8.03%	0	0	2	0.26%	2	0.26%
	計	1582	1341	84.77%	124	7.84%	103	6.51%	1	0.06%	8	0.51%	5	0.32%
40 ～ 74	男	3865	2991	77.39%	347	8.98%	360	9.31%	8	0.21%	53	1.37%	106	2.74%
	女	3797	3075	80.98%	245	6.45%	404	10.64%	1	0.03%	30	0.79%	42	1.11%
	計	7662	6066	79.17%	592	7.73%	764	9.97%	9	0.12%	83	1.08%	148	1.93%
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	0	0		0	0	0	0	0	0	0	0	0	0
合計		9244	7407	80.13%	716	7.75%	867	9.38%	10	0.11%	91	0.98%	153	1.66%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	114	101	88.60%	0		1	0.88%	0		9	7.89%	3	2.63%
	女	91	84	92.31%	0		0		0		5	5.49%	2	2.20%
	計	205	185	90.24%	0		1	0.49%	0		14	6.83%	5	2.44%
40 ～ 74	男	917	707	77.10%	2	0.22%	42	4.58%	0		128	13.96%	38	4.14%
	女	687	574	83.55%	0		19	2.77%	1	0.15%	61	8.88%	32	4.66%
	計	1604	1281	79.86%	2	0.12%	61	3.80%	1	0.06%	189	11.78%	70	4.36%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1809	1466	81.04%	2	0.11%	62	3.43%	1	0.06%	203	11.22%	75	4.15%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	72	65	90.28%	0		0		1	1.39%	3	4.17%	3	4.17%
	女	39	33	84.62%	0		4	10.26%	0		1	2.56%	1	2.56%
	計	111	98	88.29%	0		4	3.60%	1	0.90%	4	3.60%	4	3.60%
40 ～ 74	男	543	473	87.11%	0		25	4.60%	12	2.21%	7	1.29%	26	4.79%
	女	337	297	88.13%	0		13	3.86%	6	1.78%	5	1.48%	16	4.75%
	計	880	770	87.50%	0		38	4.32%	18	2.05%	12	1.36%	42	4.77%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		991	868	87.59%	0		42	4.24%	19	1.92%	16	1.61%	46	4.64%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	50	47	94.00%	0		1	2.00%	0		1	2.00%	1	2.00%
	女	22	22	100.00%	0		0		0		0		0	
	計	72	69	95.83%	0		1	1.39%	0		1	1.39%	1	1.39%
40 ～ 74	男	338	290	85.80%	0		9	2.66%	0		33	9.76%	6	1.78%
	女	219	201	91.78%	0		3	1.37%	0		11	5.02%	4	1.83%
	計	557	491	88.15%	0		12	2.15%	0		44	7.90%	10	1.80%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		629	560	89.03%	0		13	2.07%	0		45	7.15%	11	1.75%

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	862	811	94.08%	0		47	5.45%	0		4	0.46%	0	
	女	765	715	93.46%	0		49	6.41%	0		1	0.13%	0	
	計	1627	1526	93.79%	0		96	5.90%	0		5	0.31%	0	
40 ～ 74	男	3861	3213	83.22%	1	0.03%	615	15.93%	0		21	0.54%	11	0.28%
	女	3770	3285	87.14%	0		454	12.04%	0		21	0.56%	10	0.27%
	計	7631	6498	85.15%	1	0.01%	1069	14.01%	0		42	0.55%	21	0.28%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		9258	8024	86.67%	1	0.01%	1165	12.58%	0		47	0.51%	21	0.23%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	460	397	86.30%	0		59	12.83%	0		4	0.87%	0	
	女	336	254	75.60%	0		82	24.40%	0		0		0	
	計	796	651	81.78%	0		141	17.71%	0		4	0.50%	0	
40 ～ 74	男	2427	1790	73.75%	0		587	24.19%	0		46	1.90%	4	0.16%
	女	1924	1270	66.01%	0		637	33.11%	0		15	0.78%	2	0.10%
	計	4351	3060	70.33%	0		1224	28.13%	0		61	1.40%	6	0.14%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5147	3711	72.10%	0		1365	26.52%	0		65	1.26%	6	0.12%

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	95	32	33.68%	33	34.74%	27	28.42%	2	2.11%	1	1.05%	0	
	女	63	18	28.57%	35	55.56%	9	14.29%	0		1	1.59%	0	
	計	158	50	31.65%	68	43.04%	36	22.78%	2	1.27%	2	1.27%	0	
40 ～ 74	男	796	116	14.57%	280	35.18%	344	43.22%	27	3.39%	26	3.27%	3	0.38%
	女	626	86	13.74%	280	44.73%	237	37.86%	4	0.64%	17	2.72%	2	0.32%
	計	1422	202	14.21%	560	39.38%	581	40.86%	31	2.18%	43	3.02%	5	0.35%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1580	252	15.95%	628	39.75%	617	39.05%	33	2.09%	45	2.85%	5	0.32%



## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	107	26	24.30%	4	3.74%	74	69.16%	0		3	2.80%	0	
	女	83	35	42.17%	6	7.23%	40	48.19%	0		2	2.41%	0	
	計	190	61	32.11%	10	5.26%	114	60.00%	0		5	2.63%	0	
40 ～ 74	男	835	87	10.42%	15	1.80%	703	84.19%	1	0.12%	27	3.23%	2	0.24%
	女	681	117	17.18%	24	3.52%	517	75.92%	0		19	2.79%	4	0.59%
	計	1516	204	13.46%	39	2.57%	1220	80.47%	1	0.07%	46	3.03%	6	0.40%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1706	265	15.53%	49	2.87%	1334	78.19%	1	0.06%	51	2.99%	6	0.35%

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	86	80	93.02%	0		2	2.33%	0		4	4.65%	0	
	計	86	80	93.02%	0		2	2.33%	0		4	4.65%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1152	1060	92.01%	0		5	0.43%	0		87	7.55%	0	
	計	1152	1060	92.01%	0		5	0.43%	0		87	7.55%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1238	1140	92.08%	0		7	0.57%	0		91	7.35%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	191	130	68.06%	0		45	23.56%	0		16	8.38%	0	
	計	191	130	68.06%	0		45	23.56%	0		16	8.38%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	654	443	67.74%	6	0.92%	170	25.99%	0		35	5.35%	0	
	計	654	443	67.74%	6	0.92%	170	25.99%	0		35	5.35%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		845	573	67.81%	6	0.71%	215	25.44%	0		51	6.04%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	313	295	94.25%	0		1	0.32%	0		10	3.19%	7	2.24%
	計	313	295	94.25%	0		1	0.32%	0		10	3.19%	7	2.24%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	1563	1469	93.99%	5	0.32%	2	0.13%	0		23	1.47%	64	4.09%
	計	1563	1469	93.99%	5	0.32%	2	0.13%	0		23	1.47%	64	4.09%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1876	1764	94.03%	5	0.27%	3	0.16%	0		33	1.76%	71	3.78%

### ③特定健診

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	1	33.33%	0		1	33.33%	0		1	33.33%	0	
	女	17	5	29.41%	2	11.76%	10	58.82%	0		0		0	
	計	20	6	30.00%	2	10.00%	11	55.00%	0		1	5.00%	0	
40 ～ 74	男	738	10	1.36%	374	50.68%	190	25.75%	25	3.39%	106	14.36%	374	50.68%
	女	2085	81	3.88%	701	33.62%	794	38.08%	91	4.36%	193	9.26%	701	33.62%
	計	2823	91	3.22%	1075	38.08%	984	34.86%	116	4.11%	299	10.59%	1075	38.08%
75 ～	男	340	1	0.29%	228	67.06%	59	17.35%	6	1.76%	40	11.76%	228	67.06%
	女	421	1	0.24%	258	61.28%	104	24.70%	12	2.85%	35	8.31%	258	61.28%
	計	761	2	0.26%	486	63.86%	163	21.42%	18	2.37%	75	9.86%	486	63.86%
合計		3604	99	2.75%	1563	43.37%	1158	32.13%	134	3.72%	375	10.41%	1561	43.31%

#### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	3	0		2	66.67%	1	33.33%
	女	17	2	11.76%	11	64.71%	4	23.53%
	計	20	2	10.00%	13	65.00%	5	25.00%
40 ～ 74	男	738	27	3.66%	488	66.12%	223	30.22%
	女	2085	298	14.29%	1381	66.24%	406	19.47%
	計	2823	325	11.51%	1869	66.21%	629	22.28%
75 ～	男	340	18	5.29%	258	75.88%	64	18.82%
	女	421	54	12.83%	281	66.75%	86	20.43%
	計	761	72	9.46%	539	70.83%	150	19.71%
合計		3604	399	11.07%	2421	67.18%	784	21.75%

#### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	2	66.67%	0		1	33.33%	0		0		0	
	女	17	16	94.12%	0		1	5.88%	0		0		0	
	計	20	18	90.00%	0		2	10.00%	0		0		0	
40 ～ 74	男	738	261	35.37%	104	14.09%	84	11.38%	0		30	4.07%	259	35.09%
	女	2085	1103	52.90%	272	13.05%	219	10.50%	0		62	2.97%	429	20.58%
	計	2823	1364	48.32%	376	13.32%	303	10.73%	0		92	3.26%	688	24.37%
75 ～	男	340	80	23.53%	34	10.00%	43	12.65%	0		12	3.53%	171	50.29%
	女	421	104	24.70%	54	12.83%	52	12.35%	0		21	4.99%	190	45.13%
	計	761	184	24.18%	88	11.56%	95	12.48%	0		33	4.34%	361	47.44%
合計		3604	1566	43.45%	464	12.87%	400	11.10%	0		125	3.47%	1049	29.11%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	1	100.00%	0		0		0		0		0	
	女	10	10	100.00%	0		0		0		0		0	
	計	11	11	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		11	11	100.00%	0		0		0		0		0	

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	3	3	100.00%	0		0		0		0		0	
	女	17	17	100.00%	0		0		0		0		0	
	計	20	20	100.00%	0		0		0		0		0	
40 ～ 74	男	738	491	66.53%	115	15.58%	70	9.49%	0		57	7.72%	5	0.68%
	女	2085	1760	84.41%	167	8.01%	60	2.88%	0		92	4.41%	6	0.29%
	計	2823	2251	79.74%	282	9.99%	130	4.61%	0		149	5.28%	11	0.39%
75 ～	男	340	268	78.82%	38	11.18%	20	5.88%	0		12	3.53%	2	0.59%
	女	421	353	83.85%	43	10.21%	17	4.04%	0		8	1.90%	0	
	計	761	621	81.60%	81	10.64%	37	4.86%	0		20	2.63%	2	0.26%
合計		3604	2892	80.24%	363	10.07%	167	4.63%	0		169	4.69%	13	0.36%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	3	1	33.33%	1	33.33%	1	33.33%	0		0		0	
	女	17	12	70.59%	3	17.65%	2	11.76%	0		0		0	
	計	20	13	65.00%	4	20.00%	3	15.00%	0		0		0	
40 ～ 74	男	738	205	27.78%	181	24.53%	171	23.17%	25	3.39%	18	2.44%	138	18.70%
	女	2085	628	30.12%	463	22.21%	489	23.45%	88	4.22%	24	1.15%	393	18.85%
	計	2823	833	29.51%	644	22.81%	660	23.38%	113	4.00%	42	1.49%	531	18.81%
75 ～	男	340	131	38.53%	73	21.47%	63	18.53%	3	0.88%	17	5.00%	53	15.59%
	女	421	152	36.10%	90	21.38%	85	20.19%	6	1.43%	5	1.19%	83	19.71%
	計	761	283	37.19%	163	21.42%	148	19.45%	9	1.18%	22	2.89%	136	17.87%
合計		3604	1129	31.33%	811	22.50%	811	22.50%	122	3.39%	64	1.78%	667	18.51%

## 6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	2	66.67%	0		1	33.33%	0		0		0	
	女	17	11	64.71%	6	35.29%	0		0		0		0	
	計	20	13	65.00%	6	30.00%	1	5.00%	0		0		0	
40 ～ 74	男	738	189	25.61%	218	29.54%	187	25.34%	0		57	7.72%	87	11.79%
	女	2085	600	28.78%	738	35.40%	609	29.21%	0		59	2.83%	79	3.79%
	計	2823	789	27.95%	956	33.86%	796	28.20%	0		116	4.11%	166	5.88%
75 ～	男	340	47	13.82%	98	28.82%	106	31.18%	0		30	8.82%	59	17.35%
	女	421	66	15.68%	125	29.69%	168	39.90%	0		22	5.23%	40	9.50%
	計	761	113	14.85%	223	29.30%	274	36.01%	0		52	6.83%	99	13.01%
合計		3604	915	25.39%	1185	32.88%	1071	29.72%	0		168	4.66%	265	7.35%

## 7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	3	2	66.67%	0		0		0		1	33.33%	0	
	女	17	15	88.24%	2	11.76%	0		0		0		0	
	計	20	17	85.00%	2	10.00%	0		0		1	5.00%	0	
40 ～ 74	男	738	527	71.41%	107	14.50%	78	10.57%	0		26	3.52%	0	
	女	2085	1509	72.37%	385	18.47%	173	8.30%	0		18	0.86%	0	
	計	2823	2036	72.12%	492	17.43%	251	8.89%	0		44	1.56%	0	
75 ～	男	340	192	56.47%	59	17.35%	59	17.35%	0		30	8.82%	0	
	女	421	210	49.88%	96	22.80%	96	22.80%	0		19	4.51%	0	
	計	761	402	52.83%	155	20.37%	155	20.37%	0		49	6.44%	0	
合計		3604	2455	68.12%	649	18.01%	406	11.27%	0		94	2.61%	0	

## 8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	1	50.00%	1	50.00%	0		0		0		0	
	女	8	8	100.00%	0		0		0		0		0	
	計	10	9	90.00%	1	10.00%	0		0		0		0	
40 ～ 74	男	691	538	77.86%	72	10.42%	17	2.46%	20	2.89%	0		44	6.37%
	女	1297	1269	97.84%	18	1.39%	4	0.31%	3	0.23%	0		3	0.23%
	計	1988	1807	90.90%	90	4.53%	21	1.06%	23	1.16%	0		47	2.36%
75 ～	男	340	278	81.76%	34	10.00%	4	1.18%	6	1.76%	0		18	5.29%
	女	421	401	95.25%	11	2.61%	2	0.48%	5	1.19%	0		2	0.48%
	計	761	679	89.22%	45	5.91%	6	0.79%	11	1.45%	0		20	2.63%
合計		2759	2495	90.43%	136	4.93%	27	0.98%	34	1.23%	0		67	2.43%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	11	7	63.64%	1	9.09%	3	27.27%	0		0		0	
	計	13	9	69.23%	1	7.69%	3	23.08%	0		0		0	
40 ～ 74	男	693	521	75.18%	65	9.38%	55	7.94%	14	2.02%	29	4.18%	9	1.30%
	女	1517	1060	69.87%	227	14.96%	143	9.43%	43	2.83%	9	0.59%	35	2.31%
	計	2210	1581	71.54%	292	13.21%	198	8.96%	57	2.58%	38	1.72%	44	1.99%
75 ～	男	340	218	64.12%	19	5.59%	62	18.24%	35	10.29%	2	0.59%	4	1.18%
	女	421	285	67.70%	45	10.69%	66	15.68%	18	4.28%	4	0.95%	3	0.71%
	計	761	503	66.10%	64	8.41%	128	16.82%	53	6.96%	6	0.79%	7	0.92%
合計		2984	2093	70.14%	357	11.96%	329	11.03%	110	3.69%	44	1.47%	51	1.71%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	10	10	100.00%	0		0		0		0		0	
	計	10	10	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		10	10	100.00%	0		0		0		0		0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	2	1	50.00%	0		0		0		1	50.00%	0	
	女	0	0		0		0		0		0		0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		2	1	50.00%	0		0		0		1	50.00%	0	

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	2	2	100.00%	0		0		0		0		0	
	女	11	11	100.00%	0		0		0		0		0	
	計	13	13	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		13	13	100.00%	0		0		0		0		0	

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	2	1	50.00%	0		0		0		1	50.00%	0	
	女	9	8	88.89%	1	11.11%	0		0		0		0	
	計	11	9	81.82%	1	9.09%	0		0		1	9.09%	0	
40 ～ 74	男	702	473	67.38%	85	12.11%	93	13.25%	4	0.57%	6	0.85%	41	5.84%
	女	1448	1121	77.42%	112	7.73%	159	10.98%	1	0.07%	19	1.31%	36	2.49%
	計	2150	1594	74.14%	197	9.16%	252	11.72%	5	0.23%	25	1.16%	77	3.58%
75 ～	男	340	173	50.88%	30	8.82%	81	23.82%	6	1.76%	14	4.12%	36	10.59%
	女	421	279	66.27%	39	9.26%	63	14.96%	2	0.48%	10	2.38%	28	6.65%
	計	761	452	59.40%	69	9.07%	144	18.92%	8	1.05%	24	3.15%	64	8.41%
合計		2922	2055	70.33%	267	9.14%	396	13.55%	13	0.44%	50	1.71%	141	4.83%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	0		0		0		0		1	100.00%	0	
	女	1	1	100.00%	0		0		0		0		0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
40 ～ 74	男	197	109	55.33%	0		18	9.14%	0		50	25.38%	20	10.15%
	女	426	254	59.62%	0		42	9.86%	0		84	19.72%	46	10.80%
	計	623	363	58.27%	0		60	9.63%	0		134	21.51%	66	10.59%
75 ～	男	100	25	25.00%	0		22	22.00%	1	1.00%	27	27.00%	25	25.00%
	女	149	41	27.52%	0		39	26.17%	3	2.01%	33	22.15%	33	22.15%
	計	249	66	26.51%	0		61	24.50%	4	1.61%	60	24.10%	58	23.29%
合計		874	430	49.20%	0		121	13.84%	4	0.46%	195	22.31%	124	14.19%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	0		0		0		0		0		1	100.00%
	女	0	0		0		0		0		0		0	
	計	1	0		0		0		0		0		1	100.00%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	0		0		0		0		0		1	100.00%

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	



## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中
			人数	割合	人数	割合	人数	割合			
～ 39	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
40 ～ 74	男	3	2	66.67%	0		1	33.33%	0	0	0
	女	10	9	90.00%	0		1	10.00%	0	0	0
	計	13	11	84.62%	0		2	15.38%	0	0	0
75 ～	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
合計		13	11	84.62%	0		2	15.38%	0	0	0

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中
			人数	割合	人数	割合	人数	割合			
～ 39	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
40 ～ 74	男	1	1	100.00%	0		0		0	0	0
	女	5	4	80.00%	0		1	20.00%	0	0	0
	計	6	5	83.33%	0		1	16.67%	0	0	0
75 ～	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
合計		6	5	83.33%	0		1	16.67%	0	0	0

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査	治療中
			人数	割合	人数	割合	人数	割合			
～ 39	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
40 ～ 74	男	1	0		0		1	100.00%	0	0	0
	女	3	0		1	33.33%	2	66.67%	0	0	0
	計	4	0		1	25.00%	3	75.00%	0	0	0
75 ～	男	0	0		0		0		0	0	0
	女	0	0		0		0		0	0	0
	計	0	0		0		0		0	0	0
合計		4	0		1	25.00%	3	75.00%	0	0	0

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	1	0		0		1	100.00%	0		0		0	
	女	9	1	11.11%	0		8	88.89%	0		0		0	
	計	10	1	10.00%	0		9	90.00%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		10	1	10.00%	0		9	90.00%	0		0		0	

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	11	10	90.91%	0		0		0		1	9.09%	0	
	計	11	10	90.91%	0		0		0		1	9.09%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		11	10	90.91%	0		0		0		1	9.09%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	13	7	53.85%	1	7.69%	4	30.77%	0		1	7.69%	0	
	計	13	7	53.85%	1	7.69%	4	30.77%	0		1	7.69%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		13	7	53.85%	1	7.69%	4	30.77%	0		1	7.69%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	19	18	94.74%	0		0		0		0		1	5.26%
	計	19	18	94.74%	0		0		0		0		1	5.26%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		19	18	94.74%	0		0		0		0		1	5.26%

#### ④定期健康診断

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1110	187	16.85%	209	18.83%	413	37.21%	30	2.70%	248	22.34%	23	2.07%
	女	1027	279	27.17%	102	9.93%	446	43.43%	56	5.45%	107	10.42%	37	3.60%
	計	2137	466	21.81%	311	14.55%	859	40.20%	86	4.02%	355	16.61%	60	2.81%
40 ～ 74	男	815	42	5.15%	278	34.11%	267	32.76%	25	3.07%	152	18.65%	278	34.11%
	女	828	58	7.00%	214	25.85%	357	43.12%	45	5.43%	94	11.35%	214	25.85%
	計	1643	100	6.09%	492	29.95%	624	37.98%	70	4.26%	246	14.97%	492	29.95%
75 ～	男	45	0		27	60.00%	13	28.89%	0		5	11.11%	27	60.00%
	女	16	0		12	75.00%	2	12.50%	0		2	12.50%	12	75.00%
	計	61	0		39	63.93%	15	24.59%	0		7	11.48%	39	63.93%
合計		3841	566	14.74%	842	21.92%	1498	39.00%	156	4.06%	608	15.83%	591	15.39%

##### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	1110	100	9.01%	654	58.92%	356	32.07%
	女	1027	178	17.33%	675	65.73%	174	16.94%
	計	2137	278	13.01%	1329	62.19%	530	24.80%
40 ～ 74	男	815	43	5.28%	468	57.42%	304	37.30%
	女	828	107	12.92%	495	59.78%	226	27.29%
	計	1643	150	9.13%	963	58.61%	530	32.26%
75 ～	男	45	1	2.22%	36	80.00%	8	17.78%
	女	16	0		10	62.50%	6	37.50%
	計	61	1	1.64%	46	75.41%	14	22.95%
合計		3841	429	11.17%	2338	60.87%	1074	27.96%

##### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1110	892	80.36%	123	11.08%	73	6.58%	0		10	0.90%	12	1.08%
	女	1027	924	89.97%	28	2.73%	66	6.43%	0		6	0.58%	3	0.29%
	計	2137	1816	84.98%	151	7.07%	139	6.50%	0		16	0.75%	15	0.70%
40 ～ 74	男	813	335	41.21%	114	14.02%	106	13.04%	0		43	5.29%	215	26.45%
	女	828	496	59.90%	91	10.99%	91	10.99%	0		29	3.50%	121	14.61%
	計	1641	831	50.64%	205	12.49%	197	12.00%	0		72	4.39%	336	20.48%
75 ～	男	45	11	24.44%	1	2.22%	9	20.00%	0		1	2.22%	23	51.11%
	女	16	4	25.00%	0		2	12.50%	0		0		10	62.50%
	計	61	15	24.59%	1	1.64%	11	18.03%	0		1	1.64%	33	54.10%
合計		3839	2662	69.34%	357	9.30%	347	9.04%	0		89	2.32%	384	10.00%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1021	1009	98.82%	0		12	1.18%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	1021	1009	98.82%	0		12	1.18%	0		0		0	
40 ～ 74	男	822	797	96.96%	0		24	2.92%	0		0		1	0.12%
	女	0	0		0		0		0		0		0	
	計	822	797	96.96%	0		24	2.92%	0		0		1	0.12%
75 ～	男	16	7	43.75%	0		9	56.25%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	16	7	43.75%	0		9	56.25%	0		0		0	
合計		1859	1813	97.53%	0		45	2.42%	0		0		1	0.05%

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	834	769	92.21%	27	3.24%	18	2.16%	0		19	2.28%	1	0.12%
	女	0	0		0		0		0		0		0	
	計	834	769	92.21%	27	3.24%	18	2.16%	0		19	2.28%	1	0.12%
40 ～ 74	男	763	653	85.58%	47	6.16%	24	3.15%	0		37	4.85%	2	0.26%
	女	0	0		0		0		0		0		0	
	計	763	653	85.58%	47	6.16%	24	3.15%	0		37	4.85%	2	0.26%
75 ～	男	16	11	68.75%	3	18.75%	1	6.25%	0		1	6.25%	0	
	女	0	0		0		0		0		0		0	
	計	16	11	68.75%	3	18.75%	1	6.25%	0		1	6.25%	0	
合計		1613	1433	88.84%	77	4.77%	43	2.67%	0		57	3.53%	3	0.19%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	834	559	67.03%	122	14.63%	88	10.55%	9	1.08%	52	6.24%	4	0.48%
	女	0	0		0		0		0		0		0	
	計	834	559	67.03%	122	14.63%	88	10.55%	9	1.08%	52	6.24%	4	0.48%
40 ～ 74	男	763	267	34.99%	180	23.59%	187	24.51%	30	3.93%	15	1.97%	84	11.01%
	女	0	0		0		0		0		0		0	
	計	763	267	34.99%	180	23.59%	187	24.51%	30	3.93%	15	1.97%	84	11.01%
75 ～	男	16	3	18.75%	8	50.00%	0		0		1	6.25%	4	25.00%
	女	0	0		0		0		0		0		0	
	計	16	3	18.75%	8	50.00%	0		0		1	6.25%	4	25.00%
合計		1613	829	51.39%	310	19.22%	275	17.05%	39	2.42%	68	4.22%	92	5.70%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	1024	961	93.85%	39	3.81%	14	1.37%	0	6	0.59%	4	0.39%
	女	0	0		0		0		0	0		0	
	計	1024	961	93.85%	39	3.81%	14	1.37%	0	6	0.59%	4	0.39%
40 ～ 74	男	828	597	72.10%	123	14.86%	57	6.88%	0	10	1.21%	41	4.95%
	女	0	0		0		0		0	0		0	
	計	828	597	72.10%	123	14.86%	57	6.88%	0	10	1.21%	41	4.95%
75 ～	男	16	8	50.00%	5	31.25%	1	6.25%	0	0		2	12.50%
	女	0	0		0		0		0	0		0	
	計	16	8	50.00%	5	31.25%	1	6.25%	0	0		2	12.50%
合計		1868	1566	83.83%	167	8.94%	72	3.85%	0	16	0.86%	47	2.52%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	1009	909	90.09%	79	7.83%	18	1.78%	0	3	0.30%	0	
	女	0	0		0		0		0	0		0	
	計	1009	909	90.09%	79	7.83%	18	1.78%	0	3	0.30%	0	
40 ～ 74	男	825	728	88.24%	65	7.88%	29	3.52%	0	3	0.36%	0	
	女	0	0		0		0		0	0		0	
	計	825	728	88.24%	65	7.88%	29	3.52%	0	3	0.36%	0	
75 ～	男	16	15	93.75%	0		0		0	1	6.25%	0	
	女	0	0		0		0		0	0		0	
	計	16	15	93.75%	0		0		0	1	6.25%	0	
合計		1850	1652	89.30%	144	7.78%	47	2.54%	0	7	0.38%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療	要精密検査		治療中	
			人数	割合	人数	割合	人数	割合		人数	割合	人数	割合
～ 39	男	92	92	100.00%	0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	92	92	100.00%	0		0		0	0		0	
40 ～ 74	男	196	191	97.45%	4	2.04%	1	0.51%	0	0		0	
	女	0	0		0		0		0	0		0	
	計	196	191	97.45%	4	2.04%	1	0.51%	0	0		0	
75 ～	男	0	0		0		0		0	0		0	
	女	0	0		0		0		0	0		0	
	計	0	0		0		0		0	0		0	
合計		288	283	98.26%	4	1.39%	1	0.35%	0	0		0	

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	837	585	69.89%	79	9.44%	91	10.87%	60	7.17%	5	0.60%	17	2.03%
	女	0	0		0		0		0		0		0	
	計	837	585	69.89%	79	9.44%	91	10.87%	60	7.17%	5	0.60%	17	2.03%
40 ～ 74	男	763	502	65.79%	114	14.94%	81	10.62%	40	5.24%	5	0.66%	21	2.75%
	女	0	0		0		0		0		0		0	
	計	763	502	65.79%	114	14.94%	81	10.62%	40	5.24%	5	0.66%	21	2.75%
75 ～	男	16	9	56.25%	2	12.50%	4	25.00%	0		0		1	6.25%
	女	0	0		0		0		0		0		0	
	計	16	9	56.25%	2	12.50%	4	25.00%	0		0		1	6.25%
合計		1616	1096	67.82%	195	12.07%	176	10.89%	100	6.19%	10	0.62%	39	2.41%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	102	75	73.53%	14	13.73%	5	4.90%	0		8	7.84%	0	
	女	0	0		0		0		0		0		0	
	計	102	75	73.53%	14	13.73%	5	4.90%	0		8	7.84%	0	
40 ～ 74	男	194	164	84.54%	17	8.76%	2	1.03%	0		11	5.67%	0	
	女	0	0		0		0		0		0		0	
	計	194	164	84.54%	17	8.76%	2	1.03%	0		11	5.67%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		296	239	80.74%	31	10.47%	7	2.36%	0		19	6.42%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	18	18	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	18	18	100.00%	0		0		0		0		0	
40 ～ 74	男	12	12	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	12	12	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		30	30	100.00%	0		0		0		0		0	

## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		0	0		0		0		0		0		0	

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	30	26	86.67%	0		0		0		4	13.33%	0	
	女	0	0		0		0		0		0		0	
	計	30	26	86.67%	0		0		0		4	13.33%	0	
40 ～ 74	男	171	168	98.25%	0		0		0		3	1.75%	0	
	女	0	0		0		0		0		0		0	
	計	171	168	98.25%	0		0		0		3	1.75%	0	
75 ～	男	1	0		0		0		0		1	100.00%	0	
	女	0	0		0		0		0		0		0	
	計	1	0		0		0		0		1	100.00%	0	
合計		202	194	96.04%	0		0		0		8	3.96%	0	

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
～ 39	男	785	692	88.15%	42	5.35%	45	5.73%	0		3	0.38%	3	0.38%
	女	0	0		0		0		0		0		0	
	計	785	692	88.15%	42	5.35%	45	5.73%	0		3	0.38%	3	0.38%
40 ～ 74	男	744	610	81.99%	46	6.18%	74	9.95%	0		4	0.54%	10	1.34%
	女	0	0		0		0		0		0		0	
	計	744	610	81.99%	46	6.18%	74	9.95%	0		4	0.54%	10	1.34%
75 ～	男	15	9	60.00%	2	13.33%	2	13.33%	0		1	6.67%	1	6.67%
	女	0	0		0		0		0		0		0	
	計	15	9	60.00%	2	13.33%	2	13.33%	0		1	6.67%	1	6.67%
合計		1544	1311	84.91%	90	5.83%	121	7.84%	0		8	0.52%	14	0.91%



## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	4	4	100.00%	0		0		0		0		0	
40 ～ 74	男	22	16	72.73%	0		1	4.55%	0		3	13.64%	2	9.09%
	女	0	0		0		0		0		0		0	
	計	22	16	72.73%	0		1	4.55%	0		3	13.64%	2	9.09%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		26	20	76.92%	0		1	3.85%	0		3	11.54%	2	7.69%

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	2	2	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	2	2	100.00%	0		0		0		0		0	
40 ～ 74	男	3	2	66.67%	0		0		0		1	33.33%	0	
	女	0	0		0		0		0		0		0	
	計	3	2	66.67%	0		0		0		1	33.33%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		5	4	80.00%	0		0		0		1	20.00%	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	1	1	100.00%	0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	1	1	100.00%	0		0		0		0		0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		1	1	100.00%	0		0		0		0		0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	923	861	93.28%	0		61	6.61%	0		1	0.11%	0	
	女	0	0		0		0		0		0		0	
	計	923	861	93.28%	0		61	6.61%	0		1	0.11%	0	
40 ～ 74	男	701	614	87.59%	0		81	11.55%	0		1	0.14%	5	0.71%
	女	0	0		0		0		0		0		0	
	計	701	614	87.59%	0		81	11.55%	0		1	0.14%	5	0.71%
75 ～	男	15	6	40.00%	0		9	60.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	15	6	40.00%	0		9	60.00%	0		0		0	
合計		1639	1481	90.36%	0		151	9.21%	0		2	0.12%	5	0.31%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	7	6	85.71%	0		1	14.29%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	7	6	85.71%	0		1	14.29%	0		0		0	
40 ～ 74	男	68	44	64.71%	0		24	35.29%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	68	44	64.71%	0		24	35.29%	0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		75	50	66.67%	0		25	33.33%	0		0		0	

## 20. 胃部内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	1	20.00%	2	40.00%	2	40.00%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	5	1	20.00%	2	40.00%	2	40.00%	0		0		0	
40 ～ 74	男	35	8	22.86%	16	45.71%	9	25.71%	0		1	2.86%	1	2.86%
	女	0	0		0		0		0		0		0	
	計	35	8	22.86%	16	45.71%	9	25.71%	0		1	2.86%	1	2.86%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		40	9	22.50%	18	45.00%	11	27.50%	0		1	2.50%	1	2.50%

21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	8	4	50.00%	1	12.50%	3	37.50%	0		0		0	
	女	0	0		0		0		0		0		0	
	計	8	4	50.00%	1	12.50%	3	37.50%	0		0		0	
40 ～ 74	男	60	14	23.33%	2	3.33%	39	65.00%	0		4	6.67%	1	1.67%
	女	0	0		0		0		0		0		0	
	計	60	14	23.33%	2	3.33%	39	65.00%	0		4	6.67%	1	1.67%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		68	18	26.47%	3	4.41%	42	61.76%	0		4	5.88%	1	1.47%

22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	21	20	95.24%	0		0		0		1	4.76%	0	
	女	0	0		0		0		0		0		0	
	計	21	20	95.24%	0		0		0		1	4.76%	0	
40 ～ 74	男	96	90	93.75%	0		0		0		6	6.25%	0	
	女	0	0		0		0		0		0		0	
	計	96	90	93.75%	0		0		0		6	6.25%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		117	110	94.02%	0		0		0		7	5.98%	0	

23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	36	64.29%	1	1.79%	15	26.79%	0		4	7.14%	0	
	女	0	0		0		0		0		0		0	
	計	56	36	64.29%	1	1.79%	15	26.79%	0		4	7.14%	0	
40 ～ 74	男	86	57	66.28%	0		23	26.74%	0		6	6.98%	0	
	女	0	0		0		0		0		0		0	
	計	86	57	66.28%	0		23	26.74%	0		6	6.98%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		142	93	65.49%	1	0.70%	38	26.76%	0		10	7.04%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	59	52	88.14%	0		0		0		2	3.39%	5	8.47%
	女	0	0		0		0		0		0		0	
	計	59	52	88.14%	0		0		0		2	3.39%	5	8.47%
40 ～ 74	男	133	126	94.74%	0		0		0		1	0.75%	6	4.51%
	女	0	0		0		0		0		0		0	
	計	133	126	94.74%	0		0		0		1	0.75%	6	4.51%
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		192	178	92.71%	0		0		0		3	1.56%	11	5.73%

## ⑤その他

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	128	59	46.09%	22	17.19%	29	22.66%	7	5.47%	11	8.59%	0	
	女	461	246	53.36%	36	7.81%	104	22.56%	14	3.04%	47	10.20%	14	3.04%
	計	589	305	51.78%	58	9.85%	133	22.58%	21	3.57%	58	9.85%	14	2.38%
40 ～ 74	男	488	258	52.87%	24	4.92%	129	26.43%	10	2.05%	33	6.76%	24	4.92%
	女	1387	905	65.25%	60	4.33%	255	18.39%	15	1.08%	123	8.87%	60	4.33%
	計	1875	1163	62.03%	84	4.48%	384	20.48%	25	1.33%	156	8.32%	84	4.48%
75 ～	男	32	7	21.88%	10	31.25%	11	34.38%	0		4	12.50%	10	31.25%
	女	84	39	46.43%	6	7.14%	21	25.00%	0		17	20.24%	6	7.14%
	計	116	46	39.66%	16	13.79%	32	27.59%	0		21	18.10%	16	13.79%
合計		2580	1514	58.68%	158	6.12%	549	21.28%	46	1.78%	235	9.11%	114	4.42%

### 1. BMI

年代	性別	受診者数	～ 18.4		18.5 ～ 24.9		25.0 ～	
			人数	割合	人数	割合	人数	割合
～ 39	男	52	3	5.77%	39	75.00%	10	19.23%
	女	194	41	21.13%	122	62.89%	31	15.98%
	計	246	44	17.89%	161	65.45%	41	16.67%
40 ～ 74	男	36	2	5.56%	27	75.00%	7	19.44%
	女	116	16	13.79%	75	64.66%	25	21.55%
	計	152	18	11.84%	102	67.11%	32	21.05%
75 ～	男	12	0		10	83.33%	2	16.67%
	女	8	2	25.00%	6	75.00%	0	
	計	20	2	10.00%	16	80.00%	2	10.00%
合計		418	64	15.31%	279	66.75%	75	17.94%

### 2. 血圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	59	53	89.83%	5	8.47%	0		0		1	1.69%	0	
	女	196	180	91.84%	3	1.53%	11	5.61%	0		0		2	1.02%
	計	255	233	91.37%	8	3.14%	11	4.31%	0		1	0.39%	2	0.78%
40 ～ 74	男	60	31	51.67%	5	8.33%	7	11.67%	0		2	3.33%	15	25.00%
	女	122	78	63.93%	7	5.74%	14	11.48%	0		7	5.74%	16	13.11%
	計	182	109	59.89%	12	6.59%	21	11.54%	0		9	4.95%	31	17.03%
75 ～	男	12	1	8.33%	0		2	16.67%	0		1	8.33%	8	66.67%
	女	8	1	12.50%	1	12.50%	1	12.50%	0		1	12.50%	4	50.00%
	計	20	2	10.00%	1	5.00%	3	15.00%	0		2	10.00%	12	60.00%
合計		457	344	75.27%	21	4.60%	35	7.66%	0		12	2.63%	45	9.85%

### 3. 聴力検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	53	52	98.11%	0	0	1	1.89%	0	0	0	0	0	0
	女	196	196	100.00%	0	0	0	0	0	0	0	0	0	0
	計	249	248	99.60%	0	0	1	0.40%	0	0	0	0	0	0
40 ～ 74	男	44	41	93.18%	0	0	3	6.82%	0	0	0	0	0	0
	女	141	132	93.62%	0	0	9	6.38%	0	0	0	0	0	0
	計	185	173	93.51%	0	0	12	6.49%	0	0	0	0	0	0
75 ～	男	13	4	30.77%	0	0	9	69.23%	0	0	0	0	0	0
	女	10	9	90.00%	0	0	1	10.00%	0	0	0	0	0	0
	計	23	13	56.52%	0	0	10	43.48%	0	0	0	0	0	0
合計		457	434	94.97%	0	0	23	5.03%	0	0	0	0	0	0

### 4. 肝機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	71	46	64.79%	15	21.13%	4	5.63%	0	0	6	8.45%	0	0
	女	188	172	91.49%	8	4.26%	2	1.06%	0	0	6	3.19%	0	0
	計	259	218	84.17%	23	8.88%	6	2.32%	0	0	12	4.63%	0	0
40 ～ 74	男	46	33	71.74%	6	13.04%	3	6.52%	3	6.52%	1	2.17%	0	0
	女	122	101	82.79%	11	9.02%	7	5.74%	0	0	2	1.64%	1	0.82%
	計	168	134	79.76%	17	10.12%	10	5.95%	3	1.79%	3	1.79%	1	0.60%
75 ～	男	12	10	83.33%	2	16.67%	0	0	0	0	0	0	0	0
	女	8	7	87.50%	1	12.50%	0	0	0	0	0	0	0	0
	計	20	17	85.00%	3	15.00%	0	0	0	0	0	0	0	0
合計		447	369	82.55%	43	9.62%	16	3.58%	3	0.67%	15	3.36%	1	0.22%

### 5. 脂質検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	42	60.87%	18	26.09%	5	7.25%	4	5.80%	0	0	0	0
	女	190	119	62.63%	33	17.37%	16	8.42%	2	1.05%	18	9.47%	2	1.05%
	計	259	161	62.16%	51	19.69%	21	8.11%	6	2.32%	18	6.95%	2	0.77%
40 ～ 74	男	44	14	31.82%	8	18.18%	16	36.36%	2	4.55%	0	0	4	9.09%
	女	127	51	40.16%	27	21.26%	26	20.47%	7	5.51%	1	0.79%	15	11.81%
	計	171	65	38.01%	35	20.47%	42	24.56%	9	5.26%	1	0.58%	19	11.11%
75 ～	男	12	2	16.67%	2	16.67%	3	25.00%	0	0	1	8.33%	4	33.33%
	女	8	0	0.00%	1	12.50%	2	25.00%	0	0	0	0	5	62.50%
	計	20	2	10.00%	3	15.00%	5	25.00%	0	0	1	5.00%	9	45.00%
合計		450	228	50.67%	89	19.78%	68	15.11%	15	3.33%	20	4.44%	30	6.67%

6. 糖代謝検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	74	63	85.14%	9	12.16%	2	2.70%	0		0		0	
	女	199	175	87.94%	16	8.04%	5	2.51%	0		1	0.50%	2	1.01%
	計	273	238	87.18%	25	9.16%	7	2.56%	0		1	0.37%	2	0.73%
40 ～ 74	男	60	39	65.00%	11	18.33%	6	10.00%	0		1	1.67%	3	5.00%
	女	127	64	50.39%	39	30.71%	21	16.54%	0		0		3	2.36%
	計	187	103	55.08%	50	26.74%	27	14.44%	0		1	0.53%	6	3.21%
75 ～	男	12	5	41.67%	3	25.00%	1	8.33%	0		0		3	25.00%
	女	8	4	50.00%	3	37.50%	1	12.50%	0		0		0	
	計	20	9	45.00%	6	30.00%	2	10.00%	0		0		3	15.00%
合計		480	350	72.92%	81	16.88%	36	7.50%	0		2	0.42%	11	2.29%

7. 腎機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	69	59	85.51%	6	8.70%	4	5.80%	0		0		0	
	女	196	172	87.76%	20	10.20%	4	2.04%	0		0		0	
	計	265	231	87.17%	26	9.81%	8	3.02%	0		0		0	
40 ～ 74	男	69	54	78.26%	10	14.49%	4	5.80%	0		1	1.45%	0	
	女	132	93	70.45%	23	17.42%	14	10.61%	2	1.52%	0		0	
	計	201	147	73.13%	33	16.42%	18	8.96%	2	1.00%	1	0.50%	0	
75 ～	男	12	7	58.33%	2	16.67%	1	8.33%	0		2	16.67%	0	
	女	8	7	87.50%	0		1	12.50%	0		0		0	
	計	20	14	70.00%	2	10.00%	2	10.00%	0		2	10.00%	0	
合計		486	392	80.66%	61	12.55%	28	5.76%	2	0.41%	3	0.62%	0	

8. 尿酸検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	39	29	74.36%	6	15.38%	0		4	10.26%	0		0	
	女	50	50	100.00%	0		0		0		0		0	
	計	89	79	88.76%	6	6.74%	0		4	4.49%	0		0	
40 ～ 74	男	33	27	81.82%	3	9.09%	1	3.03%	0		0		2	6.06%
	女	102	101	99.02%	0		0		1	0.98%	0		0	
	計	135	128	94.81%	3	2.22%	1	0.74%	1	0.74%	0		2	1.48%
75 ～	男	11	8	72.73%	3	27.27%	0		0		0		0	
	女	4	4	100.00%	0		0		0		0		0	
	計	15	12	80.00%	3	20.00%	0		0		0		0	
合計		239	219	91.63%	12	5.02%	1	0.42%	5	2.09%	0		2	0.84%

9. 貧血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	68	47	69.12%	19	27.94%	0		0		2	2.94%	0	
	女	191	134	70.16%	17	8.90%	27	14.14%	12	6.28%	0		1	0.52%
	計	259	181	69.88%	36	13.90%	27	10.42%	12	4.63%	2	0.77%	1	0.39%
40 ～ 74	男	44	37	84.09%	5	11.36%	0		1	2.27%	0		1	2.27%
	女	124	79	63.71%	18	14.52%	16	12.90%	4	3.23%	0		7	5.65%
	計	168	116	69.05%	23	13.69%	16	9.52%	5	2.98%	0		8	4.76%
75 ～	男	12	8	66.67%	0		1	8.33%	3	25.00%	0		0	
	女	8	7	87.50%	0		1	12.50%	0		0		0	
	計	20	15	75.00%	0		2	10.00%	3	15.00%	0		0	
合計		447	312	69.80%	59	13.20%	45	10.07%	20	4.47%	2	0.45%	9	2.01%

10. 血液一般検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	33	30	90.91%	2	6.06%	0		0		1	3.03%	0	
	女	40	30	75.00%	5	12.50%	3	7.50%	2	5.00%	0		0	
	計	73	60	82.19%	7	9.59%	3	4.11%	2	2.74%	1	1.37%	0	
40 ～ 74	男	19	18	94.74%	0		1	5.26%	0		0		0	
	女	64	45	70.31%	13	20.31%	1	1.56%	2	3.13%	3	4.69%	0	
	計	83	63	75.90%	13	15.66%	2	2.41%	2	2.41%	3	3.61%	0	
75 ～	男	11	10	90.91%	0		0		0		1	9.09%	0	
	女	4	4	100.00%	0		0		0		0		0	
	計	15	14	93.33%	0		0		0		1	6.67%	0	
合計		171	137	80.12%	20	11.70%	5	2.92%	4	2.34%	5	2.92%	0	

11. 肝炎検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	5	100.00%	0		0		0		0		0	
	女	6	6	100.00%	0		0		0		0		0	
	計	11	11	100.00%	0		0		0		0		0	
40 ～ 74	男	19	19	100.00%	0		0		0		0		0	
	女	16	16	100.00%	0		0		0		0		0	
	計	35	35	100.00%	0		0		0		0		0	
75 ～	男	0	0		0		0		0		0		0	
	女	0	0		0		0		0		0		0	
	計	0	0		0		0		0		0		0	
合計		46	46	100.00%	0		0		0		0		0	



## 12. 前立腺がん検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	4	4	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	96	93	96.88%	0	0	0	0	0	0	3	3.13%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	96	93	96.88%	0	0	0	0	0	0	3	3.13%	0	0
75 ～	男	1	0		0	0	0	0	0	0	1	100.00%	0	0
	女	0	0		0	0	0	0	0	0	0	0	0	0
	計	1	0		0	0	0	0	0	0	1	100.00%	0	0
合計		101	97	96.04%	0	0	0	0	0	0	4	3.96%	0	0

## 13. 便潜血検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	24	24	100.00%	0	0	0	0	0	0	0	0	0	0
	女	25	25	100.00%	0	0	0	0	0	0	0	0	0	0
	計	49	49	100.00%	0	0	0	0	0	0	0	0	0	0
40 ～ 74	男	51	46	90.20%	0	0	0	0	0	0	5	9.80%	0	0
	女	106	99	93.40%	0	0	0	0	0	0	6	5.66%	1	0.94%
	計	157	145	92.36%	0	0	0	0	0	0	11	7.01%	1	0.64%
75 ～	男	11	9	81.82%	0	0	0	0	0	0	2	18.18%	0	0
	女	3	3	100.00%	0	0	0	0	0	0	0	0	0	0
	計	14	12	85.71%	0	0	0	0	0	0	2	14.29%	0	0
合計		220	206	93.64%	0	0	0	0	0	0	13	5.91%	1	0.45%

## 14. 心電図検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	56	49	87.50%	6	10.71%	1	1.79%	0	0	0	0	0	0
	女	177	156	88.14%	10	5.65%	9	5.08%	0	0	1	0.56%	1	0.56%
	計	233	205	87.98%	16	6.87%	10	4.29%	0	0	1	0.43%	1	0.43%
40 ～ 74	男	37	30	81.08%	3	8.11%	3	8.11%	0	0	0	0	1	2.70%
	女	120	92	76.67%	17	14.17%	10	8.33%	0	0	1	0.83%	0	0
	計	157	122	77.71%	20	12.74%	13	8.28%	0	0	1	0.64%	1	0.64%
75 ～	男	12	8	66.67%	1	8.33%	3	25.00%	0	0	0	0	0	0
	女	8	4	50.00%	1	12.50%	1	12.50%	0	0	1	12.50%	1	12.50%
	計	20	12	60.00%	2	10.00%	4	20.00%	0	0	1	5.00%	1	5.00%
合計		410	339	82.68%	38	9.27%	27	6.59%	0	0	3	0.73%	3	0.73%

## 15. 眼底検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	6	5	83.33%	0	0	0	0	0	1	16.67%	0	0	
	女	4	4	100.00%	0	0	0	0	0	0	0	0	0	
	計	10	9	90.00%	0	0	0	0	0	1	10.00%	0	0	
40 ～ 74	男	30	23	76.67%	0	0	0	0	0	4	13.33%	3	10.00%	
	女	53	45	84.91%	0	1	1.89%	0	7	13.21%	0	0	0	
	計	83	68	81.93%	0	1	1.20%	0	11	13.25%	3	3.61%	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		93	77	82.80%	0	1	1.08%	0	12	12.90%	3	3.23%	0	

## 16. 眼圧検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	5	5	100.00%	0	0	0	0	0	0	0	0	0	
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	
	計	6	6	100.00%	0	0	0	0	0	0	0	0	0	
40 ～ 74	男	23	20	86.96%	0	0	0	0	0	1	4.35%	2	8.70%	
	女	17	15	88.24%	0	1	5.88%	0	1	5.88%	0	0	0	
	計	40	35	87.50%	0	1	2.50%	0	2	5.00%	2	5.00%	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		46	41	89.13%	0	1	2.17%	0	2	4.35%	2	4.35%	0	

## 17. 肺機能検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0	0	0	0	0	0	0	0	0	
	女	1	1	100.00%	0	0	0	0	0	0	0	0	0	
	計	1	1	100.00%	0	0	0	0	0	0	0	0	0	
40 ～ 74	男	0	0		0	0	0	0	0	0	0	0	0	
	女	8	8	100.00%	0	0	0	0	0	0	0	0	0	
	計	8	8	100.00%	0	0	0	0	0	0	0	0	0	
75 ～	男	0	0		0	0	0	0	0	0	0	0	0	
	女	0	0		0	0	0	0	0	0	0	0	0	
	計	0	0		0	0	0	0	0	0	0	0	0	
合計		9	9	100.00%	0	0	0	0	0	0	0	0	0	

## 18. 胸部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	52	50	96.15%	0	0	2	3.85%	0	0	0	0	0	0
	女	187	173	92.51%	0	0	14	7.49%	0	0	0	0	0	0
	計	239	223	93.31%	0	0	16	6.69%	0	0	0	0	0	0
40 ～ 74	男	34	32	94.12%	0	0	2	5.88%	0	0	0	0	0	0
	女	136	122	89.71%	0	0	12	8.82%	0	0	0	0	2	1.47%
	計	170	154	90.59%	0	0	14	8.24%	0	0	0	0	2	1.18%
75 ～	男	12	6	50.00%	0	0	6	50.00%	0	0	0	0	0	0
	女	8	5	62.50%	0	0	2	25.00%	0	0	1	12.50%	0	0
	計	20	11	55.00%	0	0	8	40.00%	0	0	1	5.00%	0	0
合計		429	388	90.44%	0	0	38	8.86%	0	0	1	0.23%	2	0.47%

## 19. 胃部X線検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	18	17	94.44%	0	0	1	5.56%	0	0	0	0	0	0
	女	15	12	80.00%	0	0	3	20.00%	0	0	0	0	0	0
	計	33	29	87.88%	0	0	4	12.12%	0	0	0	0	0	0
40 ～ 74	男	64	53	82.81%	0	0	11	17.19%	0	0	0	0	0	0
	女	75	52	69.33%	0	0	23	30.67%	0	0	0	0	0	0
	計	139	105	75.54%	0	0	34	24.46%	0	0	0	0	0	0
75 ～	男	5	3	60.00%	0	0	2	40.00%	0	0	0	0	0	0
	女	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	3	60.00%	0	0	2	40.00%	0	0	0	0	0	0
合計		177	137	77.40%	0	0	40	22.60%	0	0	0	0	0	0

## 20. 胃管内視鏡検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	7	5	71.43%	1	14.29%	1	14.29%	0	0	0	0	0	0
	女	2	1	50.00%	1	50.00%	0	0	0	0	0	0	0	0
	計	9	6	66.67%	2	22.22%	1	11.11%	0	0	0	0	0	0
40 ～ 74	男	77	11	14.29%	27	35.06%	37	48.05%	1	1.30%	1	1.30%	0	0
	女	48	9	18.75%	21	43.75%	15	31.25%	0	0	3	6.25%	0	0
	計	125	20	16.00%	48	38.40%	52	41.60%	1	0.80%	4	3.20%	0	0
75 ～	男	3	0	0	1	33.33%	2	66.67%	0	0	0	0	0	0
	女	2	1	50.00%	0	0	1	50.00%	0	0	0	0	0	0
	計	5	1	20.00%	1	20.00%	3	60.00%	0	0	0	0	0	0
合計		139	27	19.42%	51	36.69%	56	40.29%	1	0.72%	4	2.88%	0	0

## 21. 腹部超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	16	6	37.50%	0		10	62.50%	0		0		0	
	女	5	2	40.00%	0		3	60.00%	0		0		0	
	計	21	8	38.10%	0		13	61.90%	0		0		0	
40 ～ 74	男	84	9	10.71%	0		72	85.71%	0		3	3.57%	0	
	女	130	18	13.85%	1	0.77%	105	80.77%	0		6	4.62%	0	
	計	214	27	12.62%	1	0.47%	177	82.71%	0		9	4.21%	0	
75 ～	男	8	0		0		8	100.00%	0		0		0	
	女	14	0		0		14	100.00%	0		0		0	
	計	22	0		0		22	100.00%	0		0		0	
合計		257	35	13.62%	1	0.39%	212	82.49%	0		9	3.50%	0	

## 22. 乳房マンモグラフィ検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	78	68	87.18%	0		0		0		10	12.82%	0	
	計	78	68	87.18%	0		0		0		10	12.82%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	297	274	92.26%	0		0		0		23	7.74%	0	
	計	297	274	92.26%	0		0		0		23	7.74%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	2	1	50.00%	0		0		0		1	50.00%	0	
	計	2	1	50.00%	0		0		0		1	50.00%	0	
合計		377	343	90.98%	0		0		0		34	9.02%	0	

## 23. 乳房超音波検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			人数	割合	人数	割合	人数	割合	人数	割合	人数	割合	人数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	118	87	73.73%	2	1.69%	22	18.64%	0		7	5.93%	0	
	計	118	87	73.73%	2	1.69%	22	18.64%	0		7	5.93%	0	
40 ～ 74	男	0	0		0		0		0		0		0	
	女	335	249	74.33%	1	0.30%	63	18.81%	0		22	6.57%	0	
	計	335	249	74.33%	1	0.30%	63	18.81%	0		22	6.57%	0	
75 ～	男	0	0		0		0		0		0		0	
	女	12	10	83.33%	0		2	16.67%	0		0		0	
	計	12	10	83.33%	0		2	16.67%	0		0		0	
合計		465	346	74.41%	3	0.65%	87	18.71%	0		29	6.24%	0	

## 24. 婦人科検査

年代	性別	受診者数	正常範囲		軽度異常		要経過観察 要再検査		要治療		要精密検査		治療中	
			数	割合	数	割合	数	割合	数	割合	数	割合	数	割合
～ 39	男	0	0		0		0		0		0		0	
	女	264	254	96.21%	0		1	0.38%	0		4	1.52%	5	1.89%
	計	264	254	96.21%	0		1	0.38%	0		4	1.52%	5	1.89%
40 ～ 74	男	0	0		0		0		0		0		0	
	女	600	567	94.50%	3	0.50%	8	1.33%	0		8	1.33%	14	2.33%
	計	600	567	94.50%	3	0.50%	8	1.33%	0		8	1.33%	14	2.33%
75 ～	男	0	0		0		0		0		0		0	
	女	27	26	96.30%	0		1	3.70%	0		0		0	
	計	27	26	96.30%	0		1	3.70%	0		0		0	
合計		891	847	95.06%	3	0.34%	10	1.12%	0		12	1.35%	19	2.13%